

III. Medication

All the prescription and nonprescription drugs used in previous 2 weeks were checked.

* The drugs were coded by 3-digit therapeutic category numbers according to the Standard Commodity Classification No. of Japan.
Note that the fourth and subsequent digits of a code number were NILS-LSA original codes.

Drugs on nervous system and sensory organ

Agents acting on central nervous system

- 111. General anesthetic
- 112. Hypnotic sedative agent, antianxiety agent
- 113. Antiepileptic agent
- 114. Antipyretic analgesic agent
- 115. Stimulant drug, antihypnotic drug
- 116. Antiparkinson drug
- 117. Antipsychotic drug
- 118. Drugs for common cold
- 119. Other agents acting on central nervous system

Agents acting on peripheral nervous system

- 121. Local anesthetic
- 122. Muscle relaxant
- 123. Agents acting on autonomic nervous system
- 124. Antispasmodic agent
- 125. Antiperspirants
- 126. Other agents acting on peripheral nervous system

Agents acting on sensory organ

- 13100. Ophthalmic solution (others)
- 13111. Ophthalmic solution (for cataract)
- 13121. Ophthalmic solution (pilocarpine)
- 13122. Ophthalmic solution (β blocker)
- 13123. Ophthalmic solution (epinephrine)
- 13124. Ophthalmic solution (other solutions for glaucoma)
- 13131. Ophthalmic solution (steroid)
- 13199. Ophthalmic solution (unknown)
- 132. Agents acting on ear, nose and throat use
- 133. Anti-vertiginous drug
- 134. Other agents acting on sensory organ

Drugs on individual organs

Agents acting on cardiovascular system

- 21101. Digitalis agent
- 21102. Xanthine agent
- 21103. Other inotropic agents
- 21201. β blocker
- 21202. Agents for membrane-stabilizing activity
- 21203. Other antiarrhythmic agents
- 21301. Thiazide diuretics
- 21302. Loop diuretics
- 21303. Potassium sparing diuretics
- 21304. Carbonate dehydratase inhibitor
- 21305. Other diuretics
- 214. Unknown antihypertensive agent
- 21401. ACE inhibitor
- 21402. Ca antagonist
- 21403. Other antihypertensive agents
- 215. Vascular reinforcing agent
- 216. Vasoconstrictor
- 217. Vasodilator
- 218. Antihyperlipidemic agent
- 219. Other agents acting on cardiovascular system

Agents acting on respiratory system

- 221. Respiratory stimulator
- 222. Antitussive agent
- 223. Expectorant
- 224. Antitussive agent and expectorant
- 225. Bronchodilator
- 226. Gargle
- 229. Other agents acting on respiratory system

Agents acting on alimentary system

- 231. Antidiarrheal agent
- 232. Antiulcerative agent
- 233. Stomachic
- 234. Antacid
- 235. Laxative
- 236. Cholagogue
- 237. Combined digestive agent
- 239. Other agents acting on alimentary system

Hormone drug

- 241. Pituitary hormone drug
- 242. Hormone drug of salivary gland
- 243. Thyroid hormone or parathyroid hormone drug
- 244. Anabolic steroid drug
- 245. Adrenocortical hormone drug
- 246. Androgen drug
- 247. Estrogen or progesterone drug
- 248. Mixed hormone drug
- 249. Other hormone drugs

Agents acting on urogenital system or anus

- 251. Agents acting on urinary system
- 252. Agents acting on genital system
- 253. Uterine constrictor
- 254. Contraceptive
- 255. Agents for hemorrhoids
- 259. Other agents acting on urogenital system or anus

Surface-acting agent

- 261. Integumentary microbicide
- 262. Protective agent for wound
- 263. Pyostatics
- 264. Analgesic, antipruritic, astringent, antiphlogistic (medicine for external application)
- 265. Integumentary parasiticide
- 266. Emollient
- 267. Hair tonic
- 268. Bath liquid
- 269. Other surface-acting agents
- 270. Steroid surface-acting agent

Agents for dental use

- 271. Dental local anesthetic
- 272. Agents for devitalization of the pulp
- 273. Analgesic or sedative for dental use
- 274. Agents for mummification of the pulp
- 275. Agents for pulp capping
- 276. Antibiotics for dental use
- 279. Other agents for dental use
- 290. Other agents for organ system

Drugs on metabolism

Vitamins

- 31101. Vitamin A preparation
- 31102. Vitamin D preparation
- 312. Vitamin B1 preparation
- 313. Vitamin B complex preparation (exclude B1)
- 314. Vitamin C preparation
- 315. Vitamin E preparation
- 316. Vitamin K preparation
- 317. Mixed vitamin preparation
- 319. Other vitamin preparations

Restoratives

- 321. Calcium preparation
- 322. Mineral preparation
- 323. Saccharide preparation
- 324. Organic acid preparation
- 325. Protein or amino acid preparation
- 326. Hormone drug made from some internal organ
- 327. Infant preparation
- 329. Other tonic

Blood substitute

- 331. Blood substitute
- 332. Styptics
- 333. Anticoagulant
- 339. Other blood substitutes

Agents for dialysis

- 341. Agents for hemodialysis
- 342. Agents for peritoneal dialysis
- 349. Other agents for dialysis

Other agents acting on metabolic system

- 391. Agents for liver disease
- 392. Antidote
- 393. Agents for habitual intoxication
- 394. Agents for gout
- 395. Enzyme preparation
- 39600. Insulin
- 39601. Oral antidiabetics
- 397. Agents acting generally on metabolic system
- 399. Unclassified agent acting on metabolic system
- 39911. Calcitonin (elcatonin)
- 39912. Calcitonin (calcitonin salmon)
- 39921. Bisphosphonate (alendronate sodium hydrate)
- 39922. Bisphosphonate (sodium risedronate hydrate)
- 39923. Bisphosphonate (etidronate disodium)
- 39931. Ipriflavone
- 39941. Selective estrogen receptor modulator

Cell activation agent

Cell activation agent

- 411. Chlorophyll agent
- 412. Pigment agent
- 419. Other cell activation agents

Antitumor agent

- 421. Alkylating agent
- 422. Antimetabolite
- 423. Antibiotics for antitumor agent
- 424. Plant component for antitumor agent
- 429. Other antitumor agents

Antiallergic drug

- 441. Antihistaminic agent
- 442. Agents for stimulus therapy
- 443. Agents for nonspecific immunogenicity
- 449. Other antiallergic drugs

Drugs prescribed by a crude drug or a herb medicine

- 510. Crude drug
- 520. Herb medicine
- 590. Other drugs prescribed by a crude drug or herb medicine

Drugs for pathogenic organism

Antibiotics

- 611. Antibiotics against gram-positive bacteria
- 612. Antibiotics against gram-negative bacteria
- 613. Antibiotics against gram-positive and negative bacteria
- 614. Antibiotics against gram-positive bacteria and Mycoplasma
- 615. Antibiotics against gram-positive and negative bacteria, Rickettsia, and Chlamydia
- 616. Antibiotics against acid-fast bacterium
- 617. Antibiotics against fungus
- 619. Other antibiotics

Agents for chemotherapy

- 621. Sulfa agent
- 622. Antituberculous agent
- 623. Anti-leprosy agent
- 624. Synthetic antibiotics
- 625. Antiviral agent
- 626. Other agents for chemotherapy

- Biological agent
 - 631. Vaccine
 - 632. Poison or toxoid
 - 633. Antitoxic serum or leptospira serum
 - 634. Blood supplements
 - 635. Reagents for biological tests
 - 636. Mixed biological agent
 - 639. Other biological agents

- Drugs against parasitic disease
 - 641. Protozoicide
 - 642. Parasiticide
 - 649. Other drugs against parasitic disease

- Drugs not for treatment
 - Dispensing drug
 - 711. Diluents
 - 712. Ointment base
 - 713. Solution
 - 714. Corrective, tinction
 - 715. Emulsifier
 - 719. Other dispensing drugs

- Drugs for diagnosis
 - 721. X-ray contrast medium
 - 722. Reagents for functional tests
 - 729. Other drugs for diagnosis

- Drugs for public health
 - 731. Antiseptic
 - 732. Pesticide for prevention of epidemics
 - 733. Insect repellent
 - 734. Insecticide
 - 735. Rodenticide
 - 736. Other drugs for public health

- Reagents for extracorporeal diagnosis
 - 741. Reagents for general tests
 - 742. Reagents for blood tests
 - 743. Reagents for biochemical tests
 - 744. Reagents for immunologic or serologic tests
 - 745. Reagents for microbiological tests
 - 746. Reagents for histopathological tests
 - 747. Radiopharmaceutical for extracorporeal diagnosis
 - 749. Other reagents for extracorporeal diagnosis

- Drugs not for other treatments
 - 791. Adhesive bandage
 - 799. Other drugs not for treatment

- Narcotics
 - Alkaloid agent
 - 811. Opiate alkaloid agent
 - 812. Coca alkaloid agent
 - 819. Other alkaloid agents

- Non-alkaloid narcotics
 - 821. Synthetic narcotic

- Unclassifiable drug
 - 999. Unclassifiable drug

Prevalence of taking medicine in previous 2 weeks

		40–49yr		50–59yr		60–69yr		70–79yr		80yr–		Total	
		N	%	N	%	N	%	N	%	N	%	N	%

General anesthetic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hypnotic sedative agent, antianxiety agent	Male	10	3.6	7	2.4	11	4.0	21	7.4	7	9.5	56	4.7
	Female	3	1.0	9	3.2	28	10.0	45	16.2	17	19.3	102	8.4
	Total	13	2.3	16	2.8	39	7.0	66	11.7	24	14.8	158	6.5
Antiepileptic agent	Male	1	0.4	0	0.0	1	0.4	4	1.4	0	0.0	6	0.5
	Female	0	0.0	0	0.0	2	0.7	2	0.7	2	2.3	6	0.5
	Total	1	0.2	0	0.0	3	0.5	6	1.1	2	1.2	12	0.5
Antipyretic analgesic agent	Male	26	9.3	30	10.4	32	11.7	58	20.4	31	41.9	177	14.8
	Female	53	18.0	56	20.2	42	14.9	65	23.4	29	33.0	245	20.1
	Total	79	13.8	86	15.2	74	13.3	123	21.9	60	37.0	422	17.4
Stimulant drug, antihypnotic drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antiparkinson drug	Male	0	0.0	0	0.0	3	1.1	4	1.4	0	0.0	7	0.6
	Female	0	0.0	1	0.4	0	0.0	1	0.4	0	0.0	2	0.2
	Total	0	0.0	1	0.2	3	0.5	5	0.9	0	0.0	9	0.4
Antipsychotic drug	Male	9	3.2	5	1.7	13	4.7	12	4.2	4	5.4	43	3.6
	Female	5	1.7	8	2.9	15	5.3	30	10.8	10	11.4	68	5.6
	Total	14	2.4	13	2.3	28	5.0	42	7.5	14	8.6	111	4.6
Drugs for common cold	Male	31	11.1	17	5.9	11	4.0	17	6.0	3	4.1	79	6.6
	Female	29	9.8	30	10.8	10	3.6	16	5.8	2	2.3	87	7.1
	Total	60	10.5	47	8.3	21	3.8	33	5.9	5	3.1	166	6.9
Other agents acting on central nervous system	Male	0	0.0	0	0.0	0	0.0	2	0.7	2	2.7	4	0.3
	Female	0	0.0	1	0.4	0	0.0	1	0.4	3	3.4	5	0.4
	Total	0	0.0	1	0.2	0	0.0	3	0.5	5	3.1	9	0.4
Local anesthetic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Total	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0	1	0.0
Muscle relaxant	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents acting on autonomic nervous system	Male	0	0.0	1	0.3	1	0.4	1	0.4	0	0.0	3	0.3
	Female	0	0.0	1	0.4	0	0.0	1	0.4	1	1.1	3	0.2
	Total	0	0.0	2	0.4	1	0.2	2	0.4	1	0.6	6	0.2
Antispasmodic agent	Male	0	0.0	2	0.7	3	1.1	4	1.4	1	1.4	10	0.8
	Female	4	1.4	2	0.7	3	1.1	5	1.8	3	3.4	17	1.4
	Total	4	0.7	4	0.7	6	1.1	9	1.6	4	2.5	27	1.1
Antiperspirants	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agents acting on peripheral nervous system	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Ophthalmic solution (others)	Male	53	19.0	58	20.1	51	18.6	72	25.4	23	31.1	257	21.4
	Female	56	19.0	64	23.1	85	30.2	99	35.6	42	47.7	346	28.4

	Total	109	19.0	122	21.6	136	24.5	171	30.4	65	40.1	603	24.9
Ophthalmic solution (for cataract)	Male	0	0.0	2	0.7	14	5.1	32	11.3	8	10.8	56	4.7
	Female	1	0.3	8	2.9	22	7.8	50	18.0	16	18.2	97	8.0
	Total	1	0.2	10	1.8	36	6.5	82	14.6	24	14.8	153	6.3
Ophthalmic solution (pilocarpine)	Male	0	0.0	0	0.0	1	0.4	1	0.4	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	1	0.2	2	0.4	0	0.0	3	0.1
Ophthalmic solution (β blocker)	Male	3	1.1	2	0.7	8	2.9	10	3.5	4	5.4	27	2.3
	Female	0	0.0	2	0.7	3	1.1	7	2.5	5	5.7	17	1.4
	Total	3	0.5	4	0.7	11	2.0	17	3.0	9	5.6	44	1.8
Ophthalmic solution (epinephrine)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Ophthalmic solution (other solutions for glaucoma)	Male	2	0.7	1	0.3	11	4.0	14	4.9	4	5.4	32	2.7
	Female	2	0.7	3	1.1	4	1.4	10	3.6	1	1.1	20	1.6
	Total	4	0.7	4	0.7	15	2.7	24	4.3	5	3.1	52	2.1
Ophthalmic solution (steroid)	Male	2	0.7	4	1.4	5	1.8	11	3.9	4	5.4	26	2.2
	Female	2	0.7	5	1.8	12	4.3	17	6.1	7	8.0	43	3.5
	Total	4	0.7	9	1.6	17	3.1	28	5.0	11	6.8	69	2.9
Ophthalmic solution (unknown)	Male	0	0.0	1	0.3	1	0.4	2	0.7	2	2.7	6	0.5
	Female	0	0.0	0	0.0	0	0.0	4	1.4	0	0.0	4	0.3
	Total	0	0.0	1	0.2	1	0.2	6	1.1	2	1.2	10	0.4
Agents acting on ear, nose and throat use	Male	0	0.0	3	1.0	1	0.4	2	0.7	2	2.7	8	0.7
	Female	1	0.3	1	0.4	0	0.0	0	0.0	1	1.1	3	0.2
	Total	1	0.2	4	0.7	1	0.2	2	0.4	3	1.9	11	0.5
Anti-vertigenous drug	Male	3	1.1	2	0.7	3	1.1	3	1.1	1	1.4	12	1.0
	Female	1	0.3	1	0.4	4	1.4	8	2.9	2	2.3	16	1.3
	Total	4	0.7	3	0.5	7	1.3	11	2.0	3	1.9	28	1.2
Other agents acting on sensory organ	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Digitalis agent	Male	0	0.0	0	0.0	4	1.5	3	1.1	5	6.8	12	1.0
	Female	0	0.0	2	0.7	1	0.4	2	0.7	3	3.4	8	0.7
	Total	0	0.0	2	0.4	5	0.9	5	0.9	8	4.9	20	0.8
Xanthine agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	1	0.4	0	0.0	0	0.0	0	0.0	1	0.1
	Total	0	0.0	1	0.2	0	0.0	0	0.0	0	0.0	1	0.0
Other inotropic agents	Male	0	0.0	0	0.0	0	0.0	0	0.0	2	2.7	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1	1	0.1
	Total	0	0.0	0	0.0	0	0.0	0	0.0	3	1.9	3	0.1
β blocker	Male	2	0.7	10	3.5	14	5.1	18	6.3	3	4.1	47	3.9
	Female	2	0.7	10	3.6	7	2.5	20	7.2	3	3.4	42	3.4
	Total	4	0.7	20	3.5	21	3.8	38	6.8	6	3.7	89	3.7
Agents for membrane- stabilizing activity	Male	1	0.4	1	0.3	1	0.4	4	1.4	2	2.7	9	0.8
	Female	0	0.0	0	0.0	2	0.7	5	1.8	1	1.1	8	0.7
	Total	1	0.2	1	0.2	3	0.5	9	1.6	3	1.9	17	0.7
Other antiarrhythmic agents	Male	0	0.0	1	0.3	1	0.4	2	0.7	1	1.4	5	0.4
	Female	0	0.0	0	0.0	1	0.4	2	0.7	0	0.0	3	0.2

	Total	0	0.0	1	0.2	2	0.4	4	0.7	1	0.6	8	0.3
Thiazide diuretics	Male	1	0.4	2	0.7	2	0.7	1	0.4	1	1.4	7	0.6
	Female	0	0.0	0	0.0	2	0.7	10	3.6	8	9.1	20	1.6
	Total	1	0.2	2	0.4	4	0.7	11	2.0	9	5.6	27	1.1
Loop diuretics	Male	1	0.4	1	0.3	2	0.7	9	3.2	7	9.5	20	1.7
	Female	0	0.0	2	0.7	3	1.1	7	2.5	6	6.8	18	1.5
	Total	1	0.2	3	0.5	5	0.9	16	2.8	13	8.0	38	1.6
Potassium sparing diuretics	Male	0	0.0	1	0.3	2	0.7	2	0.7	1	1.4	6	0.5
	Female	0	0.0	0	0.0	0	0.0	2	0.7	3	3.4	5	0.4
	Total	0	0.0	1	0.2	2	0.4	4	0.7	4	2.5	11	0.5
Carbonate dehydratase inhibitor	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other diuretics	Male	1	0.4	0	0.0	0	0.0	0	0.0	1	1.4	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.2	0	0.0	0	0.0	0	0.0	1	0.6	2	0.1
Unknowwn antihypertensive agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	1	0.4	1	1.1	2	0.2
	Total	0	0.0	0	0.0	0	0.0	1	0.2	2	1.2	3	0.1
ACE inhibitor	Male	10	3.6	27	9.3	43	15.7	64	22.5	19	25.7	163	13.6
	Female	4	1.4	20	7.2	44	15.7	63	22.7	23	26.1	154	12.6
	Total	14	2.4	47	8.3	87	15.7	127	22.6	42	25.9	317	13.1
Ca antagonist	Male	5	1.8	42	14.5	67	24.5	89	31.3	24	32.4	227	18.9
	Female	10	3.4	20	7.2	47	16.7	101	36.3	38	43.2	216	17.7
	Total	15	2.6	62	11.0	114	20.5	190	33.8	62	38.3	443	18.3
Other antihypertensive agents	Male	1	0.4	3	1.0	8	2.9	8	2.8	2	2.7	22	1.8
	Female	1	0.3	1	0.4	2	0.7	6	2.2	2	2.3	12	1.0
	Total	2	0.3	4	0.7	10	1.8	14	2.5	4	2.5	34	1.4
Vascular reinforcing agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Vasoconstrictor	Male	1	0.4	2	0.7	0	0.0	2	0.7	0	0.0	5	0.4
	Female	1	0.3	0	0.0	1	0.4	0	0.0	0	0.0	2	0.2
	Total	2	0.3	2	0.4	1	0.2	2	0.4	0	0.0	7	0.3
Vasodilator	Male	1	0.4	2	0.7	5	1.8	14	4.9	10	13.5	32	2.7
	Female	1	0.3	0	0.0	3	1.1	19	6.8	7	8.0	30	2.5
	Total	2	0.3	2	0.4	8	1.4	33	5.9	17	10.5	62	2.6
Antihyperlipidemic agent	Male	6	2.2	25	8.7	37	13.5	46	16.2	9	12.2	123	10.3
	Female	7	2.4	27	9.7	66	23.5	73	26.3	26	29.5	199	16.3
	Total	13	2.3	52	9.2	103	18.6	119	21.2	35	21.6	322	13.3
Other agents acting on cardiovascular system	Male	3	1.1	4	1.4	7	2.6	17	6.0	10	13.5	41	3.4
	Female	2	0.7	1	0.4	6	2.1	21	7.6	8	9.1	38	3.1
	Total	5	0.9	5	0.9	13	2.3	38	6.8	18	11.1	79	3.3
Respiratory stimulator	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antitussive agent	Male	6	2.2	2	0.7	3	1.1	2	0.7	2	2.7	15	1.3

	Female	3	1.0	3	1.1	3	1.1	5	1.8	0	0.0	14	1.1
	Total	9	1.6	5	0.9	6	1.1	7	1.2	2	1.2	29	1.2
Expectorant	Male	7	2.5	3	1.0	9	3.3	6	2.1	9	12.2	34	2.8
	Female	3	1.0	4	1.4	5	1.8	10	3.6	1	1.1	23	1.9
	Total	10	1.7	7	1.2	14	2.5	16	2.8	10	6.2	57	2.4
Antitussive agent and expectorant	Male	1	0.4	1	0.3	2	0.7	0	0.0	1	1.4	5	0.4
	Female	0	0.0	3	1.1	5	1.8	4	1.4	1	1.1	13	1.1
	Total	1	0.2	4	0.7	7	1.3	4	0.7	2	1.2	18	0.7
Bronchodilator	Male	2	0.7	2	0.7	4	1.5	10	3.5	4	5.4	22	1.8
	Female	2	0.7	2	0.7	4	1.4	6	2.2	1	1.1	15	1.2
	Total	4	0.7	4	0.7	8	1.4	16	2.8	5	3.1	37	1.5
Gargle	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agents acting on respiratory system	Male	0	0.0	0	0.0	2	0.7	1	0.4	1	1.4	4	0.3
	Female	0	0.0	1	0.4	1	0.4	2	0.7	0	0.0	4	0.3
	Total	0	0.0	1	0.2	3	0.5	3	0.5	1	0.6	8	0.3
Antidiarrheal agent	Male	9	3.2	4	1.4	9	3.3	8	2.8	5	6.8	35	2.9
	Female	6	2.0	1	0.4	11	3.9	9	3.2	10	11.4	37	3.0
	Total	15	2.6	5	0.9	20	3.6	17	3.0	15	9.3	72	3.0
Antiulcerative agent	Male	14	5.0	23	8.0	34	12.4	61	21.5	21	28.4	153	12.8
	Female	13	4.4	29	10.5	31	11.0	66	23.7	32	36.4	171	14.0
	Total	27	4.7	52	9.2	65	11.7	127	22.6	53	32.7	324	13.4
Stomachic	Male	1	0.4	1	0.3	4	1.5	6	2.1	5	6.8	17	1.4
	Female	0	0.0	3	1.1	2	0.7	5	1.8	6	6.8	16	1.3
	Total	1	0.2	4	0.7	6	1.1	11	2.0	11	6.8	33	1.4
Antacid	Male	0	0.0	0	0.0	2	0.7	0	0.0	0	0.0	2	0.2
	Female	1	0.3	0	0.0	2	0.7	2	0.7	1	1.1	6	0.5
	Total	1	0.2	0	0.0	4	0.7	2	0.4	1	0.6	8	0.3
Laxative	Male	3	1.1	3	1.0	5	1.8	13	4.6	12	16.2	36	3.0
	Female	6	2.0	16	5.8	7	2.5	23	8.3	10	11.4	62	5.1
	Total	9	1.6	19	3.4	12	2.2	36	6.4	22	13.6	98	4.1
Cholagogue	Male	1	0.4	2	0.7	8	2.9	5	1.8	2	2.7	18	1.5
	Female	1	0.3	2	0.7	1	0.4	1	0.4	0	0.0	5	0.4
	Total	2	0.3	4	0.7	9	1.6	6	1.1	2	1.2	23	1.0
Combined digestive agent	Male	5	1.8	16	5.5	8	2.9	10	3.5	2	2.7	41	3.4
	Female	9	3.1	5	1.8	10	3.6	4	1.4	2	2.3	30	2.5
	Total	14	2.4	21	3.7	18	3.2	14	2.5	4	2.5	71	2.9
Other agents acting on alimentary system	Male	1	0.4	1	0.3	6	2.2	8	2.8	5	6.8	21	1.8
	Female	4	1.4	1	0.4	3	1.1	14	5.0	9	10.2	31	2.5
	Total	5	0.9	2	0.4	9	1.6	22	3.9	14	8.6	52	2.1
Pituitary hormone drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hormone drug of salivary gland	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0
Thyroid hormone or	Male	0	0.0	2	0.7	1	0.4	1	0.4	2	2.7	6	0.5

parathyroid hormone drug	Female	3	1.0	8	2.9	5	1.8	7	2.5	2	2.3	25	2.1
	Total	3	0.5	10	1.8	6	1.1	8	1.4	4	2.5	31	1.3
Anabolic steroid drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Adrenocortical hormone drug	Male	2	0.7	3	1.0	4	1.5	11	3.9	0	0.0	20	1.7
	Female	2	0.7	7	2.5	10	3.6	6	2.2	3	3.4	28	2.3
	Total	4	0.7	10	1.8	14	2.5	17	3.0	3	1.9	48	2.0
Androgen drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Estrogen or progesterone drug	Male	0	0.0	0	0.0	1	0.4	2	0.7	0	0.0	3	0.3
	Female	3	1.0	2	0.7	0	0.0	0	0.0	0	0.0	5	0.4
	Total	3	0.5	2	0.4	1	0.2	2	0.4	0	0.0	8	0.3
Mixed hormone drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.2	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0
Other hormone drugs	Male	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0	2	0.2
	Female	0	0.0	0	0.0	1	0.4	3	1.1	1	1.1	5	0.4
	Total	0	0.0	0	0.0	1	0.2	5	0.9	1	0.6	7	0.3
Agents acting on urinary system	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents acting on genital system	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Uterine constrictor	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Contraceptive	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for hemorrhoids	Male	0	0.0	1	0.3	0	0.0	1	0.4	1	1.4	3	0.3
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	1	0.2	0	0.0	1	0.2	1	0.6	3	0.1
Other agents acting on urogenital system or anus	Male	0	0.0	5	1.7	5	1.8	17	6.0	11	14.9	38	3.2
	Female	0	0.0	2	0.7	3	1.1	5	1.8	3	3.4	13	1.1
	Total	0	0.0	7	1.2	8	1.4	22	3.9	14	8.6	51	2.1
Integumentary microbicide	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Protective agent for wound	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pyostatics	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Analgesic, antipruritic, astringent, antiphlogistic (medicine for external application)	Male	1	0.4	0	0.0	0	0.0	2	0.7	0	0.0	3	0.3
	Female	1	0.3	1	0.4	0	0.0	1	0.4	0	0.0	3	0.2
	Total	2	0.3	1	0.2	0	0.0	3	0.5	0	0.0	6	0.2
Integumentary parasiticide	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Emollient	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hair tonic	Male	0	0.0	1	0.3	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	1	0.2	0	0.0	0	0.0	0	0.0	1	0.0
Bath liquid	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other surface-acting agents	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Steroid surface-acting agent	Male	10	3.6	14	4.8	16	5.8	14	4.9	2	2.7	56	4.7
	Female	15	5.1	15	5.4	21	7.5	7	2.5	6	6.8	64	5.3
	Total	25	4.4	29	5.1	37	6.7	21	3.7	8	4.9	120	5.0
Dental local anesthetic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for devitalization of the pulp	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Analgesic or sedative for dental use	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for mummification of the pulp	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for pulp capping	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics for dental use	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agents for dental use	Male	1	0.4	0	0.0	0	0.0	1	0.4	0	0.0	2	0.2
	Female	1	0.3	0	0.0	0	0.0	1	0.4	0	0.0	2	0.2
	Total	2	0.3	0	0.0	0	0.0	2	0.4	0	0.0	4	0.2
Other agents for organ system	Male	0	0.0	1	0.3	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	1	0.2	0	0.0	0	0.0	0	0.0	1	0.0
Vitamin A preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Vitamin D preparation	Male	1	0.4	0	0.0	1	0.4	4	1.4	1	1.4	7	0.6
	Female	1	0.3	1	0.4	12	4.3	23	8.3	11	12.5	48	3.9
	Total	2	0.3	1	0.2	13	2.3	27	4.8	12	7.4	55	2.3
Vitamin B1 preparation	Male	0	0.0	1	0.3	2	0.7	2	0.7	2	2.7	7	0.6
	Female	1	0.3	0	0.0	0	0.0	4	1.4	1	1.1	6	0.5
	Total	1	0.2	1	0.2	2	0.4	6	1.1	3	1.9	13	0.5
Vitamin B complex preparation (exclude B1)	Male	4	1.4	6	2.1	10	3.6	19	6.7	9	12.2	48	4.0
	Female	6	2.0	6	2.2	7	2.5	17	6.1	12	13.6	48	3.9
	Total	10	1.7	12	2.1	17	3.1	36	6.4	21	13.0	96	4.0
Vitamin C preparation	Male	0	0.0	1	0.3	0	0.0	1	0.4	0	0.0	2	0.2
	Female	1	0.3	1	0.4	1	0.4	0	0.0	0	0.0	3	0.2
	Total	1	0.2	2	0.4	1	0.2	1	0.2	0	0.0	5	0.2
Vitamin E preparation	Male	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Female	0	0.0	1	0.4	1	0.4	0	0.0	1	1.1	3	0.2
	Total	0	0.0	1	0.2	2	0.4	0	0.0	1	0.6	4	0.2
Vitamin K preparation	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	0	0.0	0	0.0	1	0.4	1	0.4	5	5.7	7	0.6
	Total	0	0.0	0	0.0	1	0.2	2	0.4	5	3.1	8	0.3
Mixed vitamin preparation	Male	1	0.4	0	0.0	3	1.1	7	2.5	1	1.4	12	1.0
	Female	2	0.7	3	1.1	4	1.4	7	2.5	3	3.4	19	1.6
	Total	3	0.5	3	0.5	7	1.3	14	2.5	4	2.5	31	1.3
Other vitamin preparations	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Calcium preparation	Male	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	5	1.8	2	0.7	3	3.4	10	0.8
	Total	0	0.0	0	0.0	6	1.1	2	0.4	3	1.9	11	0.5
Mineral preparation	Male	0	0.0	0	0.0	2	0.7	1	0.4	0	0.0	3	0.3
	Female	7	2.4	4	1.4	0	0.0	2	0.7	3	3.4	16	1.3
	Total	7	1.2	4	0.7	2	0.4	3	0.5	3	1.9	19	0.8
Saccharide preparation	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0
Organic acid preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Protein or amino acid preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hormone drug made from some internal organ	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1	1	0.1
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Infant preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other tonic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Blood substitute	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1	1	0.1
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Styptics	Male	2	0.7	1	0.3	2	0.7	1	0.4	1	1.4	7	0.6
	Female	2	0.7	3	1.1	1	0.4	4	1.4	0	0.0	10	0.8
	Total	4	0.7	4	0.7	3	0.5	5	0.9	1	0.6	17	0.7
Anticoagulant	Male	0	0.0	1	0.3	5	1.8	10	3.5	2	2.7	18	1.5
	Female	0	0.0	1	0.4	3	1.1	1	0.4	4	4.5	9	0.7
	Total	0	0.0	2	0.4	8	1.4	11	2.0	6	3.7	27	1.1
Other blood substitutes	Male	1	0.4	2	0.7	8	2.9	25	8.8	7	9.5	43	3.6
	Female	0	0.0	1	0.4	3	1.1	17	6.1	7	8.0	28	2.3
	Total	1	0.2	3	0.5	11	2.0	42	7.5	14	8.6	71	2.9
Agents for hemodialysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for peritoneal dialysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agents for dialysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for liver disease	Male	0	0.0	0	0.0	3	1.1	4	1.4	0	0.0	7	0.6
	Female	1	0.3	0	0.0	3	1.1	1	0.4	3	3.4	8	0.7
	Total	1	0.2	0	0.0	6	1.1	5	0.9	3	1.9	15	0.6
Antidote	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	1	0.3	0	0.0	1	0.4	0	0.0	1	1.1	3	0.2
	Total	1	0.2	0	0.0	1	0.2	1	0.2	1	0.6	4	0.2
Agents for habitual intoxication	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for gout	Male	10	3.6	11	3.8	16	5.8	28	9.9	5	6.8	70	5.8
	Female	0	0.0	1	0.4	0	0.0	7	2.5	2	2.3	10	0.8
	Total	10	1.7	12	2.1	16	2.9	35	6.2	7	4.3	80	3.3
Enzyme preparation	Male	1	0.4	1	0.3	5	1.8	4	1.4	2	2.7	13	1.1
	Female	2	0.7	3	1.1	1	0.4	2	0.7	0	0.0	8	0.7
	Total	3	0.5	4	0.7	6	1.1	6	1.1	2	1.2	21	0.9
Insulin	Male	0	0.0	1	0.3	4	1.5	6	2.1	0	0.0	11	0.9
	Female	1	0.3	2	0.7	3	1.1	2	0.7	0	0.0	8	0.7
	Total	1	0.2	3	0.5	7	1.3	8	1.4	0	0.0	19	0.8
Oral antidiabetics	Male	2	0.7	15	5.2	19	6.9	21	7.4	6	8.1	63	5.3
	Female	5	1.7	5	1.8	13	4.6	22	7.9	2	2.3	47	3.9
	Total	7	1.2	20	3.5	32	5.8	43	7.7	8	4.9	110	4.5
Agents acting generally on metabolic system	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unclassified agent acting on metabolic system	Male	3	1.1	3	1.0	3	1.1	5	1.8	1	1.4	15	1.3
	Female	2	0.7	3	1.1	0	0.0	5	1.8	3	3.4	13	1.1

	Total	5	0.9	6	1.1	3	0.5	10	1.8	4	2.5	28	1.2
Calcitonin (elcatonin)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	3	3.4	3	0.2
	Total	0	0.0	0	0.0	0	0.0	0	0.0	3	1.9	3	0.1
Calcitonin (calcitonin salmon)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Bisphosphonate (alendronate sodium hydrate)	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	0	0.0	1	0.4	6	2.1	7	2.5	5	5.7	19	1.6
	Total	0	0.0	1	0.2	6	1.1	8	1.4	5	3.1	20	0.8
Bisphosphonate (sodium risedronate hydrate)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	2	0.7	0	0.0	5	1.8	7	2.5	1	1.1	15	1.2
	Total	2	0.3	0	0.0	5	0.9	7	1.2	1	0.6	15	0.6
Bisphosphonate (etidronate disodium)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.2	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0
Ipriflavone	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Selective estrogen receptor modulator	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	3	1.1	3	1.1	1	1.1	7	0.6
	Total	0	0.0	0	0.0	3	0.5	3	0.5	1	0.6	7	0.3
Chlorophyll agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pigment agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other cell activation agents	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Alkylating agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antimetabolite	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	2	0.7	0	0.0	1	0.4	0	0.0	0	0.0	3	0.2
	Total	2	0.3	0	0.0	1	0.2	1	0.2	0	0.0	4	0.2
Antibiotics for antitumor agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Plant component for antitumor agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other antitumor agents	Male	1	0.4	0	0.0	1	0.4	3	1.1	1	1.4	6	0.5
	Female	0	0.0	0	0.0	1	0.4	4	1.4	1	1.1	6	0.5
	Total	1	0.2	0	0.0	2	0.4	7	1.2	2	1.2	12	0.5
Antihistaminic agent	Male	7	2.5	8	2.8	5	1.8	6	2.1	0	0.0	26	2.2

	Female	5	1.7	11	4.0	7	2.5	2	0.7	2	2.3	27	2.2
	Total	12	2.1	19	3.4	12	2.2	8	1.4	2	1.2	53	2.2
Agents for stimulus therapy	Male	0	0.0	1	0.3	0	0.0	1	0.4	0	0.0	2	0.2
	Female	0	0.0	1	0.4	2	0.7	0	0.0	0	0.0	3	0.2
	Total	0	0.0	2	0.4	2	0.4	1	0.2	0	0.0	5	0.2
Agents for nonspecific immunogenicity	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other antiallergic drugs	Male	10	3.6	25	8.7	13	4.7	18	6.3	6	8.1	72	6.0
	Female	15	5.1	15	5.4	15	5.3	16	5.8	4	4.5	65	5.3
	Total	25	4.4	40	7.1	28	5.0	34	6.0	10	6.2	137	5.7
Crude drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	2	2.3	2	0.2
	Total	0	0.0	0	0.0	0	0.0	0	0.0	2	1.2	2	0.1
Herb medicine	Male	37	13.3	17	5.9	40	14.6	33	11.6	8	10.8	135	11.3
	Female	32	10.8	37	13.4	37	13.2	52	18.7	8	9.1	166	13.6
	Total	69	12.0	54	9.5	77	13.9	85	15.1	16	9.9	301	12.4
Other drugs prescribed by a crude drug or a herb medicine	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics (G(+))	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics (G(-))	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics (G(+), G(-))	Male	6	2.2	7	2.4	9	3.3	6	2.1	1	1.4	29	2.4
	Female	8	2.7	5	1.8	4	1.4	6	2.2	1	1.1	24	2.0
	Total	14	2.4	12	2.1	13	2.3	12	2.1	2	1.2	53	2.2
Antibiotics (G(+), Mycoplasma)	Male	3	1.1	3	1.0	4	1.5	4	1.4	4	5.4	18	1.5
	Female	2	0.7	5	1.8	5	1.8	3	1.1	0	0.0	15	1.2
	Total	5	0.9	8	1.4	9	1.6	7	1.2	4	2.5	33	1.4
Antibiotics (G(+), G(-), Rickettsia, Chlamydia)	Male	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Total	0	0.0	0	0.0	2	0.4	0	0.0	0	0.0	2	0.1
Antibiotics against acid-fastbacterium	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0
Antibiotics against fungus	Male	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0	2	0.1
Other antibiotics	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Sulfa agent	Male	0	0.0	0	0.0	1	0.4	1	0.4	0	0.0	2	0.2
	Female	2	0.7	1	0.4	0	0.0	0	0.0	1	1.1	4	0.3
	Total	2	0.3	1	0.2	1	0.2	1	0.2	1	0.6	6	0.2
Antituberculous agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Anti-leprosy agent	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0	2	0.1
Synthetic antibiotics	Male	1	0.4	2	0.7	2	0.7	1	0.4	1	1.4	7	0.6
	Female	1	0.3	3	1.1	3	1.1	5	1.8	0	0.0	12	1.0
	Total	2	0.3	5	0.9	5	0.9	6	1.1	1	0.6	19	0.8
Antiviral agent	Male	2	0.7	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2
	Female	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	3	0.5	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1
Other agents for chemotherapy	Male	0	0.0	1	0.3	3	1.1	2	0.7	0	0.0	6	0.5
	Female	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.2	1	0.2	3	0.5	2	0.4	0	0.0	7	0.3
Vaccine	Male	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	2	0.3	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1
Poison or toxoid	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antitoxic serum or leptospira serum	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Blood supplements	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for biological tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Mixed biological agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other biological agents	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Protozoicide	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Parasiticide	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other drugs against parasitic disease	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Diluents	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Ointment base	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Solution	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Corrective, tinction	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Emulsifier	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other dispensing drugs	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
X-ray contrast medium	Male	1	0.4	1	0.3	0	0.0	0	0.0	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.2	1	0.2	0	0.0	0	0.0	0	0.0	2	0.1
Reagents for functional tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other drugs for diagnosis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antiseptic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pesticide for prevention of epidemics	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Insect repellent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Insecticide	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Rodenticide	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other drugs for public health	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for general tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for blood tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Reagents for biochemical tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for immunologic or serologic tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for microbiological tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for histopathological tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Radiopharmaceutical for extracorporeal diagnosis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other reagents for extracorporeal diagnosis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Adhesive bandage	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other drugs not for treatment	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Opiate alkaloid agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Coca alkaloid agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other alkaloid agents	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Synthetic narcotic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unclassifiable drug	Male	1	0.4	1	0.3	1	0.4	2	0.7	0	0.0	5	0.4
	Female	0	0.0	0	0.0	0	0.0	2	0.7	2	2.3	4	0.3
	Total	1	0.2	1	0.2	1	0.2	4	0.7	2	1.2	9	0.4
No use of drug	Male	121	43.4	104	36.0	77	28.1	42	14.8	8	10.8	352	29.3
	Female	118	40.0	81	29.2	65	23.1	26	9.4	5	5.7	295	24.2
	Total	239	41.6	185	32.7	142	25.6	68	12.1	13	8.0	647	26.7
Total	Male	279	100.0	289	100.0	274	100.0	284	100.0	74	100.0	1200	100.0
	Female	295	100.0	277	100.0	281	100.0	278	100.0	88	100.0	1219	100.0
	Total	574	100.0	566	100.0	555	100.0	562	100.0	162	100.0	2419	100.0