

III. Medication

All the prescription and nonprescription drugs used in previous 2 weeks were checked.

* The drugs were coded by 3-digit therapeutic category numbers according to the Standard Commodity Classification No. of Japan.

Note that the fourth and subsequent digits of a code number were NILS-LSA original codes.

Drugs on nervous system and sensory organ

Agents acting on central nervous system

- 111. General anesthetic
- 112. Hypnotic sedative agent, antianxiety agent
- 113. Antiepileptic agent
- 114. Antipyretic analgesic agent
- 115. Stimulant drug, antihypnotic drug
- 116. Antiparkinson drug
- 117. Antipsychotic drug
- 118. Drugs for common cold
- 119. Other agents acting on central nervous system

Agents acting on peripheral nervous system

- 121. Local anesthetic
- 122. Muscle relaxant
- 123. Agents acting on autonomic nervous system
- 124. Antispasmodic agent
- 125. Antiperspirants
- 126. Other agents acting on peripheral nervous system

Agents acting on sensory organ

- 13100. Ophthalmic solution (others)
- 13111. Ophthalmic solution (for cataract)
- 13121. Ophthalmic solution (pilocarpine)
- 13122. Ophthalmic solution (β blocker)
- 13123. Ophthalmic solution (epinephrine)
- 13124. Ophthalmic solution (other solutions for glaucoma)
- 13131. Ophthalmic solution (steroid)
- 13199. Ophthalmic solution (unknown)
- 132. Agents acting on ear, nose and throat use
- 133. Anti-vertigenous drug
- 134. Other agents acting on sensory organ

Drugs on individual organs

Agents acting on cardiovascular system

- 21101. Digitalis agent
- 21102. Xanthine agent
- 21103. Other inotropic agents
- 21201. β blocker
- 21202. Agents for membrane-stabilizing activity
- 21203. Other antiarrhythmic agents
- 21301. Thiazide diuretics
- 21302. Loop diuretics
- 21303. Potassium sparing diuretics
- 21304. Carbonate dehydratase inhibitor
- 21305. Other diuretics
- 214. Unknown antihypertensive agent
- 21401. ACE inhibitor
- 21402. Ca antagonist
- 21403. Other antihypertensive agents
- 215. Vascular reinforcing agent
- 216. Vasoconstrictor
- 217. Vasodilator
- 218. Antihyperlipidemic agent
- 219. Other agents acting on cardiovascular system

Agents acting on respiratory system

- 221. Respiratory stimulator
- 222. Antitussive agent
- 223. Expectorant
- 224. Antitussive agent and expectorant
- 225. Bronchodilator
- 226. Gargle
- 229. Other agents acting on respiratory system

Agents acting on alimentary system

- 231. Antidiarrheal agent
- 232. Antiulcerative agent

- 233. Stomachic
- 234. Antacid
- 235. Laxative
- 236. Cholagogue
- 237. Combined digestive agent
- 239. Other agents acting on alimentary system

Hormone drug

- 241. Pituitary hormone drug
- 242. Hormone drug of salivary gland
- 243. Thyroid hormone or parathyroid hormone drug
- 244. Anabolic steroid drug
- 245. Adrenocortical hormone drug
- 246. Androgen drug
- 247. Estrogen or progesterone drug
- 248. Mixed hormone drug
- 249. Other hormone drugs

Agents acting on urogenital system or anus

- 251. Agents acting on urinary system
- 252. Agents acting on genital system
- 253. Uterine constrictor
- 254. Contraceptive
- 255. Agents for hemorrhoids
- 259. Other agents acting on urogenital system or anus

Surface-acting agent

- 261. Integumentary microbicide
- 262. Protective agent for wound
- 263. Pyostatics
- 264. Analgesic, antipruritic, astringent, antiphlogistic (medicine for external application)
- 265. Integumentary parasiticide
- 266. Emollient
- 267. Hair tonic
- 268. Bath liquid
- 269. Other surface-acting agents
- 270. Steroid surface-acting agent

Agents for dental use

- 271. Dental local anesthetic
- 272. Agents for devitalization of the pulp
- 273. Analgesic or sedative for dental use
- 274. Agents for mummification of the pulp
- 275. Agents for pulp capping
- 276. Antibiotics for dental use
- 279. Other agents for dental use
- 290. Other agents for organ system

Drugs on metabolism

Vitamins

- 31101. Vitamin A preparation
- 31102. Vitamin D preparation
- 312. Vitamin B1 preparation
- 313. Vitamin B complex preparation (exclude B1)
- 314. Vitamin C preparation
- 315. Vitamin E preparation
- 316. Vitamin K preparation
- 317. Mixed vitamin preparation
- 319. Other vitamin preparations

Restoratives

- 321. Calcium preparation
- 322. Mineral preparation
- 323. Saccharide preparation
- 324. Organic acid preparation
- 325. Protein or amino acid preparation
- 326. Hormone drug made from some internal organ
- 327. Infant preparation
- 329. Other tonic

Blood substitute

- 331. Blood substitute
- 332. Styptics
- 333. Anticoagulant
- 339. Other blood substitutes

Agents for dialysis

- 341. Agents for hemodialysis
- 342. Agents for peritoneal dialysis
- 349. Other agents for dialysis

Other agents acting on metabolic system

- 391. Agents for liver disease
- 392. Antidote
- 393. Agents for habitual intoxication
- 394. Agents for gout
- 395. Enzyme preparation
- 39600. Insulin
- 39601. Oral antidiabetics
- 397. Agents acting generally on metabolic system
- 399. Unclassified agent acting on metabolic system
- 39911. Calcitonin (elcatonin)
- 39912. Calcitonin (calcitonin salmon)
- 39921. Bisphosphonate (alendronate sodium hydrate)
- 39922. Bisphosphonate (sodium risedronate hydrate)
- 39923. Bisphosphonate (etidronate disodium)
- 39924. Bisphosphonate (minodronic acid hydrate)
- 39931. Ipriflavone
- 39941. Selective estrogen receptor modulator

Cell activation agent

Cell activation agent

- 411. Chlorophyll agent
- 412. Pigment agent
- 419. Other cell activation agents

Antitumor agent

- 421. Alkylating agent
- 422. Antimetabolite
- 423. Antibiotics for antitumor agent
- 424. Plant component for antitumor agent
- 429. Other antitumor agents

Antiallergic drug

- 441. Antihistaminic agent
- 442. Agents for stimulus therapy
- 443. Agents for nonspecific immunogenicity
- 449. Other antiallergic drugs

Drugs prescribed by a crude drug or a herb medicine

- 510. Crude drug
- 520. Herb medicine
- 590. Other drugs prescribed by a crude drug or herb medicine

Drugs for pathogenic organism

Antibiotics

- 611. Antibiotics against gram-positive bacteria
- 612. Antibiotics against gram-negative bacteria
- 613. Antibiotics against gram-positive and negative bacteria
- 614. Antibiotics against gram-positive bacteria and Mycoplasma
- 615. Antibiotics against gram-positive and negative bacteria, Rickettsia, and Chlamydia
- 616. Antibiotics against acid-fast bacterium
- 617. Antibiotics against fungus
- 619. Other antibiotics

Agents for chemotherapy

- 621. Sulfa agent
- 622. Antituberculous agent
- 623. Anti-leprosy agent
- 624. Synthetic antibiotics
- 625. Antiviral agent
- 626. Other agents for chemotherapy

Biological agent

- 631. Vaccine
- 632. Poison or toxoid
- 633. Antitoxic serum or leptospira serum
- 634. Blood supplements
- 635. Reagents for biological test
- 636. Mixed biological agent
- 639. Other biological agents

Drugs against parasitic disease

- 641. Protozoicide

- 642. Parasiticide
- 649. Other drugs against parasitic disease

Drugs not for treatment

- Dispensing drug
 - 711. Diluents
 - 712. Ointment base
 - 713. Solution
 - 714. Corrective, tincture
 - 715. Emulsifier
 - 719. Other dispensing drugs

Drugs for diagnosis

- 721. X-ray contrast medium
- 722. Reagents for functional tests
- 729. Other drugs for diagnosis

Drugs for public health

- 731. Antiseptic
- 732. Pesticide for prevention of epidemics
- 733. Insect repellent
- 734. Insecticide
- 735. Rodenticide
- 736. Other drugs for public health

Reagents for extracorporeal diagnosis

- 741. Reagents for general tests
- 742. Reagents for blood tests
- 743. Reagents for biochemical tests
- 744. Reagents for immunologic or serologic tests
- 745. Reagents for microbiological tests
- 746. Reagents for histopathological tests
- 747. Radiopharmaceutical for extracorporeal diagnosis
- 749. Other reagents for extracorporeal diagnosis

Drugs not for other treatments

- 791. Adhesive bandage
- 799. Other drugs not for treatment

Narcotics

- Alkaloid agent
 - 811. Opiate alkaloid agent
 - 812. Coca alkaloid agent
 - 819. Other alkaloid agents

Non-alkaloid narcotics

- 821. Synthetic narcotic

Unclassifiable drug

- 999. Unclassifiable drug

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
General anesthetic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hypnotic sedative agent, antianxiety agent	Male	8	3.0	6	2.3	10	3.5	29	11.1	9	9.1	62	5.3
	Female	4	1.4	7	2.7	20	7.5	41	16.7	24	22.9	96	8.3
	Total	12	2.2	13	2.5	30	5.5	70	13.8	33	16.2	158	6.8
Antiepileptic agent	Male	1	0.4	1	0.4	0	0.0	7	2.7	1	1.0	10	0.8
	Female	0	0.0	1	0.4	2	0.8	1	0.4	1	1.0	5	0.4
	Total	1	0.2	2	0.4	2	0.4	8	1.6	2	1.0	15	0.6
Antipyretic analgesic agent	Male	37	13.8	34	12.8	32	11.3	60	22.9	24	24.2	187	15.9

	Female	59	21.4	42	16.2	34	12.8	57	23.2	30	28.6	222	19.3
	Total	96	17.6	76	14.5	66	12.0	117	23.0	54	26.5	409	17.6
Stimulant drug, antihypnotic drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antiparkinson drug	Male	0	0.0	1	0.4	0	0.0	2	0.8	1	1.0	4	0.3
	Female	1	0.4	1	0.4	1	0.4	0	0.0	0	0.0	3	0.3
	Total	1	0.2	2	0.4	1	0.2	2	0.4	1	0.5	7	0.3
Antipsychotic drug	Male	11	4.1	6	2.3	5	1.8	10	3.8	4	4.0	36	3.1
	Female	5	1.8	6	2.3	12	4.5	24	9.8	10	9.5	57	4.9
	Total	16	2.9	12	2.3	17	3.1	34	6.7	14	6.9	93	4.0
Drugs for common cold	Male	21	7.8	17	6.4	12	4.2	8	3.1	2	2.0	60	5.1
	Female	21	7.6	19	7.3	14	5.3	16	6.5	2	1.9	72	6.3
	Total	42	7.7	36	6.9	26	4.7	24	4.7	4	2.0	132	5.7
Other agents acting on central nervous system	Male	0	0.0	0	0.0	0	0.0	1	0.4	1	1.0	2	0.2
	Female	0	0.0	0	0.0	2	0.8	1	0.4	1	1.0	4	0.3
	Total	0	0.0	0	0.0	2	0.4	2	0.4	2	1.0	6	0.3
Local anesthetic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0
Muscle relaxant	Male	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	1	0.2	0	0.0	0	0.0	1	0.2	0	0.0	2	0.1
Agents acting on autonomic nervous system	Male	1	0.4	2	0.8	1	0.4	1	0.4	2	2.0	7	0.6
	Female	0	0.0	1	0.4	1	0.4	0	0.0	0	0.0	2	0.2
	Total	1	0.2	3	0.6	2	0.4	1	0.2	2	1.0	9	0.4
Antispasmodic agent	Male	2	0.7	3	1.1	3	1.1	5	1.9	1	1.0	14	1.2
	Female	0	0.0	2	0.8	3	1.1	4	1.6	0	0.0	9	0.8
	Total	2	0.4	5	1.0	6	1.1	9	1.8	1	0.5	23	1.0
Antiperspirants	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agents acting on peripheral nervous system	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Ophthalmic solution (others)	Male	57	21.3	64	24.2	73	25.7	58	22.1	29	29.3	281	23.9
	Female	49	17.8	48	18.5	81	30.6	83	33.7	41	39.0	302	26.2
	Total	106	19.5	112	21.3	154	28.1	141	27.8	70	34.3	583	25.0
Ophthalmic solution (for cataract)	Male	0	0.0	3	1.1	11	3.9	31	11.8	7	7.1	52	4.4
	Female	1	0.4	8	3.1	25	9.4	26	10.6	18	17.1	78	6.8
	Total	1	0.2	11	2.1	36	6.6	57	11.2	25	12.3	130	5.6
Ophthalmic solution (pilocarpine)	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.2	1	0.5	2	0.1
Ophthalmic solution (β blocker)	Male	2	0.7	2	0.8	7	2.5	3	1.1	9	9.1	23	2.0
	Female	1	0.4	4	1.5	6	2.3	4	1.6	7	6.7	22	1.9
	Total	3	0.6	6	1.1	13	2.4	7	1.4	16	7.8	45	1.9
Ophthalmic solution (epinephrine)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Ophthalmic solution	Male	2	0.7	3	1.1	10	3.5	10	3.8	6	6.1	31	2.6

Unkounwn antihypertensive agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
ACE inhibitor	Male	9	3.4	42	15.8	71	25.0	65	24.8	34	34.3	221	18.8
	Female	1	0.4	21	8.1	50	18.9	53	21.5	44	41.9	169	14.7
	Total	10	1.8	63	12.0	121	22.0	118	23.2	78	38.2	390	16.7
Ca antagonist	Male	6	2.2	36	13.6	72	25.4	82	31.3	35	35.4	231	19.6
	Female	1	0.4	22	8.5	35	13.2	82	33.3	47	44.8	187	16.2
	Total	7	1.3	58	11.0	107	19.5	164	32.3	82	40.2	418	17.9
Other antihypertensive agents	Male	0	0.0	3	1.1	5	1.8	6	2.3	4	4.0	18	1.5
	Female	0	0.0	2	0.8	1	0.4	3	1.2	4	3.8	10	0.9
	Total	0	0.0	5	1.0	6	1.1	9	1.8	8	3.9	28	1.2
Vascular reinforcing agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Vasoconstrictor	Male	1	0.4	0	0.0	2	0.7	0	0.0	0	0.0	3	0.3
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.2	0	0.0	2	0.4	0	0.0	0	0.0	3	0.1
Vasodilator	Male	1	0.4	2	0.8	3	1.1	14	5.3	11	11.1	31	2.6
	Female	0	0.0	1	0.4	3	1.1	11	4.5	9	8.6	24	2.1
	Total	1	0.2	3	0.6	6	1.1	25	4.9	20	9.8	55	2.4
Antihyperlipidemic agent	Male	15	5.6	29	10.9	54	19.0	51	19.5	22	22.2	171	14.5
	Female	3	1.1	38	14.6	79	29.8	77	31.3	41	39.0	238	20.7
	Total	18	3.3	67	12.8	133	24.2	128	25.2	63	30.9	409	17.6
Other agents acting on cardiovascular system	Male	0	0.0	1	0.4	5	1.8	12	4.6	8	8.1	26	2.2
	Female	2	0.7	4	1.5	6	2.3	12	4.9	5	4.8	29	2.5
	Total	2	0.4	5	1.0	11	2.0	24	4.7	13	6.4	55	2.4
Respiratory stimulator	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antitussive agent	Male	4	1.5	1	0.4	1	0.4	3	1.1	1	1.0	10	0.8
	Female	5	1.8	3	1.2	5	1.9	3	1.2	2	1.9	18	1.6
	Total	9	1.7	4	0.8	6	1.1	6	1.2	3	1.5	28	1.2
Expectorant	Male	8	3.0	1	0.4	7	2.5	7	2.7	2	2.0	25	2.1
	Female	5	1.8	5	1.9	8	3.0	8	3.3	6	5.7	32	2.8
	Total	13	2.4	6	1.1	15	2.7	15	3.0	8	3.9	57	2.4
Antitussive agent and expectorant	Male	4	1.5	4	1.5	1	0.4	6	2.3	2	2.0	17	1.4
	Female	4	1.4	5	1.9	0	0.0	3	1.2	1	1.0	13	1.1
	Total	8	1.5	9	1.7	1	0.2	9	1.8	3	1.5	30	1.3
Bronchodilator	Male	0	0.0	3	1.1	5	1.8	6	2.3	3	3.0	17	1.4
	Female	3	1.1	1	0.4	1	0.4	2	0.8	1	1.0	8	0.7
	Total	3	0.6	4	0.8	6	1.1	8	1.6	4	2.0	25	1.1
Gargle	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agents acting on respiratory system	Male	0	0.0	3	1.1	0	0.0	3	1.1	1	1.0	7	0.6
	Female	2	0.7	0	0.0	3	1.1	1	0.4	0	0.0	6	0.5
	Total	2	0.4	3	0.6	3	0.5	4	0.8	1	0.5	13	0.6
Antidiarrheal agent	Male	6	2.2	6	2.3	3	1.1	10	3.8	4	4.0	29	2.5
	Female	4	1.4	6	2.3	6	2.3	10	4.1	8	7.6	34	3.0
	Total	10	1.8	12	2.3	9	1.6	20	3.9	12	5.9	63	2.7

	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Analgesic or sedative for dental use	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for mummification of the pulp	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for pulp capping	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics for dental use	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agent for dental use	Male	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.2	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0
Other agent for organ system	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0
Vitamin A preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.2	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0
Vitamin D preparation	Male	0	0.0	0	0.0	1	0.4	4	1.5	3	3.0	8	0.7
	Female	0	0.0	1	0.4	10	3.8	18	7.3	12	11.4	41	3.6
	Total	0	0.0	1	0.2	11	2.0	22	4.3	15	7.4	49	2.1
Vitamin B1 preparation	Male	0	0.0	0	0.0	2	0.7	1	0.4	1	1.0	4	0.3
	Female	0	0.0	0	0.0	1	0.4	2	0.8	2	1.9	5	0.4
	Total	0	0.0	0	0.0	3	0.5	3	0.6	3	1.5	9	0.4
Vitamin B complex preparation (exclude B1)	Male	6	2.2	6	2.3	8	2.8	15	5.7	10	10.1	45	3.8
	Female	6	2.2	8	3.1	9	3.4	26	10.6	12	11.4	61	5.3
	Total	12	2.2	14	2.7	17	3.1	41	8.1	22	10.8	106	4.5
Vitamin C preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	1	0.4	0	0.0	1	0.4	0	0.0	2	0.2
	Total	0	0.0	1	0.2	0	0.0	1	0.2	0	0.0	2	0.1
Vitamin E preparation	Male	0	0.0	1	0.4	1	0.4	5	1.9	0	0.0	7	0.6
	Female	0	0.0	4	1.5	2	0.8	2	0.8	2	1.9	10	0.9
	Total	0	0.0	5	1.0	3	0.5	7	1.4	2	1.0	17	0.7
Vitamin K preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	2	0.8	2	0.8	3	2.9	7	0.6
	Total	0	0.0	0	0.0	2	0.4	2	0.4	3	1.5	7	0.3
Mixed vitamin preparation	Male	1	0.4	0	0.0	1	0.4	2	0.8	4	4.0	8	0.7
	Female	1	0.4	6	2.3	6	2.3	5	2.0	8	7.6	26	2.3
	Total	2	0.4	6	1.1	7	1.3	7	1.4	12	5.9	34	1.5
Other vitamin preparations	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	1	0.4	0	0.0	1	1.0	2	0.2
	Total	0	0.0	0	0.0	1	0.2	0	0.0	1	0.5	2	0.1
Calcium preparation	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	0	0.0	0	0.0	3	1.1	4	1.6	3	2.9	10	0.9
	Total	0	0.0	0	0.0	3	0.5	5	1.0	3	1.5	11	0.5
Mineral preparation	Male	0	0.0	1	0.4	0	0.0	1	0.4	3	3.0	5	0.4

	Female	8	2.9	5	1.9	0	0.0	0	0.0	2	1.9	15	1.3
	Total	8	1.5	6	1.1	0	0.0	1	0.2	5	2.5	20	0.9
Saccharide preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Organic acid preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Protein or amino acid preparation	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.2	0	0.0	0	0.0	1	0.2	0	0.0	2	0.1
Hormone drug made from some internal organ	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Infant preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other tonic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Blood substitute	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Total	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0	1	0.0
Styptics	Male	5	1.9	2	0.8	1	0.4	0	0.0	1	1.0	9	0.8
	Female	5	1.8	6	2.3	3	1.1	1	0.4	2	1.9	17	1.5
	Total	10	1.8	8	1.5	4	0.7	1	0.2	3	1.5	26	1.1
Anticoagulant	Male	0	0.0	1	0.4	3	1.1	10	3.8	8	8.1	22	1.9
	Female	0	0.0	0	0.0	1	0.4	2	0.8	2	1.9	5	0.4
	Total	0	0.0	1	0.2	4	0.7	12	2.4	10	4.9	27	1.2
Other blood substitutes	Male	1	0.4	5	1.9	7	2.5	26	9.9	13	13.1	52	4.4
	Female	1	0.4	3	1.2	6	2.3	17	6.9	16	15.2	43	3.7
	Total	2	0.4	8	1.5	13	2.4	43	8.5	29	14.2	95	4.1
Agent for hemodialysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for peritoneal dialysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agents for dialysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for liver disease	Male	0	0.0	1	0.4	3	1.1	4	1.5	0	0.0	8	0.7
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	1.0	1	0.1
	Total	0	0.0	1	0.2	3	0.5	4	0.8	1	0.5	9	0.4
Antidote	Male	0	0.0	0	0.0	0	0.0	3	1.1	1	1.0	4	0.3
	Female	0	0.0	0	0.0	1	0.4	0	0.0	1	1.0	2	0.2
	Total	0	0.0	0	0.0	1	0.2	3	0.6	2	1.0	6	0.3
Agents for habitual intoxication	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for gout	Male	10	3.7	13	4.9	23	8.1	22	8.4	14	14.1	82	7.0

Alkylating agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antimetabolite	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	1	0.4	2	0.8	1	0.4	0	0.0	0	0.0	4	0.3
	Total	1	0.2	2	0.4	1	0.2	1	0.2	0	0.0	5	0.2
Antibiotics for antitumor agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0
Plant component for antitumor agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other antitumor agents	Male	0	0.0	0	0.0	0	0.0	2	0.8	3	3.0	5	0.4
	Female	2	0.7	0	0.0	2	0.8	3	1.2	0	0.0	7	0.6
	Total	2	0.4	0	0.0	2	0.4	5	1.0	3	1.5	12	0.5
Antihistaminic agent	Male	14	5.2	13	4.9	5	1.8	3	1.1	4	4.0	39	3.3
	Female	17	6.2	12	4.6	10	3.8	2	0.8	2	1.9	43	3.7
	Total	31	5.7	25	4.8	15	2.7	5	1.0	6	2.9	82	3.5
Agents for stimulus therapy	Male	0	0.0	1	0.4	0	0.0	2	0.8	0	0.0	3	0.3
	Female	0	0.0	0	0.0	1	0.4	1	0.4	1	1.0	3	0.3
	Total	0	0.0	1	0.2	1	0.2	3	0.6	1	0.5	6	0.3
Agents for nonspecific immunogenicity	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other antiallergic drugs	Male	22	8.2	21	7.9	15	5.3	19	7.3	11	11.1	88	7.5
	Female	24	8.7	24	9.2	14	5.3	23	9.3	11	10.5	96	8.3
	Total	46	8.5	45	8.6	29	5.3	42	8.3	22	10.8	184	7.9
Crude drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Herb medicine	Male	40	14.9	22	8.3	20	7.0	35	13.4	7	7.1	124	10.5
	Female	33	12.0	25	9.6	30	11.3	41	16.7	21	20.0	150	13.0
	Total	73	13.4	47	9.0	50	9.1	76	15.0	28	13.7	274	11.8
Other drugs prescribed by a crude drug or a herb medicine	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics (G(+))	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics (G(-))	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics (G(+), G(-))	Male	9	3.4	6	2.3	4	1.4	7	2.7	0	0.0	26	2.2
	Female	6	2.2	2	0.8	9	3.4	6	2.4	1	1.0	24	2.1
	Total	15	2.8	8	1.5	13	2.4	13	2.6	1	0.5	50	2.1
Antibiotics (G(+), Mycoplasma)	Male	6	2.2	1	0.4	1	0.4	4	1.5	4	4.0	16	1.4
	Female	2	0.7	6	2.3	4	1.5	6	2.4	3	2.9	21	1.8
	Total	8	1.5	7	1.3	5	0.9	10	2.0	7	3.4	37	1.6
Antibiotics (G(+), G(-), Rickettsia, Chlamydia)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0

	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for general tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for blood tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for biochemical tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for immunologic or serologic tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for microbiological tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for histopathological tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Radiopharmaceutical for extracorporeal diagnosis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other reagents for extracorporeal diagnosis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Adhesive bandage	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other drugs not for treatment	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Opiate alkaloid agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Coca alkaloid agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other alkaloid agents	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Synthetic narcotic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unclassifiable drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
No use of drug	Male	104	38.8	93	35.1	76	26.8	44	16.8	13	13.1	330	28.0
	Female	112	40.6	86	33.1	54	20.4	25	10.2	4	3.8	281	24.4
	Total	216	39.7	179	34.1	130	23.7	69	13.6	17	8.3	611	26.2
Total	Male	268	100.0	265	100.0	284	100.0	262	100.0	99	100.0	1178	100.0

Female	276	100.0	260	100.0	265	100.0	246	100.0	105	100.0	1152	100.0
Total	544	100.0	525	100.0	549	100.0	508	100.0	204	100.0	2330	100.0