Note:

This page doesn't meet web accessibility standards, only for creating PDFs open to the public. Any PDFs created from this page also doesn't meet web accessibility standards.

III. Medication

All the prescription and nonprescription drugs used in previous 2 weeks were checked.

* The drugs were coded by 3-digit therapeutic category numbers according to the Standard Commodity Classification No. of Japan. Note that the fourth and subsequent digits of a code number were NILS-LSA original codes.

Drugs on nervous system and sensory organ

Agents acting on central nervous system

- 111. General anesthetic
- 112. Hypnotic sedative agent, antianxiety agent
- 113. Antiepileptic agent
- 114. Antipyretic analgesic agent
- 115. Stimulant drug, antihypnotic drug
- 116. Antiparkinson drug
- 117. Antipsychotic drug
- 118. Drugs for common cold
- 119. Other agents acting on central nervous system

Agents acting on peripheral nervous system

- 121. Local anesthetic
- 122. Muscle relaxant
- 123. Agents acting on autonomic nervous system
- 124. Antispasmodic agent
- 125. Antiperspirants
- 126. Other agents acting on peripheral nervous system

Agents acting on sensory organ

- 13100. Ophthalmic solution (others)
- 13111. Ophthalmic solution (for cataract)
- 13121. Ophthalmic solution (pilocarpine)
- 13122. Ophthalmic solution (β blocker)
- 13123. Ophthalmic solution (epinephrine)
- 13124. Ophthalmic solution (other solutions for glaucoma)
- 13131. Ophthalmic solution (steroid)
- 13199. Ophthalmic solution (unknown)
- 132. Agents acting on ear, nose and throat use
- 133. Anti-vertigenous drug
- 134. Other agents acting on sensory organ

Drugs on individual organs

Agents acting on cardiovascular system

- 21101. Digitalis agent
- 21102. Xanthine agent
- 21103. Other inotropic agents
- 21201. β blocker
- 21202. Agents for membrane-stabilizing activity
- 21203. Other antiarrhythmic agents
- 21301. Thiazide diuretics
- 21302. Loop diuretics
- 21303. Potassium sparing diuretics
- 21304. Carbonate dehydratase inhibitor
- 21305. Other diuretics
- 214. Unknown antihypertensive agent
- 21401. ACE inhibitor
- 21402. Ca antagonist
- 21403. Other antihypertensive agents

- 215. Vascular reinforcing agent
- 216. Vasoconstrictor
- 217. Vasodilator
- 218. Antihyperlipidemic agent
- 219. Other agents acting on cardiovascular system

Agents acting on respiratory system

- 221. Respiratory stimulator
- 222. Antitussive agent
- 223. Expectorant
- 224. Antitussive agent and expectorant
- 225. Bronchodilator
- 226. Gargle
- 229. Other agents acting on respiratory system

Agents acting on alimentary system

- 231. Antidiarrheal agent
- 232. Antiulcerative agent
- 233. Stomachic
- 234. Antacid
- 235. Laxative
- 236. Cholagogue
- 237. Combined digestive agent
- 239. Other agents acting on alimentary system

Hormone drug

- 241. Pituitary hormone drug
- 242. Hormone drug of salivary gland
- 243. Thyroid hormone or parathyroid hormone drug
- 244. Anabolic steroid drug
- 245. Adrenocortical hormone drug
- 246. Androgen drug
- 247. Estrogen or progesterone drug
- 248. Mixed hormone drug
- 249. Other hormone drugs

Agents acting on urogenital system or anus

- 251. Agents acting on urinary system
- 252. Agents acting on genital system
- 253. Uterine constrictor
- 254. Contraceptive
- 255. Agents for hemorrhoids
- 259. Other agents acting on urogenital system or anus

Surface-acting agent

- 261. Integumentary microbicide
- 262. Protective agent for wound
- 263. Pyostatics
- 264. Analgesic, antipruritic, astringent, antiphlogistic (medicine for external application)
- 265. Integumentary parasiticide
- 266. Emollient
- 267. Hair tonic
- 268. Bath liquid
- 269. Other surface-acting agents

Agents for dental use

- 271. Dental local anesthetic
- 272. Agents for devitalization of the pulp
- 273. Analgesic or sedative for dental use
- 274. Agents for mummification of the pulp
- 275. Agents for pulp capping
- 276. Antibiotics for dental use
- 279. Other agents for dental use
- 290. Other agents for organ system

Drugs on metabolism

Vitamins

- 311. Vitamin A or D preparation
- 312. Vitamin B1 preparation
- 313. Vitamin B complex preparation (exclude B1)
- 314. Vitamin C preparation
- 315. Vitamin E preparation
- 316. Vitamin K preparation
- 317. Mixed vitamin preparation
- 319. Other vitamin preparations

Restoratives

- 321. Calcium preparation
- 322. Mineral preparation
- 323. Saccharide preparation
- 324. Organic acid preparation
- 325. Protein or amino acid preparation
- 326. Hormone drug made from some internal organ
- 327. Infant preparation
- 329. Other tonic

Blood substitute

- 331. Blood substitute
- 332. Styptics
- 333. Anticoagulant
- 339. Other blood substitutes

Agents for dialysis

- 341. Agents for hemodialysis
- 342. Agents for peritoneal dialysis
- 349. Other agents for dialysis

Other agents acting on metabolic system

- 391. Agents for liver disease
- 392. Antidote
- 393. Agents for habitual intoxication
- 394. Agents for gout
- 395. Enzyme preparation
- 396. Antidiabetics
- 397. Agents acting generally on metabolic system
- 399. Unclassified agent acting on metabolic system

Cell activation agent

Cell activation agent

- 411. Chlorophyll agent
- 412. Pigment agent
- 419. Other cell activation agents

Antitumor agent

- 421. Alkylating agent
- 422. Antimetabolite
- 423. Antibiotics for antitumor agent
- 424. Plant component for antitumor agent
- 429. Other antitumor agents

Antiallergic drug

- 441. Antihistaminic agent
- 442. Agents for stimulus therapy
- 443. Agents for nonspecific immunogenicity
- 449. Other antiallergic drugs

Drugs prescribed by a crude drug or a herb medicine

- 510. Crude drug
- 520. Herb medicine
- 590. Other drugs prescribed by a crude drug or herb medicine

Drugs for pathogenic organism

Antibiotics

- 611. Antibiotics against gram-positive bacteria
- 612. Antibiotics against gram-negative bacteria
- 613. Antibiotics against gram-positive and negative bacteria
- 614. Antibiotics against gram-positive bacteria and Mycoplasma
- 615. Antibiotics against gram-positive and negative bacteria, Rickettsia, and Chlamydia
- 616. Antibiotics against acid-fastbacterium
- 617. Antibiotics against fungus
- 619. Other antibiotics

Agents for chemotherapy

- 621. Sulfa agent
- 622. Antituberculous agent
- 623. Anti-leprosy agent
- 624. Synthetic antibiotics
- 625. Antiviral agent
- 626. Other agents for chemotherapy

Biological agent

- 631. Vaccine
- 632. Poison or toxoid
- 633. Antitoxic serum or leptospira serum
- 634. Blood supplements
- 635. Reagents for biological tests
- 636. Mixed biological agent
- 639. Other biological agents

Drugs against parasitic disease

- 641. Protozoicide
- 642. Parasiticide
- 649. Other drugs against parasitic disease

Drugs not for treatment

Dispensing drug

- 711. Diluents
- 712. Ointment base
- 713. Solution
- 714. Corrective, tinction
- 715. Emulsifier
- 719. Other dispensing drugs

Drugs for diagnosis

- 721. X-ray contrast medium
- 722. Reagents for functional tests
- 729. Other drugs for diagnosis

Drugs for public health

- 731. Antiseptic
- 732. Pesticide for prevention of epidemics
- 733. Insect repellent
- 734. Insecticide
- 735. Rodenticide
- 736. Other drugs for public health

Reagents for extracorporeal diagnosis

- 741. Reagents for general tests
- 742. Reagents for blood tests
- 743. Reagents for biochemical tests
- 744. Reagents for immunologic or serologic tests
- 745. Reagents for microbiological tests
- 746. Reagents for histopathological tests
- 747. Radiopharmaceutical for extracorporeal diagnosis
- 749. Other reagents for extracorporeal diagnosis

Drugs not for other treatments

791. Adhesive bandage 799. Other drugs not for treatment

Narcotics

Alkaloid agent

811. Opiate alkaloid agent 812. Coca alkaloid agent 819. Other alkaloid agents

Non-alkaloid narcotics

821. Synthetic narcotic

Unclassifiable drug 999. Unclassifiable drug

Prevalence of taking medicine in previous 2 weeks

		40-	49yr	50-	59yr	60-0	69yr	70–	79yr	To	tal
		N	%	N	%	N	%	N	%	N	%
General anesthetic	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Hyptonic sedative agent,	Male	2	0. 7	11	3. 9	10	3. 5	34	12. 0	57	5. (
antianxiety agent	Female	7	2. 5	16	5. 8	31	10. 9	52	18. 4	106	9. 4
	Total	9	1. 6	27	4. 8	41	7. 2	86	15. 2	163	7. 2
Antiepileptic agent	Male	0	0. 0	0	0. 0	5	1. 8	2	0. 7	7	0. 6
	Female	2	0. 7	1	0. 4	1	0. 4	2	0. 7	6	0. {
	Total	2	0. 3	1	0. 2	6	1. 1	4	0. 7	13	0. 6
Antipyretic analgesic	Male	24	8. 3	15	5. 3	27	9. 5	43	15. 2	109	9. (
agent	Female	37	13. 1	41	14. 8	38	13. 3	55	19. 5	171	15.
	Total	61	10. 7	56	10. 0	65	11. 4	98	17. 3	N 0 0 57 106 163 7 6 13	12.
Stimulant drug, antihypnotic drug	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. (
antinyphotic drug	Female	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0. (
	Total	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.
Antiparkinson drug	Male	0	0. 0	1	0. 4	1	0. 4	3	1. 1	5	0.
	Female	0	0. 0	0	0. 0	0	0. 0	1	0. 4	1	0.
	Total	0	0.0	1	0. 2	1	0. 2	4	0. 7	6	0. 3
Antipsychotic drug	Male	6	2. 1	8	2. 8	9	3. 2	13	4. 6	36	3. 2
	Female	0	0.0	5	1. 8	6	2. 1	16	5. 7	27	2.
	Total	6	1. 0	13	2. 3	15	2. 6	29	5. 1	63	2.8
Drugs for common cold	Male	23	7. 9	17	6. 0	14	4. 9	7	2. 5	61	5.
	Female	16	5. 7	20	7. 2	18	6. 3	14	5. 0	68	6.
	Total	39	6. 8	37	6. 6	32	5. 6	21	3. 7	129	5.
Other agents acting on	Male	0	0.0	0	0. 0	4	1. 4	5	1.8	9	0.
central nervous system	Female	1	0. 4	0	0. 0	3	1. 1	3	1. 1	7	0. (

	Total	1	0. 2	0	0. 0	7	1. 2	8	1.4	16	0. 7
Local anesthetic	Male	0	0. 0	0	0. 0	1	0. 4	1	0. 4	2	0. 2
	Female	0	0. 0	0	0. 0	0	0. 0	1	0. 4	1	0. 1
	Total	0	0. 0	0	0. 0	1	0. 2	2	0. 4	3	0. 1
Muscle relaxant	Male	0	0. 0	0	0. 0	0	0. 0	1 0. 4 2 1 0. 4 3 3 1. 1 3 1 0. 4 2 4 0. 7 5 2 0. 7 4 4 1. 4 12 6 1. 1 16 10 3. 5 20 5 1. 8 17 15 2. 7 37 0 0. 0 0 0 0. 0 0 0 0. 0 0 0 0. 0 0 0 0. 0 0 0 0. 0 0 0 0. 0 0 0 0. 0 0 0 0. 0 0 0 0. 0 0 10 10 1 10 1 1 10 1 1 10 1 1 10 1 1 10 0 0 11 1 1 </td <td>3</td> <td>0. 3</td>	3	0. 3	
gents acting on utonomic nervous system ntispasmodic agent ther agents acting on eripheral nervous ystem phthalmic solution others) phthalmic solution for cataract) phthalmic solution pilocarpine)	Female	0	0. 0	0	0. 0	1	0. 4	1	0. 4	2	0. 2
	Total	0	0. 0	0	0. 0	1	0. 2	4	0. 7	5	0. 2
Agents acting on	Male	1	0. 3	1	0. 4	0	0. 0	2	0. 7	2 1 3 3 3 2 5 4 12 16 20 17 37 0 0 0 0 0 0 117 162 1 162 110 1 1 1 1 1 1 1 1 1 1 1 1 1	0. 4
autonomic nervous system	Female	1	0. 4	3	1. 1	4	1. 4	4	1.4	12	1. 1
	Total	2	0. 3	4	0. 7	4	0. 7	6	1. 1	16	0. 7
Antispasmodic agent	Male	2	0. 7	5	1. 8	3	1. 1	10	3. 5	20	1. 8
	Female	2 0.7 2 0.7 8 2.8 5 1.8 17 4 0.7 7 1.3 11 1.9 15 2.7 37 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0	17	1. 5							
	Total	4	0. 7	7	1. 3	11	1. 9	15	2. 7	37	1.6
Antiperspirants	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Other agents acting on	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
peripheral nervous system	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. (
Ophthalmic solution	Male	19	6. 6	31	11. 0	22	7. 8	45	15. 9	117	10. 3
(others)	Female	26	9. 2	30	10. 8	42	14. 7	64	22. 7	162	14. 4
	Total	45	7. 9	61	10. 9	64	11. 3	109	19. 3	279	12. 3
Ophthalmic solution	Male	0	0. 0	4	1. 4	8	2. 8	26	9. 2	38	3. 3
(tor cataract)	Female	1	0. 4	2	0. 7	15	5. 3	54	19. 1	72	6. 4
	Total	1	0. 2	6	1. 1	23	4. 0	80	14. 2	110	4. 9
Ophthalmic solution	Male	0	0. 0	0	0. 0	0	0. 0	1	0. 4	1	0. 1
(pilocarpine)	Female	0	0. 0	0	0. 0	0	0. 0	3	1. 1	3	0. 3
	Total	0	0. 0	0	0. 0	0	0. 0	4	0. 7	4	0. 2
Ophthalmic solution	Male	1	0. 3	1	0. 4	3	1. 1	6	2. 1	11	1.0
(B blocker)	Female	1	0. 4	2	0. 7	2	0. 7	5	1.8	10	0. 9
	 Total	2	0. 3	3	0. 5	5	0. 9	11	1. 9	21	0. 9
	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Ophthalmic solution (epinephrine)	Female	0	0. 0	0	0. 0	0	0. 0	1	0. 4	1	0. 1
	Total	0	0. 0	0	0. 0	0	0. 0	1	0. 2	1	0.0
 Ophthalmic solution	Male	0	0. 0	1	0. 4	0	0. 0	2	0. 7	3	0. 3
(other solutions for glaucoma)	Female	0	0. 0	1	0. 4	0	0. 0	1	0. 4	2	0. 2
	Total	0	0. 0	2	0. 4	0	0. 0	3	0. 5	5	0. 2
Ophthalmic solution	Male	1	0. 3	1	0. 4	1	0. 4	10	3. 5	13	1. 1
(steroid)	Female	2	0. 7	3	 1. 1	10	3. 5	18	6. 4	33	2. 9
	Total	3	0. 5	4	0. 7	 11	1. 9	28	5. 0	46	 2. (
 Ophthalmic solution	Male	<u>-</u> 5	1. 7	2	0. 7	2	0. 7	8	2. 8	17	1. 5
(unknown)	Female	5	1. 8	 2	0. 7	 1	0. 4	6	2. 1	14	1. 2
				_							

Agents acting on ear,	Male	4	1.4	5	1.8	2	0. 7	1	0.4	12	1.1
ose and throat use - 	Female	3	1. 1	1	0. 4	1	0. 4	1	0. 4	6	0. 5
•	Total	7	1. 2	6	1. 1	3	0. 5	2	0. 4	18	0. 8
Anti-vertigenous drug	Male	1	0. 3	0	0. 0	0	0. 0	2	0. 7	3	0. 3
•	Female	2	0. 7	1	0. 4	2	0. 7	5	1.8	10	0. 9
•	Total	3	0. 5	1	0. 2	2	0. 4	7	1. 2	13	0. 6
Other agents acting on	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
sensory organ	Female	0	0. 0	0	0. 0	0	0. 0	1	0. 4	1	0. 1
•	Total	0	0. 0	0	0. 0	0	0. 0	1	0. 2	1	0.0
Digitalis agent	Male	0	0. 0	0	0. 0	1	0. 4	8	2. 8	9	0.8
•	Female	1	0. 4	1	0. 4	1	0. 4	4	1.4	7	0. 6
•	Total	1	0. 2	1	0. 2	2	0. 4	12	2. 1	16	0. 7
Xanthine agent	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
•	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
•	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Other inotropic agents	 Male	0	0.0	0	0. 0	2	0. 7	4	1.4	6	0. 5
	 Female	0	0.0	1	0. 4	1	0. 4	4	1.4	6	0. 5
	Total	0	0.0	1	0. 2	3	0. 5	8	1.4	12	0. 5
β blocker	Male	2	0. 7	8	2. 8	8	2. 8	8	2. 8	26	2. 3
-	Female	3	1. 1	5	1. 8	8	2. 8	7	2. 5	23	2. 0
	Total	5	0. 9	13	2. 3	16	2. 8	15	2. 7	49	2. 2
Agents for membrane-	Male	1	0. 3	2	0. 7	7	2. 5	5	1.8	15	1. 3
stabilizing activity	Female	0	0. 0	0	0. 0	2	0. 7	4	1.4	6	0. 5
•	Total	1	0. 2	2	0. 4	9	1. 6	9	1. 6	21	0. 9
Other antiarrhythmic	Male	0	0. 0	3	1. 1	0	0. 0	3	1. 1	6	0. 5
agents ·	Female	0	0. 0	1	0. 4	1	0. 4	6	2. 1	8	0. 7
•	Total	0	0. 0	4	0. 7	1	0. 2	9	1.6	14	0. 6
Thiazide diuretics	Male	0	0.0	1	0. 4	0	0. 0	3	1. 1	4	0. 4
	Female	2	0. 7	1	0. 4	1	0. 4	3	1. 1	7	0. 6
	Total	2	0. 3	2	0. 4	1	0. 2	6	1. 1	11	0. 5
Loop diuretics	Male	0	0. 0	0	0. 0	3	1. 1	5	1.8	8	0. 7
•	Female	1	0. 4	3	1. 1	5	1. 8	4	1.4	13	1. 2
•	Total	1	0. 2	3	0. 5	8	1. 4	9	1. 6	21	0. 9
Potassium sparing	Male	0	0. 0	0	0. 0	2	0. 7	2	0. 7	4	0. 4
diuretics	Female	0	0. 0	1	0. 4	4	1. 4	2	0. 7	7	0. 6
•	Total	0	0.0	1	0. 2	6	1. 1	4	0. 7	11	0. 5
Carbonate dehydratase	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
inhibitor	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Other diuretics	 Male	0	0. 0	0	0. 0	0	0. 0	2	0. 7	2	0. 2
			0. 0	0	0. 0	0	0. 0	3	 1. 1	3	0. 3
	Female	0	0.0	U	0. 0	•	0. 0	•		U	
	Female Total	0 0	0.0	- 0	0.0	0	0. 0	- 5	0. 9	- 5	0. 2

	Female	0	0.0	0	0.0	1	0. 4	0	0.0	1	0. 1
	Total	0	0.0	0	0.0	1	0. 2	0	0.0	1	0. (
ACE inhibitor	Male	8	2. 8	8	2. 8	23	8. 1	22	7. 8	61	5. 4
	Female	3	1.1	6	2. 2	18	6. 3	18	6.4	45	4. (
Ther antihypertensive gents Tascular reinforcing gent Tasoconstrictor Tasodilator Ther agents acting on ardiovascular system Tespiratory stimulator	Total	11	1. 9	14	2. 5	41	7. 2	40	7. 1	106	4.
Ca antagonist	Male	11	3. 8	23	8. 2	54	19. 1	83	29. 3	171	15.
	Female	9	3. 2	17	6. 1	52	18. 2	86	30. 5	164	14.
	Total	20	3. 5	40	7. 2	106	18. 7	169	29. 9	335	14.
Other antihypertensive	Male	2	0. 7	7	2. 5	11	3. 9	19	6. 7	39	3.
agents	Female	0	0. 0	8	2. 9	5	1. 8	14	5. 0	27	2.
	Total	2	0. 3	15	2. 7	16	2. 8	33	5. 8	66	2.
Vascular reinforcing	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.
agent	Female	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.
 Vasoconstrictor	Male	0	0. 0	1	0. 4	0	0. 0	0	0.0	1	0.
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.
	Total	0	0. 0	1	0. 2	0	0. 0	0	0.0	1	0.
 Vasodilator	Male	2	0. 7	5	1. 8	16	5. 7	33	11. 7	56	4.
	Female	1	0. 4	2	0. 7	8	2. 8	32	11. 3	43	3.
	Total	3	0. 5	7	1. 3	24	4. 2	65	11. 5	99	4.
Antihyperlipidemic agent	Male	12	4. 1	11	3. 9	20	7. 1	27	9. 5	70	6.
ntihyperlipidemic agent	Female	2	0. 7	15	5. 4	30	10. 5	57	20. 2	104	9.
	Total	14	2. 4	26	4. 7	50	8. 8	84	14. 9	174	 7.
Other agents acting on	Male	0	0. 0	6	2. 1	8	2. 8	18	6.4	32	2.
cardiovascular system	Female		0. 7	3	1. 1	10	3. 5	18	6. 4	1 1 3 61 45 106 3 171 3 13 30 4 1 5 9 9 1 13 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	2.
	Total		0. 3	9	1. 6	18	3. 2	36	6. 4	65	2.
 Respiratory stimulator	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.
Antitussive agent	 Male	4	1.4	 1	0. 4	2	0. 7	2	0. 7	9	0.
	Female	4	1.4	4	1. 4	3	 1. 1	2	0. 7	13	 1.
	Total	 8	1. 4	5	0. 9	5	0. 9	4	0. 7	22	 1.
Expectorant	 Male	4	1. 4	3	1. 1	6	 2. 1	4	1. 4	17	 1.
		 1	0. 4	4	 1. 4	2	0. 7	6	 2. 1	13	1.
	Total		0. 9	 7	1. 3	8	 1. 4	10	1.8		 1.
Antitussive agent and	 Male	 1	0. 3	 1	0. 4	0	0. 0		0. 7		 0.
expectorant	Female	3	1. 1	 0	0. 0	0	0. 0	 2	0. 7		 0.
	Total	<u>-</u>	0. 7	<u>-</u> 1	0. 2	0	0. 0	-	0. 7		 0.
Bronchodilator	Male	 8	2. 8	- 3	1. 1	<u>-</u> 5	1. 8	 7	2. 5		2.
	Female		1. 1	- 3	 1. 1	2	 0. 7	2	0. 7		 0.
	Total	 11	1. 9	-	 - 1. 1	-	 1. 2	- 9	1.6		<u>-</u> 1.
 Gargle	Male		0. 7	0 0	0. 0	' 1	 0. 4	-	0. 4		 0.
BIV		_	J. 1	J	0. 0	'	U. T	'	U. T	т.	٥.

	Total	2	0. 3	1	0. 2	2	0. 4	2	0.4	7	0.3
respiratory system	Male	1	0. 3	0	0. 0	2	0. 7	0	0. 0	3	0. 3
respiratory system	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
•	Total	1	0. 2	0	0. 0	2	0. 4	0	0.0	3	0. 1
Antidiarrheal agent	Male	1	0. 3	3	1. 1	4	1. 4	12	4. 2	20	1.8
•	Female	2	0. 7	6	2. 2	5	1.8	17	6. 0	30	2. 7
•	Total	3	0. 5	9	1. 6	9	1. 6	29	5. 1	50	2. 2
Antiulcerative agent	Male	14	4. 8	25	8. 9	48	17. 0	62	21. 9	149	13. 1
•	Female	18	6. 4	29	10. 5	30	10. 5	57	20. 2	134	11. 9
	Total	32	5. 6	54	9. 7	78	13. 7	119	21. 1	283	12. 5
Stomachic	Male	15	5. 2	16	5. 7	25	8. 8	20	7. 1	76	6. 7
•	Female	7	2. 5	17	6. 1	7	2. 5	22	7. 8	53	4. 7
-	Total	22	3. 8	33	5. 9	32	5. 6	42	7. 4	129	5. 7
Antacid	Male	0	0. 0	1	0. 4	7	2. 5	5	1.8	13	1. 1
·	Female	1	0. 4	1	0. 4	1	0. 4	7	2. 5	10	0. 9
-	Total	1	0. 2	2	0. 4	8	1. 4	12	2. 1	23	1. 0
Laxative	Male	0	0. 0	3	1. 1	3	1. 1	20	7. 1	26	2. 3
•	Female	10	3. 5	10	3. 6	25	8. 8	27	9. 6	72	6. 4
-	Total	10	1. 7	13	2. 3	28	4. 9	47	8. 3	98	4. 3
Cholagogue	Male	0	0. 0	2	0. 7	2	0. 7	2	0. 7	6	0. 5
	Female	0	0. 0	1	0. 4	0	0. 0	4	1.4	5	0. 4
	Total	0	0. 0	3	0. 5	2	0. 4	6	1. 1	11	0. 5
Combined digestive agent	Male	6	2. 1	2	0. 7	2	0. 7	4	1.4	14	1. 2
•	Female	0	0. 0	2	0. 7	3	1. 1	2	0. 7	7	0. 6
•	Total	6	1. 0	4	0. 7	5	0. 9	6	1. 1	21	0. 9
Other agents acting on	Male	10	3. 4	9	3. 2	16	5. 7	18	6. 4	53	4. 7
alimentary system	Female	8	2. 8	13	4. 7	18	6. 3	29	10. 3	68	6. 0
•	Total	18	3. 1	22	3. 9	34	6. 0	47	8. 3	121	5. 3
Pituitary hormone drug	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
•	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
•	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
gland -	Female	0	0. 0	0	0. 0	1	0. 4	0	0.0	1	0. 1
•	Total	0	0. 0	0	0. 0	1	0. 2	0	0.0	1	0. 0
Thyroid hormone or	Male	1	0. 3	1	0. 4	0	0. 0	2	0. 7	4	0. 4
parathyroid hormone drug	Female	1	0. 4	2	0. 7	3	1. 1	2	0. 7	8	0. 7
-	Total	2	0. 3	3	0. 5	3	0. 5	4	0. 7	12	0. 5
Anabolic steroid drug	Male	0	0. 0	0	0. 0	0	0. 0	1	0. 4	1	0. 1
-		0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	U									
	Female Total	0	0. 0	0	0. 0	0	0. 0	1	0. 2	1	0. 0
Adrenocortical hormone			0. 0	0	0. 0	0	0. 0 1. 4	1 5	0. 2 1. 8	1 15	0.0
Adrenocortical hormone drug	Total	0									

_	Male	0	0.0	0	0. 0	0	0.0	0	0.0	0	0.00
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Estrogen or progesterone	Male	0	0. 0	1	0. 4	3	1. 1	5	1.8	9	0.8
drug	Female	2	0. 7	6	2. 2	3	1. 1	1	0. 4	12	1. 1
	Total	2	0. 3	7	1. 3	6	1. 1	6	1. 1	21	0. 9
Mixed hormone drug	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
_	Female	6	2. 1	0	0. 0	0	0. 0	1	0. 4	7	0. 6
	Total	6	1. 0	0	0. 0	0	0. 0	1	0. 2	7	0. 3
Other hormone drug	Male	1	0. 3	3	1. 1	6	2. 1	9	3. 2	19	1. 7
	Female	1	0. 4	1	0. 4	7	2. 5	14	5. 0	23	2. 0
	Total	2	0. 3	4	0. 7	13	2. 3	23	4. 1	42	1. 9
Agents acting on urinary	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
system	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Agents acting on genital	Male	0	0. 0	0	0. 0	0	0. 0	1	0. 4	1	0. 1
system	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	1	0. 2	1	0.0
Uterine constrictor	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
-	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Contraceptive	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	1	0. 4	0	0. 0	0	0. 0	0	0. 0	1	0. 1
	Total	1	0. 2	0	0. 0	0	0. 0	0	0. 0	1	0. 0
Agents for hemorrhoids	Male	5	1. 7	2	0. 7	1	0. 4	4	1.4	12	1. 1
	 Female	0	0. 0	1	0. 4	0	0. 0	2	0. 7	3	0. 3
	Total	5	0. 9	3	0. 5	1	0. 2	6	1. 1	 15	0. 7
Other agents acting on	Male	1	0. 3	0	0. 0	5	1. 8	18	6. 4	24	2. 1
urogenital system or anus	Female	0	0. 0	1	0. 4	0	0. 0	5	1.8	6	0. 5
	Total	1	0. 2	1	0. 2	5	0. 9	23	4. 1	30	1. 3
Integumentary	Male	1	0. 3	0	0. 0	0	0. 0	0	0. 0	1	0. 1
microbicide	 Female	0	0. 0	2	0. 7	1	0. 4	0	0. 0	3	0. 3
	Total	1	0. 2	2	0. 4	1	0. 2	0	0. 0	4	0. 2
Protective agent for	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
wound		0	0. 0	1	0. 4	 1	0. 4	0	0. 0	2	0. 2
	Total	0	0. 0	1	0. 2	1	0. 2	0	0. 0	2	0. 1
Pyostatics	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0. 0	1	0. 4	0	0. 0	0	0. 0	1	0. 1
	Total	0	0. 0	1	0. 2	0	0. 0	0	0. 0	1	0. 0
			4. 5	 14	5. O	22	 7. 8	31	11. 0	 80	7. 0
	 Male	13	4. 0	1.7	0. 0						
astringent, antiphlogistic (medicine		13 12	4. 5 4. 3	22	7. 9	38	13. 3	37	 13. 1	109	9. 7
Analgesic, antipruritic, astringent, antiphlogistic (medicine for external application)								37 68	13. 1	109 189	9. 7

	Female	2	0. 7	4	1. 4	2	0. 7	0	0.0	8	0. 7
	Total	6	1.0	9	1. 6	9	1.6	4	0. 7	28	1. 2
Emollient	Male	0	0.0	1	0. 4	1	0. 4	2	0. 7	4	0.4
	Female	1	0. 4	1	0. 4	1	0. 4	0	0.0	3	0. 3
	Total	1	0. 2	2	0. 4	2	0. 4	2	0.4	7	0. 3
Hair tonic	Male	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Bath liquid	Male	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0. 0
•	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Other surface-acting	Male	0	0. 0	2	0. 7	1	0. 4	2	0. 7	5	0. 4
agents	Female	3	1. 1	2	0. 7	1	0. 4	1	0. 4	7	0. 6
•	Total	3	0. 5	4	0. 7	2	0. 4	3	0. 5	12	0. 5
Dental local anesthetic	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Agents for devitalization	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
of the pulp	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
•	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Analgesic or sedative for	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
lental use -	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Agents for mummification	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
of the pulp	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
•	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Agents for pulp capping	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
•	 Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
•	 Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Antibiotics for dental	 Male	1	0. 3	1	0. 4	0	0. 0	0	0. 0	2	0. 2
use	 Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	 Total	1	0. 2	 1	0. 2	0	0. 0	0	0. 0	2	0. 1
Other agent for dental	 Male	0	0. 0	1	0. 4	0	0. 0	0	0. 0	1	0. 1
use	 Female	0	0. 0	0	0. 0	1	0. 4	0	0. 0	1	0. 1
	 Total	0	0. 0	 1	0. 2	 1	0. 2	0	0. 0	2	0. 1
Other agent for organ	 Male	 1	0. 3	0	0. 0	0	0. 0	0	0. 0	1	0. 1
system	 Female	0	0. 0	0	0. 0	 1	0. 4	0	0. 0	 1	0. 1
	 Total	1	0. 2	0	0. 0	 1	0. 2	0	0. 0	2	0. 1
Vitamin A or D	 Male	3	1. 0	0	0. 0	 4	1. 4	4	1. 4	 11	1. 0
preparation	Female	2	0. 7	-	2. 9	 15	5. 3	 28	9. 9	53	4. 7
	 Total	<u>-</u> 5	0. 9	-	1. 4	 19	3. 3	32	 5. 7	 64	2. 8
	 Male	2	0. 7	5 5	1. 8		1. 1	6	2. 1		1.4
Vitamin B1 preparation	Wale		0. /	U	1.0						

	Total	6	1.0	9	1. 6	8	1. 4	15	2. 7	38	1. 7
Vitamin B complex preparation (exclude B1)	Male	3	1.0	6	2. 1	18	6. 4	31	11.0	58	5. 1
proparation (exercise bi)	Female	8	2. 8	7	2. 5	26	9. 1	36	12. 8	77	6.8
	Total	11	1. 9	13	2. 3	44	7.7	67	11. 9	135	6.0
Vitamin C preparation	Male	4	1.4	5	1. 8	5	1.8	3	1. 1	17	1.5
	Female	12	4. 3	16	5. 8	11	3. 9	15	5. 3	54	4. 8
	Total	16	2. 8	21	3. 8	16	2. 8	18	3. 2	71	3. 1
Vitamin E preparation	Male	1	0. 3	6	2. 1	6	2. 1	10	3. 5	23	2. 0
	Female	11	3. 9	13	4. 7	17	6. 0	17	6.0	58	5. 2
	Total	12	2. 1	19	3. 4	23	4. 0	27	4. 8	81	3. 6
Vitamin K preparation	Male	0	0. 0	0	0. 0	1	0. 4	1	0. 4	2	0. 2
	Female	0	0. 0	1	0. 4	0	0. 0	4	1.4	5	0. 4
	Total	0	0. 0	1	0. 2	1	0. 2	5	0. 9	7	0. 3
Mixed vitamin	Male	8	2. 8	10	3. 5	11	3. 9	11	3. 9	40	3. 5
preparation	Female	11	3. 9	9	3. 2	20	7. 0	22	7. 8	62	5. 5
	Total	19	3. 3	19	3. 4	31	5. 5	33	5. 8	102	4. 5
Other vitamin	Male	7	2. 4	17	6. 0	17	6. 0	15	5. 3	56	4. 9
preparations	Female	12	4. 3	10	3. 6	18	6. 3	13	4. 6	53	4. 7
	Total	19	3. 3	27	4. 8	35	6. 2	28	5. 0	109	4. 8
Calcium preparation	Male	0	0. 0	2	0. 7	7	2. 5	2	0. 7	11	1. 0
-	Female	10	3. 5	16	5. 8	19	6. 7	13	4. 6	58	5. 2
	Total	10	1. 7	18	3. 2	26	4. 6	15	2. 7	69	3. 0
Mineral preparation	Male	0	0. 0	0	0. 0	0	0. 0	2	0. 7	2	0. 2
	Female	9	3. 2	5	1. 8	4	1. 4	5	1.8	23	2. 0
	Total	9	1. 6	5	0. 9	4	0. 7	7	1. 2	25	1. 1
Saccaride preparation	Male	0	0. 0	1	0. 4	0	0. 0	0	0.0	1	0. 1
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	1	0. 2	0	0. 0	0	0.0	1	0.0
Organic acid preparation	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	1	0. 4	0	0.0	1	0. 1
	Total	0	0. 0	0	0. 0	1	0. 2	0	0.0	1	0.0
Protein or amino acid	Male	0	0. 0	2	0. 7	0	0. 0	0	0.0	2	0. 2
preparation	Female	2	0. 7	2	0. 7	3	1. 1	1	0.4	8	0. 7
	Total	2	0. 3	4	0. 7	3	0. 5	1	0. 2	10	0. 4
Hormone drug made from	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
some internal organ	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Infant preparation	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Other tonic	 Male	12	4. 1	25	8. 9	15	5. 3	12	4. 2	64	5. 6
	Female	23	8. 2	33	11. 9	44	15. 4	27	9. 6	127	11. 3
	Total	35	6. 1	 58	10. 4	59	10. 4	39	6. 9	191	8. 4

Blood substitute - -	Male	0	0.0	0	0. 0	0	0. 0	1	0.4	1	0. 1
-	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
-	Total	0	0. 0	0	0. 0	0	0. 0	1	0. 2	1	0. 0
Styptics	Male	0	0. 0	2	0. 7	3	1. 1	3	1. 1	8	0. 7
-	Female	3	1. 1	0	0. 0	1	0. 4	4	1.4	8	0. 7
-	Total	3	0. 5	2	0. 4	4	0. 7	7	1. 2	16	0. 7
Anticoagulant	Male	0	0. 0	0	0. 0	1	0. 4	4	1.4	5	0. 4
-	Female	0	0. 0	2	0. 7	1	0. 4	2	0. 7	5	0. 4
-	Total	0	0. 0	2	0. 4	2	0. 4	6	1. 1	10	0. 4
Other blood substitutes	Male	0	0. 0	2	0. 7	8	2. 8	10	3. 5	20	1.8
-	Female	0	0. 0	1	0. 4	8	2. 8	7	2. 5	16	1.4
-	Total	0	0. 0	3	0. 5	16	2. 8	17	3. 0	36	1.6
Agents for hemodialysis	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
-	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
-	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
dialysis -	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
-	 Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Other agents for dialysis	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
_	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
-	 Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Agents for liver disease	Male	3	1. 0	3	1. 1	4	1. 4	6	2. 1	16	1.4
-	Female	0	0. 0	0	0. 0	3	1. 1	3	1. 1	6	0. 5
-	Total	3	0. 5	3	0. 5	7	1. 2	9	1. 6	22	1.0
Antidote	Male	1	0. 3	0	0. 0	1	0. 4	3	1. 1	5	0. 4
-	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
-	 Total	1	0. 2	0	0. 0	1	0. 2	3	0. 5	<u>-</u> 5	0. 2
	 Male	0	0. 0	1	0. 4	0	0. 0	0	0. 0	1	0. 1
intoxication -	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
-	Total	0	0. 0	1	0. 2	0	0. 0	0	0. 0	1	0. 0
Agents for gout	Male	8	2. 8	12	4. 3	17	6. 0	16	5. 7	53	4. 7
-	Female	0	0. 0	0	0. 0	4	1. 4	3	1. 1	7	0. 6
-	Total	8	1.4	12	2. 1	21	3. 7	19	3. 4	60	2. 7
Enzyme preparation	 Male	3	1. 0	3	1. 1	0	0. 0	2	0. 7	8	0. 7
-											
	Female	4	1.4	3	1. 1	4	1. 4	1	0.4	12	1.1
_	Female Total	4 7	1. 4	3	1. 1	4	1. 4 0. 7	1 3	0. 4	12 20	1. 1 0. 9
Antidiabetics	Total	7	1. 2	6	1. 1	4	0. 7	3	0. 5	20	0. 9
Antidiabetics	Total	7	1. 2	6	1. 1	18	0. 7 6. 4	3 20	0. 5 7. 1	20	0. 9
Antidiabetics -	Total Male Female	7 3 0	1. 2	6 6 4	1. 1 2. 1 1. 4	4 18 10	0. 7 6. 4 3. 5	3 20 16	0. 5 7. 1 5. 7	20 47 30	0. 9 4. 1 2. 7
Antidiabetics -	Total Male Female Total	7 3 0 3	1. 2 1. 0 0. 0 0. 5	6 4 10	1. 1 2. 1 1. 4 1. 8	4 18 10 28	0. 7 6. 4 3. 5 4. 9	3 20 16 36	0. 5 7. 1 5. 7 6. 4	20 47 30 77	0. 9 4. 1 2. 7 3. 4
Antidiabetics - Agent acting generally on metabolic system -	Total Male Female Total Male	7 3 0 3 0	1. 2 1. 0 0. 0 0. 5 0. 0	6 6 4 10 0	1. 1 2. 1 1. 4 1. 8 0. 0	4 18 10 28	0. 7 6. 4 3. 5 4. 9 0. 0	3 20 16 36	0. 5 7. 1 5. 7 6. 4 0. 0	20 47 30 77 0	0. 9 4. 1 2. 7 3. 4 0. 0

	Female	0	0.0	4	1. 4	4	1. 4	9	3. 2	17	1.5
	Total	1	0. 2	7	1. 3	7	1. 2	19	3. 4	34	1.5
Chlorophyll agent	Male	0	0.0	1	0. 4	0	0. 0	0	0.0	1	0. 1
	Female	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	1	0. 2	0	0. 0	0	0.0	1	0.0
Pigment agent	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
Other cell activation agents	Male	0	0.0	0	0.0	0	0.0	1	0.4	1	0. 1
agonto	Female	1	0. 4	0	0.0	0	0. 0	0	0.0	1	0. 1
	Total	1	0. 2	0	0. 0	0	0. 0	1	0. 2	2	0. 1
Alkylating agent	Male	0	0. 0	0	0. 0	1	0. 4	0	0. 0	1	0. 1
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	1	0. 2	0	0. 0	1	0.0
Antimetabolite	 Male	0	0. 0	1	0. 4	1	0. 4	2	0. 7	4	0. 4
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	1	0. 2	1	0. 2	2	0. 4	4	0. 2
Antibiotics for antitumor	 Male	0	0. 0	0	0. 0	1	0. 4	0	0. 0	1	0. 1
agent	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Total	0	0. 0	0	0. 0	1	0. 2	0	0.0	1	0. 0
antitumor agent -	 Male	0	0. 0	0	0. 0	1	0. 4	0	0.0	1	0. 1
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Total	0	0. 0	0	0. 0	1	0. 2	0	0.0	1	0. 0
Other antitumor agents	Male	0	0. 0	0	0. 0	0	0. 0	1	0. 4	1	0. 1
	Female	0	0. 0	0	0. 0	2	0. 7	1	0.4	3	0. 3
	Total	0	0. 0	0	0. 0	2	0. 4	2	0. 4	4	0. 2
Antihistaminic agent	 Male	9	3. 1	2	0. 7	2	0. 7	6	2. 1	19	1. 7
	Female	6	2. 1	6	2. 2	4	1. 4	8	2. 8	24	2. 1
	Total	15	2. 6	8	1. 4	6	1. 1	14	2. 5	43	1. 9
Agents for stimulus	 Male	0	0. 0	0	0. 0	1	0. 4	0	0.0	1	0. 1
therapy	Female	0	0. 0	2	0. 7	0	0. 0	0	0.0	2	0. 2
	Total	0	0. 0	2	0. 4	1	0. 2	0	0. 0	3	0. 1
Agents for nonspecific	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
immunogenicity	Female	0	0. 0	1	0. 4	0	0. 0	0	0. 0	1	0. 1
	Total	0	0. 0	1	0. 2	0	0. 0	0	0.0	1	0. 0
Other antiallergic drugs	 Male	11	3. 8	8	2. 8	10	3. 5	12	4. 2	41	3. 6
	Female	7	2. 5	9	3. 2	10	3. 5	6	2. 1	32	2. 8
	Total	18	3. 1	17	3. 0	20	3. 5	18	3. 2	73	3. 2
Crude drug	 Male	5	1. 7	11	3. 9	6	2. 1	7	2. 5	29	2. 5
	Female	6	2. 1	9	3. 2	12	4. 2	10	3. 5	37	3. 3
	 Total	 11	1. 9	20	3. 6	18	3. 2	17	3. 0	66	2. 9
Herb medicine	 Male	7	2. 4	5	1. 8	10	3. 5	10	3. 5	32	2. 8
	 Female	7	2. 5	 14	 5. 1	9	3. 2	13	4. 6	43	3. 8

	Total	14	2. 4	19	3. 4	19	3. 3	23	4. 1	75	3. 3
Other drugs prescribed by a crude drug or a	Male	3	1.0	8	2. 8	8	2. 8	6	2. 1	25	2. 2
herb medicine	Female	7	2. 5	8	2. 9	10	3. 5	9	3. 2	34	3. 0
	Total	10	1. 7	16	2. 9	18	3. 2	15	2. 7	59	2. 6
Antibiotics (G(+))	Male	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
Antibiotics $(G(-))$	Male	0	0.0	0	0. 0	1	0. 4	0	0.0	1	0. 1
	Female	0	0.0	0	0. 0	0	0. 0	1	0.4	1	0. 1
	Total	0	0.0	0	0. 0	1	0. 2	1	0. 2	2	0. 1
Antibiotics (G(+), G(-))	Male	7	2. 4	2	0. 7	7	2. 5	6	2. 1	22	1. 9
	Female	8	2. 8	7	2. 5	1	0. 4	2	0. 7	18	1. 6
	Total	15	2. 6	9	1. 6	8	1. 4	8	1. 4	40	1.8
Antibiotics (G(+),	Male	1	0. 3	3	1. 1	1	0. 4	2	0. 7	7	0. 6
Mycoplasma)	Female	2	0. 7	2	0. 7	1	0. 4	3	1. 1	8	0. 7
	Total	3	0. 5	5	0. 9	2	0. 4	5	0. 9	15	0. 7
Antibiotics (G(+), G(-),	 Male	1	0. 3	0	0. 0	0	0. 0	0	0.0	1	0. 1
Rickettsia, Chlamydia) -	Female	0	0. 0	0	0. 0	0	0. 0	1	0. 4	1	0. 1
	Total	1	0. 2	0	0. 0	0	0. 0	1	0. 2	2	0. 1
Antibiotics against acid-	 Male	0	0. 0	0	0. 0	1	0. 4	0	0.0	1	0. 1
fastbacterium - - 	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	1	0. 2	0	0.0	1	0. 0
Antibiotics against	 Male	0	0. 0	1	0. 4	0	0. 0	1	0. 4	2	0. 2
fungus	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	1	0. 2	0	0. 0	1	0. 2	2	0. 1
Other antibiotics	 Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Female	1	0. 4	0	0. 0	0	0. 0	0	0. 0	1	0. 1
	Total	1	0. 2	0	0. 0	0	0. 0	0	0.0	1	0.0
Sulfa agent	 Male	0	0. 0	0	0. 0	1	0. 4	0	0.0	1	0. 1
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	1	0. 2	0	0.0	1	0.0
Antituberculous agent	 Male	0	0. 0	0	0. 0	1	0. 4	0	0.0	1	0. 1
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	1	0. 2	0	0.0	1	0.0
Anti-leprosy agent	 Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Synthetic antibiotics	 Male	3	1. 0	0	0. 0	1	0. 4	4	1. 4	8	0. 7
	Female	2	0. 7	2	0. 7	3	1. 1	2	0. 7	9	0.8
	 Total	5	0. 9	2	0. 4	4	0. 7	6	1. 1	17	0.8
Antiviral agent	 Male	0	0. 0	0	0. 0	0	0. 0	1	0. 4	1	0. 1
	 Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	 Total	0	0. 0	0	0. 0	0	0. 0	 1	0. 2	 1	0. 0

Other agents for chemotherapy .	Male	0	0.0	1	0. 4	2	0. 7	0	0.0	3	0. 3
· · · · · · · · · · · · · · · · · · ·	Female	0	0. 0	1	0. 4	0	0. 0	1	0. 4	2	0. 2
	Total	0	0. 0	2	0. 4	2	0. 4	1	0. 2	5	0. 2
Vaccine	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Poison or toxoid	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Antitoxic serum or	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
leptospira serum	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
Blood supplements	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
Reagents for biological	 Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
tests	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Mixed biological agent	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Other biological agents	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
 Protozoicide	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
 Parasiticide	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Other drugs against	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
parasitic disease	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Diluents	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Ointment base	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
						0	0. 0	0	0. 0	0	0. 0
Solution	 Male	0	0.0	0	0.0	U	0. 0	•			
Solution	Male Female	0 0	0. 0 	0 0	0. 0 0. 0	 0	0.0	0	0. 0	0	0.0
Solution											0.0

	Female	2	0. 7	0	0.0	0	0.0	0	0.0	2	0. 2
	Total	2	0.3	0	0.0	0	0.0	0	0.0	2	0. 1
Emulsifier	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other dispensing drugs	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
X-ray contrast medium	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Reagents for functional	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
tests	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Other drugs for	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
diagnosis	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
Antiseptic	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
Pesticide for prevention	Male	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
of epidemics	Female	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Insect repellent	Male	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
Insecticide	 Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Rodenticide	 Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Other drugs for public health	 Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0
Reagents for general tests	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Reagents for blood tests	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	 Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Reagents for biochemical tests	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0

	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Reagents for immunologic or serologic tests	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Reagents for	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
microbiological tests	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Reagents for histopathological tests	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Radiopharmaceutical for	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
extracorporeal diagnosis	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Other reagents for	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
extracorporeal diagnosis	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Adhesive bandage	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Other drugs not for	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
treatment	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Opiate alkaloid agent	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Coca alkaloid agent	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Other alkaloid agents	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Synthetic narcotic	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Unclassifiable drug	Male	4	1. 4	10	3. 5	11	3. 9	20	7. 1	45	4. 0
	Female	10	3. 5	4	1.4	13	4. 6	18	6. 4	45	4. 0
	Total	14	2. 4	14	2. 5	24	4. 2	38	6. 7	90	4. 0
No use of drug	Male	132	45. 5	108	38. 3	81	28. 6	50	17. 7	371	32. 6
	Female	121	42. 9	86	31. 0	61	21. 4	39	13. 8	307	27. 3
	Total	253	44. 2	194	34. 7	142	25. 0	89	15. 8	678	29. 9
Total	Male	290	100. 0	282	100. 0	283	100. 0	283	100.0	1138	100. 0
	Female	282	100. 0	277	100. 0	285	100. 0	282	100.0	1126	100. 0
	Total	 572	100. 0		100. 0	568	100. 0	565	100. 0		