

## III. Medication

All the prescription and nonprescription drugs used in previous 2 weeks were checked.

\* The drugs were coded by 3-digit therapeutic category numbers according to the Standard Commodity Classification No. of Japan.

Note that the fourth and subsequent digits of a code number were NILS-LSA original codes.

### Drugs on nervous system and sensory organ

#### Agents acting on central nervous system

- 111. General anesthetic
- 112. Hypnotic sedative agent, antianxiety agent
- 113. Antiepileptic agent
- 114. Antipyretic analgesic agent
- 115. Stimulant drug, antihypnotic drug
- 116. Antiparkinson drug
- 117. Antipsychotic drug
- 118. Drugs for common cold
- 119. Other agents acting on central nervous system

#### Agents acting on peripheral nervous system

- 121. Local anesthetic
- 122. Muscle relaxant
- 123. Agents for autonomic nervous system
- 124. Antispasmodic agent
- 125. Antiperspirants
- 126. Other agents acting on peripheral nervous system

#### Agents acting on sensory organ

- 13100. Ophthalmic solution (others)
- 13111. Ophthalmic solution (for cataract)
- 13121. Ophthalmic solution (pilocarpine)
- 13122. Ophthalmic solution (beta blocker)
- 13123. Ophthalmic solution (epinephrine)
- 13124. Ophthalmic solution (other solutions for glaucoma)
- 13131. Ophthalmic solution (steroid)
- 13199. Ophthalmic solution (unknown)
- 132. Agents acting on ear, nose and throat use
- 133. Anti-vertigenous drug
- 134. Other agents acting on sensory organ

### Drugs on individual organs

#### Agents acting on cardiovascular system

- 21101. Digitalis agent
- 21102. Xanthine agent
- 21103. Other inotropic agents
- 21201.  $\beta$  blocker
- 21202. Agents for membrane-stabilizing activity
- 21203. Other antiarrhythmic agents
- 21301. Thiazide diuretics
- 21302. Loop diuretics
- 21303. Potassium sparing diuretics
- 21304. Carbonate dehydratase inhibitor
- 21305. Other diuretics
- 214. Unknown antihypertensive agent
- 21401. ACE inhibitor
- 21402. Ca antagonist
- 21403. Other antihypertensive agents
- 215. Vascular reinforcing agent
- 216. Vasoconstrictor
- 217. Vasodilator
- 218. Antihyperlipidemic agent
- 219. Other agents acting on cardiovascular system

#### Agents acting on respiratory system

- 221. Respiratory stimulator
- 222. Antitussive agent
- 223. Expectorant
- 224. Antitussive agent and expectorant
- 225. Bronchodilator
- 226. Gargle
- 229. Other agents acting on respiratory system

#### Agents acting on alimentary system

- 231. Antidiarrheal agent

- 232. Antiulcerative agent
- 233. Stomachic
- 234. Antacid
- 235. Laxative
- 236. Cholagogue
- 237. Combined digestive agent
- 239. Other agents acting on alimentary system

Hormone drug

- 241. Pituitary hormone drug
- 242. Hormone drug of salivary gland
- 243. Thyroid hormone or parathyroid hormone drug
- 244. Anabolic steroid drug
- 245. Adrenocortical hormone drug
- 246. Androgen drug
- 247. Estrogen or progesterone drug
- 248. Mixed hormone drug
- 249. Other hormone drugs

Agents acting on urogenital system or anus

- 251. Agents acting on urinary system
- 252. Agents acting on genital system
- 253. Uterine constrictor
- 254. Contraceptive
- 255. Agents for hemorrhoids
- 259. Other agents acting on urogenital system or anus

Surface-acting agent

- 261. Integumentary microbicide
- 262. Protective agent for wound
- 263. Pyostatics
- 264. Analgesic, antipruritic, astringent, antiphlogistic (medicine for external application)
- 265. Integumentary parasiticide
- 266. Emollient
- 267. Hair tonic
- 268. Bath liquid
- 269. Other surface-acting agents
- 270. Steroid surface-acting agent

Agents for dental use

- 271. Dental local anesthetic
- 272. Agents for devitalization of the pulp
- 273. Analgesic or sedative for dental use
- 274. Agents for mummification of the pulp
- 275. Agents for pulp capping
- 276. Antibiotics for dental use
- 279. Other agents for dental use

- 290. Other agents for organ system

Drugs on metabolism

Vitamins

- 311. Vitamin A or D preparation
- 312. Vitamin B1 preparation
- 313. Vitamin B complex preparation (exclude B1)
- 314. Vitamin C preparation
- 315. Vitamin E preparation
- 316. Vitamin K preparation
- 317. Mixed vitamin preparation
- 319. Other vitamin preparations

Restoratives

- 321. Calcium preparation
- 322. Mineral preparation
- 323. Saccharide preparation
- 324. Organic acid preparation
- 325. Protein or amino acid preparation
- 326. Hormone drug made from some internal organ
- 327. Infant preparation
- 329. Other tonic

Blood substitute

- 331. Blood substitute
- 332. Styptics
- 333. Anticoagulant
- 339. Other blood substitutes

Agents for dialysis

- 341. Agents for hemodialysis
- 342. Agents for peritoneal dialysis
- 349. Other agents for dialysis

- Other agents acting on metabolic system
  - 391. Agents for liver disease
  - 392. Antidote
  - 393. Agents for habitual intoxication
  - 394. Agents for gout
  - 395. Enzyme preparation
  - 396. Antidiabetics
  - 397. Agents acting generally on metabolic system
  - 399. Unclassified agent acting on metabolic system

- Cell activation agent
  - Cell activation agent
    - 411. Chlorophyll agent
    - 412. Pigment agent
    - 419. Other cell activation agent

- Antitumor agent
  - 421. Alkylating agent
  - 422. Antimetabolite
  - 423. Antibiotics for antitumor agent
  - 424. Plant component for antitumor agents
  - 429. Other antitumor agents

- Antiallergic drug
  - 441. Antihistaminic agent
  - 442. Agents for stimulus therapy
  - 443. Agents for nonspecific immunogenicity
  - 449. Other antiallergic drugs

- Drugs prescribed by a crude drug or a herb medicine
  - 510. Crude drug
  - 520. Herb medicine
  - 590. Other drugs prescribed by a crude drug or herb medicine

- Drugs for pathogenic organism
  - Antibiotics
    - 611. Antibiotics against gram-positive bacteria
    - 612. Antibiotics against gram-negative bacteria
    - 613. Antibiotics against gram-positive and negative bacteria
    - 614. Antibiotics against gram-positive bacteria and Mycoplasma
    - 615. Antibiotics against gram-positive and negative bacteria, Rickettsia, and Chlamydia
    - 616. Antibiotics against acid-fastbacterium
    - 617. Antibiotics against fungus
    - 619. Other antibiotics

- Agents for chemotherapy
  - 621. Sulfa agent
  - 622. Antituberculous agent
  - 623. Anti-leprosy agent
  - 624. Synthetic antibiotics
  - 625. Antiviral agent
  - 626. Other agents for chemotherapy

- Biological agent
  - 631. Vaccine
  - 632. Poison or toxoid
  - 633. Antitoxic serum or leptospira serum
  - 634. Blood supplements
  - 635. Reagents for biological tests
  - 636. Mixed biological agent
  - 639. Other biological agents

- Drugs against parasitic disease
  - 641. Protozoicide
  - 642. Parasiticide
  - 649. Other drugs against parasitic disease

- Drugs not for treatment
  - Dispensing drug
    - 711. Diluents
    - 712. Ointment base
    - 713. Solution
    - 714. Corrective, tinction
    - 715. Emulsifier
    - 719. Other dispensing drugs

- Drugs for diagnosis
  - 721. X-ray contrast medium
  - 722. Reagents for functional tests
  - 729. Other drugs for diagnosis

- Drugs for public health

- 731. Antiseptic
- 732. Pesticide for prevention of epidemics
- 733. Insect repellent
- 734. Insecticide
- 735. Rodenticide
- 736. Other drugs for public health

- Reagents for extracorporeal diagnosis
- 741. Reagents for general tests
  - 742. Reagents for blood tests
  - 743. Reagents for biochemical tests
  - 744. Reagents for immunologic or serologic tests
  - 745. Reagents for microbiological tests
  - 746. Reagents for histopathological tests
  - 747. Radiopharmaceutical for extracorporeal diagnosis
  - 749. Other reagents for extracorporeal diagnosis

- Drugs not for other treatments
- 791. Adhesive bandage
  - 799. Other drugs not for treatment

- Narcotics
- Alkaloid agent
- 811. Opiate alkaloid agent
  - 812. Coca alkaloid agent
  - 819. Other alkaloid agents

- Non-alkaloid narcotics
- 821. Synthetic narcotic

- Unclassifiable drug
- 999. Unclassifiable drug

Prevalence of taking medicine in previous 2 weeks

		40–49yr		50–59yr		60–69yr		70–79yr		80yr–		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
General anesthetic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hypnotic sedative agent, antianxiety agent	Male	7	2.6	8	2.4	13	4.4	30	11.2	4	9.3	62	5.1
	Female	6	2.0	11	3.9	31	10.8	49	17.8	5	14.7	102	8.7
	Total	13	2.3	19	3.1	44	7.5	79	14.6	9	11.7	164	6.9
Antiepileptic agent	Male	0	0.0	0	0.0	2	0.7	2	0.7	0	0.0	4	0.3
	Female	2	0.7	2	0.7	4	1.4	3	1.1	0	0.0	11	0.9
	Total	2	0.4	2	0.3	6	1.0	5	0.9	0	0.0	15	0.6
Antipyretic analgesic agent	Male	31	11.7	20	6.0	24	8.1	41	15.4	9	20.9	125	10.4
	Female	61	20.7	34	11.9	46	16.1	52	18.9	5	14.7	198	16.9
	Total	92	16.4	54	8.8	70	12.0	93	17.2	14	18.2	323	13.6
Stimulant drug, antihypnotic drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antiparkinson drug	Male	0	0.0	1	0.3	1	0.3	1	0.4	0	0.0	3	0.2
	Female	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.2	1	0.2	1	0.2	1	0.2	0	0.0	4	0.2
Antipsychotic drug	Male	5	1.9	6	1.8	12	4.0	9	3.4	0	0.0	32	2.7
	Female	5	1.7	4	1.4	15	5.2	17	6.2	3	8.8	44	3.7
	Total	10	1.8	10	1.6	27	4.6	26	4.8	3	3.9	76	3.2
Drugs for common cold	Male	23	8.6	23	6.9	24	8.1	14	5.2	3	7.0	87	7.2
	Female	37	12.6	20	7.0	24	8.4	13	4.7	3	8.8	97	8.3
	Total	60	10.7	43	7.0	48	8.2	27	5.0	6	7.8	184	7.7
Other agents acting on central nervous system	Male	0	0.0	0	0.0	1	0.3	3	1.1	0	0.0	4	0.3
	Female	0	0.0	1	0.4	0	0.0	1	0.4	0	0.0	2	0.2
	Total	0	0.0	1	0.2	1	0.2	4	0.7	0	0.0	6	0.3

Local anesthetic	Male	1	0.4	1	0.3	0	0.0	0	0.0	0	0.0	2	0.2
	Female	0	0.0	0	0.0	2	0.7	0	0.0	0	0.0	2	0.2
	Total	1	0.2	1	0.2	2	0.3	0	0.0	0	0.0	4	0.2
Muscle relaxant	Male	0	0.0	0	0.0	0	0.0	2	0.7	1	2.3	3	0.2
	Female	0	0.0	0	0.0	1	0.3	1	0.4	0	0.0	2	0.2
	Total	0	0.0	0	0.0	1	0.2	3	0.6	1	1.3	5	0.2
Agents acting on autonomic nervous system	Male	0	0.0	1	0.3	0	0.0	3	1.1	0	0.0	4	0.3
	Female	1	0.3	0	0.0	0	0.0	3	1.1	0	0.0	4	0.3
	Total	1	0.2	1	0.2	0	0.0	6	1.1	0	0.0	8	0.3
Antispasmodic agent	Male	5	1.9	3	0.9	5	1.7	5	1.9	1	2.3	19	1.6
	Female	4	1.4	3	1.1	6	2.1	5	1.8	3	8.8	21	1.8
	Total	9	1.6	6	1.0	11	1.9	10	1.8	4	5.2	40	1.7
Antiperspirants	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agents acting on peripheral nervous system	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Ophthalmic solution (others)	Male	51	19.2	61	18.4	64	21.5	60	22.5	13	30.2	249	20.7
	Female	48	16.3	48	16.8	73	25.5	97	35.3	14	41.2	280	23.9
	Total	99	17.7	109	17.7	137	23.5	157	29.0	27	35.1	529	22.2
Ophthalmic solution (for cataract)	Male	0	0.0	5	1.5	14	4.7	38	14.2	7	16.3	64	5.3
	Female	0	0.0	2	0.7	28	9.8	66	24.0	8	23.5	104	8.9
	Total	0	0.0	7	1.1	42	7.2	104	19.2	15	19.5	168	7.1
Ophthalmic solution (pilocarpine)	Male	0	0.0	0	0.0	1	0.3	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	1	0.2	1	0.2	0	0.0	2	0.1
Ophthalmic solution ( $\beta$ blocker)	Male	0	0.0	1	0.3	5	1.7	10	3.7	2	4.7	18	1.5
	Female	0	0.0	2	0.7	8	2.8	6	2.2	1	2.9	17	1.4
	Total	0	0.0	3	0.5	13	2.2	16	3.0	3	3.9	35	1.5
Ophthalmic solution (epinephrine)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Ophthalmic solution (other solutions for glaucoma)	Male	0	0.0	2	0.6	5	1.7	7	2.6	1	2.3	15	1.2
	Female	0	0.0	1	0.4	4	1.4	5	1.8	1	2.9	11	0.9
	Total	0	0.0	3	0.5	9	1.5	12	2.2	2	2.6	26	1.1
Ophthalmic solution (steroid)	Male	2	0.8	4	1.2	8	2.7	12	4.5	4	9.3	30	2.5
	Female	3	1.0	3	1.1	5	1.7	18	6.5	5	14.7	34	2.9
	Total	5	0.9	7	1.1	13	2.2	30	5.5	9	11.7	64	2.7
Ophthalmic solution (unknown)	Male	0	0.0	1	0.3	3	1.0	11	4.1	1	2.3	16	1.3
	Female	3	1.0	3	1.1	4	1.4	8	2.9	3	8.8	21	1.8
	Total	3	0.5	4	0.6	7	1.2	19	3.5	4	5.2	37	1.6
Agents acting on ear, nose and throat use	Male	4	1.5	1	0.3	3	1.0	5	1.9	0	0.0	13	1.1
	Female	0	0.0	1	0.4	1	0.3	1	0.4	1	2.9	4	0.3
	Total	4	0.7	2	0.3	4	0.7	6	1.1	1	1.3	17	0.7
Anti-vertigenous drug	Male	0	0.0	1	0.3	3	1.0	5	1.9	0	0.0	9	0.7
	Female	0	0.0	5	1.8	3	1.0	12	4.4	3	8.8	23	2.0
	Total	0	0.0	6	1.0	6	1.0	17	3.1	3	3.9	32	1.3
Other agents acting on sensory organ	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Digitalis agent	Male	0	0.0	0	0.0	2	0.7	5	1.9	1	2.3	8	0.7
	Female	1	0.3	2	0.7	3	1.0	1	0.4	0	0.0	7	0.6

	Total	1	0.2	2	0.3	5	0.9	6	1.1	1	1.3	15	0.6
Xanthine agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other inotropic agents	Male	0	0.0	0	0.0	1	0.3	1	0.4	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	2.9	1	0.1
	Total	0	0.0	0	0.0	1	0.2	1	0.2	1	1.3	3	0.1
$\beta$ blocker	Male	3	1.1	10	3.0	8	2.7	13	4.9	1	2.3	35	2.9
	Female	3	1.0	7	2.5	4	1.4	8	2.9	1	2.9	23	2.0
	Total	6	1.1	17	2.8	12	2.1	21	3.9	2	2.6	58	2.4
Agents for membrane-stabilizing activity	Male	0	0.0	1	0.3	3	1.0	4	1.5	0	0.0	8	0.7
	Female	0	0.0	0	0.0	1	0.3	5	1.8	0	0.0	6	0.5
	Total	0	0.0	1	0.2	4	0.7	9	1.7	0	0.0	14	0.6
Other antiarrhythmic agents	Male	0	0.0	1	0.3	2	0.7	2	0.7	0	0.0	5	0.4
	Female	0	0.0	0	0.0	3	1.0	1	0.4	0	0.0	4	0.3
	Total	0	0.0	1	0.2	5	0.9	3	0.6	0	0.0	9	0.4
Thiazide diuretics	Male	0	0.0	0	0.0	1	0.3	0	0.0	0	0.0	1	0.1
	Female	1	0.3	0	0.0	1	0.3	4	1.5	0	0.0	6	0.5
	Total	1	0.2	0	0.0	2	0.3	4	0.7	0	0.0	7	0.3
Loop diuretics	Male	0	0.0	0	0.0	2	0.7	4	1.5	1	2.3	7	0.6
	Female	1	0.3	1	0.4	4	1.4	3	1.1	0	0.0	9	0.8
	Total	1	0.2	1	0.2	6	1.0	7	1.3	1	1.3	16	0.7
Potassium sparing diuretics	Male	0	0.0	0	0.0	1	0.3	2	0.7	1	2.3	4	0.3
	Female	0	0.0	0	0.0	4	1.4	5	1.8	1	2.9	10	0.9
	Total	0	0.0	0	0.0	5	0.9	7	1.3	2	2.6	14	0.6
Carbonate dehydratase inhibitor	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0
Other diuretics	Male	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0	2	0.2
	Female	0	0.0	0	0.0	3	1.0	4	1.5	1	2.9	8	0.7
	Total	0	0.0	0	0.0	3	0.5	6	1.1	1	1.3	10	0.4
Unknown antihypertensive agent	Male	0	0.0	0	0.0	3	1.0	1	0.4	1	2.3	5	0.4
	Female	0	0.0	1	0.4	0	0.0	0	0.0	0	0.0	1	0.1
	Total	0	0.0	1	0.2	3	0.5	1	0.2	1	1.3	6	0.3
ACE inhibitor	Male	4	1.5	22	6.6	27	9.1	41	15.4	6	14.0	100	8.3
	Female	4	1.4	11	3.9	26	9.1	38	13.8	5	14.7	84	7.2
	Total	8	1.4	33	5.4	53	9.1	79	14.6	11	14.3	184	7.7
Ca antagonist	Male	8	3.0	41	12.4	63	21.2	74	27.7	10	23.3	196	16.3
	Female	8	2.7	25	8.8	44	15.4	93	33.8	12	35.3	182	15.5
	Total	16	2.9	66	10.7	107	18.4	167	30.8	22	28.6	378	15.9
Other antihypertensive agents	Male	1	0.4	6	1.8	9	3.0	13	4.9	1	2.3	30	2.5
	Female	0	0.0	3	1.1	9	3.1	7	2.5	2	5.9	21	1.8
	Total	1	0.2	9	1.5	18	3.1	20	3.7	3	3.9	51	2.1
Vascular reinforcing agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Vasoconstrictor	Male	0	0.0	1	0.3	0	0.0	1	0.4	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	1	0.2	0	0.0	1	0.2	0	0.0	2	0.1
Vasodilator	Male	1	0.4	4	1.2	15	5.1	23	8.6	5	11.6	48	4.0
	Female	1	0.3	1	0.4	8	2.8	25	9.1	4	11.8	39	3.3
	Total	2	0.4	5	0.8	23	3.9	48	8.9	9	11.7	87	3.7
Antihyperlipidemic agent	Male	5	1.9	19	5.7	20	6.7	29	10.9	3	7.0	76	6.3
	Female	2	0.7	24	8.4	44	15.4	76	27.6	5	14.7	151	12.9

	Total	7	1.3	43	7.0	64	11.0	105	19.4	8	10.4	227	9.5
Other agents acting on cardiovascular system	Male	1	0.4	6	1.8	9	3.0	20	7.5	3	7.0	39	3.2
	Female	1	0.3	1	0.4	8	2.8	17	6.2	7	20.6	34	2.9
	Total	2	0.4	7	1.1	17	2.9	37	6.8	10	13.0	73	3.1
Respiratory stimulator	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antitussive agent	Male	3	1.1	0	0.0	1	0.3	3	1.1	0	0.0	7	0.6
	Female	7	2.4	6	2.1	3	1.0	7	2.5	0	0.0	23	2.0
	Total	10	1.8	6	1.0	4	0.7	10	1.8	0	0.0	30	1.3
Expectorant	Male	3	1.1	2	0.6	6	2.0	6	2.2	3	7.0	20	1.7
	Female	9	3.1	3	1.1	9	3.1	8	2.9	1	2.9	30	2.6
	Total	12	2.1	5	0.8	15	2.6	14	2.6	4	5.2	50	2.1
Antitussive agent and expectorant	Male	3	1.1	3	0.9	1	0.3	2	0.7	0	0.0	9	0.7
	Female	7	2.4	5	1.8	2	0.7	4	1.5	1	2.9	19	1.6
	Total	10	1.8	8	1.3	3	0.5	6	1.1	1	1.3	28	1.2
Bronchodilator	Male	4	1.5	3	0.9	3	1.0	11	4.1	3	7.0	24	2.0
	Female	6	2.0	2	0.7	3	1.0	5	1.8	0	0.0	16	1.4
	Total	10	1.8	5	0.8	6	1.0	16	3.0	3	3.9	40	1.7
Gargle	Male	1	0.4	0	0.0	2	0.7	0	0.0	0	0.0	3	0.2
	Female	1	0.3	1	0.4	0	0.0	1	0.4	0	0.0	3	0.3
	Total	2	0.4	1	0.2	2	0.3	1	0.2	0	0.0	6	0.3
Other agents acting on respiratory system	Male	2	0.8	1	0.3	1	0.3	4	1.5	0	0.0	8	0.7
	Female	2	0.7	1	0.4	1	0.3	2	0.7	0	0.0	6	0.5
	Total	4	0.7	2	0.3	2	0.3	6	1.1	0	0.0	14	0.6
Antidiarrheal agent	Male	4	1.5	5	1.5	8	2.7	7	2.6	4	9.3	28	2.3
	Female	6	2.0	1	0.4	6	2.1	15	5.5	0	0.0	28	2.4
	Total	10	1.8	6	1.0	14	2.4	22	4.1	4	5.2	56	2.4
Antiulcerative agent	Male	16	6.0	23	6.9	37	12.5	67	25.1	11	25.6	154	12.8
	Female	16	5.4	19	6.7	42	14.7	66	24.0	5	14.7	148	12.6
	Total	32	5.7	42	6.8	79	13.6	133	24.5	16	20.8	302	12.7
Stomachic	Male	26	9.8	26	7.9	22	7.4	18	6.7	3	7.0	95	7.9
	Female	14	4.8	21	7.4	18	6.3	22	8.0	4	11.8	79	6.7
	Total	40	7.1	47	7.6	40	6.9	40	7.4	7	9.1	174	7.3
Antacid	Male	1	0.4	2	0.6	1	0.3	1	0.4	0	0.0	5	0.4
	Female	0	0.0	0	0.0	0	0.0	4	1.5	0	0.0	4	0.3
	Total	1	0.2	2	0.3	1	0.2	5	0.9	0	0.0	9	0.4
Laxative	Male	2	0.8	6	1.8	5	1.7	28	10.5	1	2.3	42	3.5
	Female	13	4.4	20	7.0	16	5.6	29	10.5	1	2.9	79	6.7
	Total	15	2.7	26	4.2	21	3.6	57	10.5	2	2.6	121	5.1
Cholagogue	Male	0	0.0	3	0.9	8	2.7	4	1.5	1	2.3	16	1.3
	Female	0	0.0	1	0.4	0	0.0	2	0.7	0	0.0	3	0.3
	Total	0	0.0	4	0.6	8	1.4	6	1.1	1	1.3	19	0.8
Combined digestive agent	Male	1	0.4	3	0.9	1	0.3	2	0.7	0	0.0	7	0.6
	Female	3	1.0	0	0.0	0	0.0	3	1.1	0	0.0	6	0.5
	Total	4	0.7	3	0.5	1	0.2	5	0.9	0	0.0	13	0.5
Other agents acting on alimentary system	Male	11	4.1	4	1.2	14	4.7	13	4.9	3	7.0	45	3.7
	Female	7	2.4	7	2.5	7	2.4	25	9.1	5	14.7	51	4.3
	Total	18	3.2	11	1.8	21	3.6	38	7.0	8	10.4	96	4.0
Pituitary hormone drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	2.3	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	1	0.0
Hormone drug of salivary gland	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Thyroid hormone or parathyroid hormone drug	Male	1	0.4	1	0.3	1	0.3	1	0.4	0	0.0	4	0.3
	Female	1	0.3	6	2.1	2	0.7	6	2.2	0	0.0	15	1.3
	Total	2	0.4	7	1.1	3	0.5	7	1.3	0	0.0	19	0.8
Anabolic steroid drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Adrenocortical hormone drug	Male	6	2.3	8	2.4	4	1.3	7	2.6	1	2.3	26	2.2
	Female	7	2.4	9	3.2	5	1.7	4	1.5	0	0.0	25	2.1
	Total	13	2.3	17	2.8	9	1.5	11	2.0	1	1.3	51	2.1
Androgen drug	Male	0	0.0	1	0.3	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	1	0.2	0	0.0	0	0.0	0	0.0	1	0.0
Estrogen or progesterone drug	Male	0	0.0	0	0.0	0	0.0	5	1.9	0	0.0	5	0.4
	Female	3	1.0	5	1.8	2	0.7	1	0.4	0	0.0	11	0.9
	Total	3	0.5	5	0.8	2	0.3	6	1.1	0	0.0	16	0.7
Mixed hormone drug	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.2	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0
Other hormone drugs	Male	1	0.4	1	0.3	9	3.0	3	1.1	1	2.3	15	1.2
	Female	1	0.3	3	1.1	5	1.7	10	3.6	1	2.9	20	1.7
	Total	2	0.4	4	0.6	14	2.4	13	2.4	2	2.6	35	1.5
Agents acting on urinary system	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	2.3	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	1	0.0
Agents acting on genital system	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Uterine constrictor	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Contraceptive	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.2	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0
Agents for hemorrhoids	Male	1	0.4	2	0.6	1	0.3	0	0.0	1	2.3	5	0.4
	Female	0	0.0	2	0.7	1	0.3	2	0.7	0	0.0	5	0.4
	Total	1	0.2	4	0.6	2	0.3	2	0.4	1	1.3	10	0.4
Other agents acting on urogenital system or anus	Male	0	0.0	3	0.9	10	3.4	21	7.9	3	7.0	37	3.1
	Female	2	0.7	0	0.0	1	0.3	5	1.8	1	2.9	9	0.8
	Total	2	0.4	3	0.5	11	1.9	26	4.8	4	5.2	46	1.9
Integumentary microbicide	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Protective agent for wound	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pyostatics	Male	0	0.0	0	0.0	1	0.3	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0	1	0.0
Analgesic, antipruritic, astringent, antiphlogistic (medicine for external application)	Male	3	1.1	4	1.2	4	1.3	14	5.2	2	4.7	27	2.2
	Female	9	3.1	6	2.1	6	2.1	16	5.8	1	2.9	38	3.2
	Total	12	2.1	10	1.6	10	1.7	30	5.5	3	3.9	65	2.7
Integumentary	Male	1	0.4	2	0.6	3	1.0	0	0.0	0	0.0	6	0.5



parasiticide	Female	1	0.3	0	0.0	1	0.3	0	0.0	0	0.0	2	0.2
	Total	2	0.4	2	0.3	4	0.7	0	0.0	0	0.0	8	0.3
Emollient	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hair tonic	Male	0	0.0	1	0.3	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	1	0.2	0	0.0	0	0.0	0	0.0	1	0.0
Bath liquid	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other surface-acting agents	Male	0	0.0	2	0.6	1	0.3	0	0.0	0	0.0	3	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	2	0.3	1	0.2	0	0.0	0	0.0	3	0.1
Steroid surface-acting agent	Male	13	4.9	14	4.2	9	3.0	11	4.1	1	2.3	48	4.0
	Female	11	3.7	12	4.2	14	4.9	10	3.6	0	0.0	47	4.0
	Total	24	4.3	26	4.2	23	3.9	21	3.9	1	1.3	95	4.0
Dental local anesthtic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for devitalization of the pulp	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Analgesic or sedative for dental use	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for mummification of the pulp	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for pulp capping	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics for dental use	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.2	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0
Other agents for dental use	Male	0	0.0	1	0.3	1	0.3	1	0.4	0	0.0	3	0.2
	Female	0	0.0	1	0.4	2	0.7	1	0.4	0	0.0	4	0.3
	Total	0	0.0	2	0.3	3	0.5	2	0.4	0	0.0	7	0.3
Other agents for organ system	Male	0	0.0	1	0.3	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	1	0.4	0	0.0	0	0.0	0	0.0	1	0.1
	Total	0	0.0	2	0.3	0	0.0	0	0.0	0	0.0	2	0.1
Vitamin A or D preparation	Male	0	0.0	1	0.3	2	0.7	2	0.7	1	2.3	6	0.5
	Female	1	0.3	7	2.5	12	4.2	30	10.9	4	11.8	54	4.6
	Total	1	0.2	8	1.3	14	2.4	32	5.9	5	6.5	60	2.5
Vitamin B1 preparation	Male	2	0.8	1	0.3	2	0.7	7	2.6	0	0.0	12	1.0
	Female	0	0.0	1	0.4	4	1.4	7	2.5	1	2.9	13	1.1
	Total	2	0.4	2	0.3	6	1.0	14	2.6	1	1.3	25	1.1
Vitamin B complex preparation (exclude B1)	Male	6	2.3	7	2.1	12	4.0	18	6.7	4	9.3	47	3.9
	Female	4	1.4	8	2.8	14	4.9	33	12.0	2	5.9	61	5.2
	Total	10	1.8	15	2.4	26	4.5	51	9.4	6	7.8	108	4.5
Vitamin C preparation	Male	1	0.4	3	0.9	1	0.3	2	0.7	0	0.0	7	0.6
	Female	7	2.4	5	1.8	6	2.1	5	1.8	0	0.0	23	2.0
	Total	8	1.4	8	1.3	7	1.2	7	1.3	0	0.0	30	1.3

Vitamin E preparation	Male	0	0.0	2	0.6	1	0.3	3	1.1	3	7.0	9	0.7
	Female	2	0.7	8	2.8	4	1.4	7	2.5	1	2.9	22	1.9
	Total	2	0.4	10	1.6	5	0.9	10	1.8	4	5.2	31	1.3
Vitamin K preparation	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	0	0.0	1	0.4	0	0.0	5	1.8	0	0.0	6	0.5
	Total	0	0.0	1	0.2	0	0.0	6	1.1	0	0.0	7	0.3
Mixed vitamin preparation	Male	5	1.9	4	1.2	7	2.4	17	6.4	4	9.3	37	3.1
	Female	11	3.7	7	2.5	17	5.9	26	9.5	4	11.8	65	5.5
	Total	16	2.9	11	1.8	24	4.1	43	7.9	8	10.4	102	4.3
Other vitamin preparations	Male	9	3.4	10	3.0	14	4.7	10	3.7	1	2.3	44	3.7
	Female	9	3.1	7	2.5	9	3.1	9	3.3	0	0.0	34	2.9
	Total	18	3.2	17	2.8	23	3.9	19	3.5	1	1.3	78	3.3
Calcium preparation	Male	0	0.0	2	0.6	3	1.0	3	1.1	2	4.7	10	0.8
	Female	2	0.7	5	1.8	9	3.1	15	5.5	2	5.9	33	2.8
	Total	2	0.4	7	1.1	12	2.1	18	3.3	4	5.2	43	1.8
Mineral preparation	Male	0	0.0	1	0.3	0	0.0	1	0.4	0	0.0	2	0.2
	Female	4	1.4	2	0.7	2	0.7	6	2.2	2	5.9	16	1.4
	Total	4	0.7	3	0.5	2	0.3	7	1.3	2	2.6	18	0.8
Saccharide preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	1	0.4	0	0.0	0	0.0	0	0.0	1	0.1
	Total	0	0.0	1	0.2	0	0.0	0	0.0	0	0.0	1	0.0
Organic acid preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Protein or amino acid preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	0.3	1	0.4	0	0.0	0	0.0	0	0.0	2	0.2
	Total	1	0.2	1	0.2	0	0.0	0	0.0	0	0.0	2	0.1
Hormone drug made from some internal drug	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0
Infant preparation	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other tonic	Male	10	3.8	6	1.8	7	2.4	6	2.2	3	7.0	32	2.7
	Female	3	1.0	4	1.4	10	3.5	8	2.9	2	5.9	27	2.3
	Total	13	2.3	10	1.6	17	2.9	14	2.6	5	6.5	59	2.5
Blood substitute	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0	2	0.1
Styptics	Male	1	0.4	1	0.3	2	0.7	3	1.1	0	0.0	7	0.6
	Female	1	0.3	0	0.0	4	1.4	1	0.4	2	5.9	8	0.7
	Total	2	0.4	1	0.2	6	1.0	4	0.7	2	2.6	15	0.6
Anticoagulant	Male	0	0.0	2	0.6	2	0.7	8	3.0	0	0.0	12	1.0
	Female	0	0.0	2	0.7	3	1.0	1	0.4	0	0.0	6	0.5
	Total	0	0.0	4	0.6	5	0.9	9	1.7	0	0.0	18	0.8
Other blood substitutes	Male	0	0.0	4	1.2	20	6.7	38	14.2	3	7.0	65	5.4
	Female	0	0.0	5	1.8	6	2.1	22	8.0	3	8.8	36	3.1
	Total	0	0.0	9	1.5	26	4.5	60	11.1	6	7.8	101	4.2
Agents for hemodialysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for peritoneal dialysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Other agents for dialysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for liver disease	Male	0	0.0	4	1.2	5	1.7	2	0.7	0	0.0	11	0.9
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	4	0.6	5	0.9	3	0.6	0	0.0	12	0.5
Antidote	Male	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0	2	0.2
	Female	0	0.0	0	0.0	1	0.3	0	0.0	0	0.0	1	0.1
	Total	0	0.0	0	0.0	1	0.2	2	0.4	0	0.0	3	0.1
Agents for habitual intoxication	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for gout	Male	6	2.3	10	3.0	16	5.4	20	7.5	5	11.6	57	4.7
	Female	0	0.0	1	0.4	6	2.1	5	1.8	1	2.9	13	1.1
	Total	6	1.1	11	1.8	22	3.8	25	4.6	6	7.8	70	2.9
Enzyme preparation	Male	6	2.3	3	0.9	1	0.3	2	0.7	0	0.0	12	1.0
	Female	1	0.3	1	0.4	2	0.7	5	1.8	0	0.0	9	0.8
	Total	7	1.3	4	0.6	3	0.5	7	1.3	0	0.0	21	0.9
Antidiabetics	Male	2	0.8	14	4.2	22	7.4	27	10.1	2	4.7	67	5.6
	Female	1	0.3	11	3.9	12	4.2	13	4.7	1	2.9	38	3.2
	Total	3	0.5	25	4.1	34	5.8	40	7.4	3	3.9	105	4.4
Agents acting generally on metabolic system	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unclassified agent acting on metabolic system	Male	1	0.4	1	0.3	2	0.7	12	4.5	0	0.0	16	1.3
	Female	1	0.3	8	2.8	5	1.7	16	5.8	4	11.8	34	2.9
	Total	2	0.4	9	1.5	7	1.2	28	5.2	4	5.2	50	2.1
Chlorophyll agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pigment agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other cell activation agents	Male	0	0.0	0	0.0	1	0.3	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0	1	0.0
Alkylating agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antimetabolite	Male	1	0.4	0	0.0	0	0.0	0	0.0	1	2.3	2	0.2
	Female	0	0.0	1	0.4	0	0.0	1	0.4	0	0.0	2	0.2
	Total	1	0.2	1	0.2	0	0.0	1	0.2	1	1.3	4	0.2
Antibiotics for antitumor agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Plant component for antitumor agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other antitumor agents	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	2.3	1	0.1
	Female	1	0.3	0	0.0	2	0.7	1	0.4	0	0.0	4	0.3
	Total	1	0.2	0	0.0	2	0.3	1	0.2	1	1.3	5	0.2
Antihistaminic agent	Male	5	1.9	6	1.8	7	2.4	2	0.7	0	0.0	20	1.7
	Female	5	1.7	6	2.1	5	1.7	2	0.7	1	2.9	19	1.6

	Total	10	1.8	12	1.9	12	2.1	4	0.7	1	1.3	39	1.6
Agents for stimulus therapy	Male	0	0.0	0	0.0	1	0.3	0	0.0	0	0.0	1	0.1
	Female	0	0.0	1	0.4	1	0.3	1	0.4	0	0.0	3	0.3
	Total	0	0.0	1	0.2	2	0.3	1	0.2	0	0.0	4	0.2
Agents for nonspecific immunogenicity	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other antiallergic drugs	Male	16	6.0	11	3.3	14	4.7	13	4.9	3	7.0	57	4.7
	Female	15	5.1	11	3.9	15	5.2	14	5.1	2	5.9	57	4.9
	Total	31	5.5	22	3.6	29	5.0	27	5.0	5	6.5	114	4.8
Crude drug	Male	8	3.0	11	3.3	9	3.0	15	5.6	1	2.3	44	3.7
	Female	11	3.7	9	3.2	20	7.0	13	4.7	2	5.9	55	4.7
	Total	19	3.4	20	3.2	29	5.0	28	5.2	3	3.9	99	4.2
Herb medicine	Male	6	2.3	9	2.7	10	3.4	10	3.7	3	7.0	38	3.2
	Female	11	3.7	8	2.8	12	4.2	12	4.4	1	2.9	44	3.7
	Total	17	3.0	17	2.8	22	3.8	22	4.1	4	5.2	82	3.4
Other drugs prescribed by a crude drug or a herb medicine	Male	0	0.0	1	0.3	2	0.7	0	0.0	0	0.0	3	0.2
	Female	1	0.3	1	0.4	0	0.0	1	0.4	0	0.0	3	0.3
	Total	1	0.2	2	0.3	2	0.3	1	0.2	0	0.0	6	0.3
Antibiotics (G(+))	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics (G(-))	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics (G(+), G(-))	Male	6	2.3	9	2.7	7	2.4	1	0.4	0	0.0	23	1.9
	Female	8	2.7	6	2.1	9	3.1	4	1.5	0	0.0	27	2.3
	Total	14	2.5	15	2.4	16	2.7	5	0.9	0	0.0	50	2.1
Antibiotics (G(+), Mycoplasma)	Male	1	0.4	1	0.3	2	0.7	2	0.7	2	4.7	8	0.7
	Female	5	1.7	3	1.1	3	1.0	3	1.1	0	0.0	14	1.2
	Total	6	1.1	4	0.6	5	0.9	5	0.9	2	2.6	22	0.9
Antibiotics (G(+), G(-), Rickettsia, Chlamidia)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	0.3	1	0.4	0	0.0	0	0.0	0	0.0	2	0.2
	Total	1	0.2	1	0.2	0	0.0	0	0.0	0	0.0	2	0.1
Antibiotics against acid-fastbacterium	Male	0	0.0	0	0.0	1	0.3	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0	1	0.0
Antibiotics against fungus	Male	1	0.4	0	0.0	0	0.0	1	0.4	0	0.0	2	0.2
	Female	0	0.0	1	0.4	1	0.3	0	0.0	0	0.0	2	0.2
	Total	1	0.2	1	0.2	1	0.2	1	0.2	0	0.0	4	0.2
Other antibiotics	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Sulfa agent	Male	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	1	0.3	1	0.4	0	0.0	1	0.4	0	0.0	3	0.3
	Total	2	0.4	1	0.2	0	0.0	1	0.2	0	0.0	4	0.2
Antituberculous agent	Male	1	0.4	0	0.0	1	0.3	0	0.0	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.2	0	0.0	1	0.2	0	0.0	0	0.0	2	0.1
Anti-leprosy agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Synthetic antibiotics	Male	5	1.9	1	0.3	5	1.7	0	0.0	0	0.0	11	0.9
	Female	2	0.7	2	0.7	1	0.3	4	1.5	0	0.0	9	0.8

	Total	7	1.3	3	0.5	6	1.0	4	0.7	0	0.0	20	0.8
Antiviral agent	Male	2	0.8	0	0.0	1	0.3	0	0.0	0	0.0	3	0.2
	Female	0	0.0	1	0.4	1	0.3	0	0.0	0	0.0	2	0.2
	Total	2	0.4	1	0.2	2	0.3	0	0.0	0	0.0	5	0.2
Other agents for chemotherapy	Male	5	1.9	3	0.9	3	1.0	1	0.4	1	2.3	13	1.1
	Female	0	0.0	1	0.4	0	0.0	2	0.7	0	0.0	3	0.3
	Total	5	0.9	4	0.6	3	0.5	3	0.6	1	1.3	16	0.7
Vaccine	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Poison or toxoid	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antitoxic serum or leptospira serum	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Blood supplements	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for biological tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Mixed biological agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other biological agents	Male	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.2	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0
Protozoicide	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Parasiticide	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other drugs against parasitic disease	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Diluents	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Ointment base	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0
Solution	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Corrective, tinction	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0
Emulsifier	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other dispensing drugs	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
X-ray contrast medium	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for functional tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other drugs for diagnosis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antiseptic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pesticide for prevention of epidemics	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Insect repellent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Insecticide	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Rodenticide	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other drugs for public health	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for general tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for blood tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for biochemical tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for immunologic or serologic tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for microbiological tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for histopathological tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Radiopharmaceutical for extracorporeal diagnosis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other reagents for extracorporeal diagnosis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Adhesive bandage	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other drugs not for treatment	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Opiate alkaloid agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Coca alkaloid agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other alkaloid agents	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Synthetic narcotic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unclassifiable drug	Male	1	0.4	1	0.3	3	1.0	1	0.4	0	0.0	6	0.5
	Female	3	1.0	0	0.0	3	1.0	6	2.2	0	0.0	12	1.0
	Total	4	0.7	1	0.2	6	1.0	7	1.3	0	0.0	18	0.8
No use of drug	Male	103	38.7	125	37.8	76	25.6	46	17.2	6	14.0	356	29.6
	Female	99	33.7	101	35.4	61	21.3	26	9.5	2	5.9	289	24.6
	Total	202	36.1	226	36.7	137	23.5	72	13.3	8	10.4	645	27.1
Total	Male	266	100.0	331	100.0	297	100.0	267	100.0	43	100.0	1204	100.0
	Female	294	100.0	285	100.0	286	100.0	275	100.0	34	100.0	1174	100.0
	Total	560	100.0	616	100.0	583	100.0	542	100.0	77	100.0	2378	100.0