

III. Medication

All the prescription and nonprescription drugs used in previous 2 weeks were checked.

* The drugs were coded by 3-digit therapeutic category numbers according to the Standard Commodity Classification No. of Japan.

Note that the fourth and subsequent digits of a code number were NILS-LSA original codes.

Drugs on nervous system and sensory organ

Agents acting on central nervous system

- 111. General anesthetic
- 112. Hypnotic sedative agent, antianxiety agent
- 113. Antiepileptic agent
- 114. Antipyretic analgesic agent
- 115. Stimulant drug, antihypnotic drug
- 116. Antiparkinson drug
- 117. Antipsychotic drug
- 118. Drugs for common cold
- 119. Other agents acting on central nervous system

Agents acting on peripheral nervous system

- 121. Local anesthetic
- 122. Muscle relaxant
- 123. Agents acting on autonomic nervous system
- 124. Antispasmodic agent
- 125. Antiperspirants
- 126. Other agents acting on peripheral nervous system

Agents acting on sensory organ

- 13100. Ophthalmic solution (others)
- 13111. Ophthalmic solution (for cataract)
- 13121. Ophthalmic solution (pilocarpine)
- 13122. Ophthalmic solution (β blocker)
- 13123. Ophthalmic solution (epinephrine)
- 13124. Ophthalmic solution (other solutions for glaucoma)
- 13131. Ophthalmic solution (steroid)
- 13199. Ophthalmic solution (unknown)
- 132. Agents acting on ear, nose and throat use
- 133. Anti-vertiginous drug
- 134. Other agents acting on sensory organ

Drugs on individual organs

Agents acting on cardiovascular system

- 21101. Digitalis agent
- 21102. Xanthine agent
- 21103. Other inotropic agents
- 21201. β blocker
- 21202. Agents for membrane-stabilizing activity
- 21203. Other antiarrhythmic agents
- 21301. Thiazide diuretics
- 21302. Loop diuretics
- 21303. Potassium sparing diuretics
- 21304. Carbonate dehydratase inhibitor
- 21305. Other diuretics
- 214. Unknown antihypertensive agent
- 21401. ACE inhibitor
- 21402. Ca antagonist
- 21403. Other antihypertensive agents
- 215. Vascular reinforcing agent
- 216. Vasoconstrictor
- 217. Vasodilator
- 218. Antihyperlipidemic agent
- 219. Other agents acting on cardiovascular system

Agents acting on respiratory system

- 221. Respiratory stimulator
- 222. Antitussive agent
- 223. Expectorant
- 224. Antitussive agent and expectorant
- 225. Bronchodilator
- 226. Gargle
- 229. Other agents acting on respiratory system

Agents acting on alimentary system

- 231. Antidiarrheal agent

- 232. Antiulcerative agent
- 233. Stomachic
- 234. Antacid
- 235. Laxative
- 236. Cholagogue
- 237. Combined digestive agent
- 239. Other agents acting on alimentary system

Hormone drug

- 241. Pituitary hormone drug
- 242. Hormone drug of salivary gland
- 243. Thyroid hormone or parathyroid hormone drug
- 244. Anabolic steroid drug
- 245. Adrenocortical hormone drug
- 246. Androgen drug
- 247. Estrogen or progesterone drug
- 248. Mixed hormone drug
- 249. Other hormone drugs

Agents acting on urogenital system or anus

- 251. Agents acting on urinary system
- 252. Agents acting on genital system
- 253. Uterine constrictor
- 254. Contraceptive
- 255. Agents for hemorrhoids
- 259. Other agents acting on urogenital system or anus

Surface-acting agent

- 261. Integumentary microbicide
- 262. Protective agent for wound
- 263. Pyostatics
- 264. Analgesic, antipruritic, astringent, antiphlogistic (medicine for external application)
- 265. Integumentary parasiticide
- 266. Emollient
- 267. Hair tonic
- 268. Bath liquid
- 269. Other surface-acting agents
- 270. Steroid surface-acting agent

Agents for dental use

- 271. Dental local anesthetic
- 272. Agents for devitalization of the pulp
- 273. Analgesic or sedative for dental use
- 274. Agents for mummification of the pulp
- 275. Agents for pulp capping
- 276. Antibiotics for dental use
- 279. Other agents for dental use
- 290. Other agents for organ system

Drugs on metabolism

Vitamins

- 31101. Vitamin A preparation
- 31102. Vitamin D preparation
- 312. Vitamin B1 preparation
- 313. Vitamin B complex preparation (exclude B1)
- 314. Vitamin C preparation
- 315. Vitamin E preparation
- 316. Vitamin K preparation
- 317. Mixed vitamin preparation
- 319. Other vitamin preparations

Restoratives

- 321. Calcium preparation
- 322. Mineral preparation
- 323. Saccharide preparation
- 324. Organic acid preparation
- 325. Protein or amino acid preparation
- 326. Hormone drug made from some internal organ
- 327. Infant preparation
- 329. Other tonic

Blood substitute

- 331. Blood substitute
- 332. Styptics
- 333. Anticoagulant
- 339. Other blood substitutes

Agents for dialysis

- 341. Agents for hemodialysis
- 342. Agents for peritoneal dialysis

349. Other agents for dialysis

Other agents acting on metabolic system

- 391. Agents for liver disease
- 392. Antidote
- 393. Agents for habitual intoxication
- 394. Agents for gout
- 395. Enzyme preparation
- 39600. Insulin
- 39601. Oral antidiabetics
- 397. Agents acting generally on metabolic system
- 399. Unclassified agent acting on metabolic system
- 39911. Calcitonin (elcatonin)
- 39912. Calcitonin (calcitonin salmon)
- 39921. Bisphosphonate (alendronate sodium hydrate)
- 39922. Bisphosphonate (sodium risedronate hydrate)
- 39923. Bisphosphonate (etidronate disodium)
- 39931. Ipriflavone
- 39941. Selective estrogen receptor modulator

Cell activation agent

Cell activation agent

- 411. Chlorophyll agent
- 412. Pigment agent
- 419. Other cell activation agents

Antitumor agent

- 421. Alkylating agent
- 422. Antimetabolite
- 423. Antibiotics for antitumor agent
- 424. Plant component for antitumor agent
- 429. Other antitumor agents

Antiallergic drug

- 441. Antihistaminic agent
- 442. Agents for stimulus therapy
- 443. Agents for nonspecific immunogenicity
- 449. Other antiallergic drugs

Drugs prescribed by a crude drug or a herb medicine

- 510. Crude drug
- 520. Herb medicine
- 590. Other drugs prescribed by a crude drug or herb medicine

Drugs for pathogenic organism

Antibiotics

- 611. Antibiotics against gram-positive bacteria
- 612. Antibiotics against gram-negative bacteria
- 613. Antibiotics against gram-positive and negative bacteria
- 614. Antibiotics against gram-positive bacteria and Mycoplasma
- 615. Antibiotics against gram-positive and negative bacteria, Rickettsia, and Chlamydia
- 616. Antibiotics against acid-fast bacterium
- 617. Antibiotics against fungus
- 619. Other antibiotics

Agents for chemotherapy

- 621. Sulfa agent
- 622. Antituberculous agent
- 623. Anti-leprosy agent
- 624. Synthetic antibiotics
- 625. Antiviral agent
- 626. Other agents for chemotherapy

Biological agent

- 631. Vaccine
- 632. Poison or toxoid
- 633. Antitoxic serum or leptospira serum
- 634. Blood supplements
- 635. Reagents for biological tests
- 636. Mixed biological agent
- 639. Other biological agents

Drugs against parasitic disease

- 641. Protozoicide
- 642. Parasiticide
- 649. Other drugs against parasitic disease

Drugs not for treatment

Dispensing drug

- 711. Diluents

- 712. Ointment base
- 713. Solution
- 714. Corrective, tincture
- 715. Emulsifier
- 719. Other dispensing drugs

Drugs for diagnosis

- 721. X-ray contrast medium
- 722. Reagents for functional tests
- 729. Other drugs for diagnosis

Drugs for public health

- 731. Antiseptic
- 732. Pesticide for prevention of epidemics
- 733. Insect repellent
- 734. Insecticide
- 735. Rodenticide
- 736. Other drugs for public health

Reagents for extracorporeal diagnosis

- 741. Reagents for general tests
- 742. Reagents for blood tests
- 743. Reagents for biochemical tests
- 744. Reagents for immunologic or serologic tests
- 745. Reagents for microbiological tests
- 746. Reagents for histopathological tests
- 747. Radiopharmaceutical for extracorporeal diagnosis
- 749. Other reagents for extracorporeal diagnosis

Drugs not for other treatments

- 791. Adhesive bandage
- 799. Other drugs not for treatment

Narcotics

- Alkaloid agent
 - 811. Opiate alkaloid agent
 - 812. Coca alkaloid agent
 - 819. Other alkaloid agents

Non-alkaloid narcotics

- 821. Synthetic narcotic

Unclassifiable drug

- 999. Unclassifiable drug

Prevalence of taking medicine in previous 2 weeks

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | 80yr- | | Total | |
|--|--------|---------|------|---------|------|---------|------|---------|------|-------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % | N | % |
| General anesthetic | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Hypnotic sedative agent, antianxiety agent | Male | 5 | 1.7 | 11 | 3.7 | 10 | 3.3 | 24 | 9.4 | 6 | 11.3 | 56 | 4.7 |
| | Female | 2 | 0.7 | 10 | 3.5 | 26 | 9.5 | 54 | 18.9 | 8 | 13.6 | 100 | 8.4 |
| | Total | 7 | 1.2 | 21 | 3.6 | 36 | 6.3 | 78 | 14.4 | 14 | 12.5 | 156 | 6.5 |
| Antiepileptic agent | Male | 1 | 0.3 | 0 | 0.0 | 5 | 1.7 | 4 | 1.6 | 0 | 0.0 | 10 | 0.8 |
| | Female | 0 | 0.0 | 1 | 0.4 | 2 | 0.7 | 3 | 1.1 | 2 | 3.4 | 8 | 0.7 |
| | Total | 1 | 0.2 | 1 | 0.2 | 7 | 1.2 | 7 | 1.3 | 2 | 1.8 | 18 | 0.8 |
| Antipyretic analgesic agent | Male | 24 | 8.4 | 23 | 7.8 | 30 | 10.0 | 62 | 24.3 | 19 | 35.8 | 158 | 13.3 |
| | Female | 60 | 20.4 | 42 | 14.8 | 39 | 14.3 | 66 | 23.2 | 22 | 37.3 | 229 | 19.2 |
| | Total | 84 | 14.5 | 65 | 11.2 | 69 | 12.0 | 128 | 23.7 | 41 | 36.6 | 387 | 16.2 |
| Stimulant drug, antihypnotic drug | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Antiparkinson drug | Male | 0 | 0.0 | 0 | 0.0 | 2 | 0.7 | 3 | 1.2 | 0 | 0.0 | 5 | 0.4 |
| | Female | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 2 | 0.2 |
| | Total | 0 | 0.0 | 1 | 0.2 | 2 | 0.3 | 4 | 0.7 | 0 | 0.0 | 7 | 0.3 |

| | | | | | | | | | | | | | |
|--|--------|-----|------|-----|------|-----|------|-----|------|----|------|-----|------|
| Antipsychotic drug | Male | 6 | 2.1 | 7 | 2.4 | 12 | 4.0 | 8 | 3.1 | 5 | 9.4 | 38 | 3.2 |
| | Female | 5 | 1.7 | 6 | 2.1 | 11 | 4.0 | 40 | 14.0 | 6 | 10.2 | 68 | 5.7 |
| | Total | 11 | 1.9 | 13 | 2.2 | 23 | 4.0 | 48 | 8.9 | 11 | 9.8 | 106 | 4.4 |
| Drugs for common cold | Male | 20 | 7.0 | 24 | 8.1 | 18 | 6.0 | 15 | 5.9 | 2 | 3.8 | 79 | 6.6 |
| | Female | 28 | 9.5 | 18 | 6.4 | 19 | 7.0 | 12 | 4.2 | 1 | 1.7 | 78 | 6.5 |
| | Total | 48 | 8.3 | 42 | 7.3 | 37 | 6.5 | 27 | 5.0 | 3 | 2.7 | 157 | 6.6 |
| Other agents acting on central nervous system | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 1.2 | 1 | 1.9 | 4 | 0.3 |
| | Female | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 |
| | Total | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 | 3 | 0.6 | 1 | 0.9 | 5 | 0.2 |
| Local anesthetic | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 |
| | Total | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 |
| Muscle relaxant | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Agents acting on autonomic nervous system | Male | 1 | 0.3 | 2 | 0.7 | 0 | 0.0 | 2 | 0.8 | 0 | 0.0 | 5 | 0.4 |
| | Female | 1 | 0.3 | 0 | 0.0 | 0 | 0.0 | 3 | 1.1 | 1 | 1.7 | 5 | 0.4 |
| | Total | 2 | 0.3 | 2 | 0.3 | 0 | 0.0 | 5 | 0.9 | 1 | 0.9 | 10 | 0.4 |
| Antispasmodic agent | Male | 0 | 0.0 | 1 | 0.3 | 2 | 0.7 | 2 | 0.8 | 1 | 1.9 | 6 | 0.5 |
| | Female | 2 | 0.7 | 4 | 1.4 | 5 | 1.8 | 10 | 3.5 | 1 | 1.7 | 22 | 1.8 |
| | Total | 2 | 0.3 | 5 | 0.9 | 7 | 1.2 | 12 | 2.2 | 2 | 1.8 | 28 | 1.2 |
| Antiperspirants | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Other agents acting on peripheral nervous system | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Ophthalmic solution (others) | Male | 52 | 18.2 | 58 | 19.7 | 54 | 18.0 | 53 | 20.8 | 18 | 34.0 | 235 | 19.8 |
| | Female | 48 | 16.3 | 70 | 24.7 | 75 | 27.5 | 89 | 31.2 | 25 | 42.4 | 307 | 25.7 |
| | Total | 100 | 17.2 | 128 | 22.1 | 129 | 22.5 | 142 | 26.3 | 43 | 38.4 | 542 | 22.7 |
| Ophthalmic solution (for cataract) | Male | 1 | 0.3 | 2 | 0.7 | 12 | 4.0 | 25 | 9.8 | 5 | 9.4 | 45 | 3.8 |
| | Female | 0 | 0.0 | 3 | 1.1 | 20 | 7.3 | 46 | 16.1 | 10 | 16.9 | 79 | 6.6 |
| | Total | 1 | 0.2 | 5 | 0.9 | 32 | 5.6 | 71 | 13.1 | 15 | 13.4 | 124 | 5.2 |
| Ophthalmic solution (pilocarpine) | Male | 0 | 0.0 | 0 | 0.0 | 3 | 1.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.3 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 3 | 0.5 | 0 | 0.0 | 0 | 0.0 | 3 | 0.1 |
| Ophthalmic solution (β blocker) | Male | 2 | 0.7 | 3 | 1.0 | 7 | 2.3 | 13 | 5.1 | 3 | 5.7 | 28 | 2.4 |
| | Female | 1 | 0.3 | 2 | 0.7 | 5 | 1.8 | 13 | 4.6 | 2 | 3.4 | 23 | 1.9 |
| | Total | 3 | 0.5 | 5 | 0.9 | 12 | 2.1 | 26 | 4.8 | 5 | 4.5 | 51 | 2.1 |
| Ophthalmic solution (epinephrine) | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Ophthalmic solution (other solutions for glaucoma) | Male | 2 | 0.7 | 0 | 0.0 | 9 | 3.0 | 6 | 2.4 | 3 | 5.7 | 20 | 1.7 |
| | Female | 1 | 0.3 | 1 | 0.4 | 4 | 1.5 | 8 | 2.8 | 1 | 1.7 | 15 | 1.3 |
| | Total | 3 | 0.5 | 1 | 0.2 | 13 | 2.3 | 14 | 2.6 | 4 | 3.6 | 35 | 1.5 |
| Ophthalmic solution (steroid) | Male | 0 | 0.0 | 3 | 1.0 | 6 | 2.0 | 6 | 2.4 | 5 | 9.4 | 20 | 1.7 |
| | Female | 6 | 2.0 | 6 | 2.1 | 9 | 3.3 | 16 | 5.6 | 6 | 10.2 | 43 | 3.6 |
| | Total | 6 | 1.0 | 9 | 1.6 | 15 | 2.6 | 22 | 4.1 | 11 | 9.8 | 63 | 2.6 |
| Ophthalmic solution (unknown) | Male | 0 | 0.0 | 1 | 0.3 | 0 | 0.0 | 3 | 1.2 | 0 | 0.0 | 4 | 0.3 |
| | Female | 2 | 0.7 | 0 | 0.0 | 1 | 0.4 | 10 | 3.5 | 0 | 0.0 | 13 | 1.1 |
| | Total | 2 | 0.3 | 1 | 0.2 | 1 | 0.2 | 13 | 2.4 | 0 | 0.0 | 17 | 0.7 |
| Agents acting on ear, nose and throat use | Male | 4 | 1.4 | 1 | 0.3 | 2 | 0.7 | 3 | 1.2 | 0 | 0.0 | 10 | 0.8 |

| | | | | | | | | | | | | | |
|--|--------|----|-----|----|------|-----|------|-----|------|----|------|-----|------|
| | Female | 1 | 0.3 | 5 | 1.8 | 3 | 1.1 | 1 | 0.4 | 0 | 0.0 | 10 | 0.8 |
| | Total | 5 | 0.9 | 6 | 1.0 | 5 | 0.9 | 4 | 0.7 | 0 | 0.0 | 20 | 0.8 |
| Anti-vertigenous drug | Male | 2 | 0.7 | 0 | 0.0 | 0 | 0.0 | 2 | 0.8 | 2 | 3.8 | 6 | 0.5 |
| | Female | 3 | 1.0 | 2 | 0.7 | 1 | 0.4 | 7 | 2.5 | 3 | 5.1 | 16 | 1.3 |
| | Total | 5 | 0.9 | 2 | 0.3 | 1 | 0.2 | 9 | 1.7 | 5 | 4.5 | 22 | 0.9 |
| Other agents acting on sensory organ | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Digitalis agent | Male | 0 | 0.0 | 0 | 0.0 | 4 | 1.3 | 6 | 2.4 | 3 | 5.7 | 13 | 1.1 |
| | Female | 0 | 0.0 | 2 | 0.7 | 1 | 0.4 | 3 | 1.1 | 0 | 0.0 | 6 | 0.5 |
| | Total | 0 | 0.0 | 2 | 0.3 | 5 | 0.9 | 9 | 1.7 | 3 | 2.7 | 19 | 0.8 |
| Xanthine agent | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Other inotropic agents | Male | 1 | 0.3 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 2 | 3.8 | 4 | 0.3 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 1 | 1.7 | 2 | 0.2 |
| | Total | 1 | 0.2 | 0 | 0.0 | 0 | 0.0 | 2 | 0.4 | 3 | 2.7 | 6 | 0.3 |
| β blocker | Male | 2 | 0.7 | 7 | 2.4 | 12 | 4.0 | 12 | 4.7 | 1 | 1.9 | 34 | 2.9 |
| | Female | 3 | 1.0 | 8 | 2.8 | 7 | 2.6 | 15 | 5.3 | 2 | 3.4 | 35 | 2.9 |
| | Total | 5 | 0.9 | 15 | 2.6 | 19 | 3.3 | 27 | 5.0 | 3 | 2.7 | 69 | 2.9 |
| Agents for membrane-stabilizing activity | Male | 0 | 0.0 | 2 | 0.7 | 4 | 1.3 | 4 | 1.6 | 1 | 1.9 | 11 | 0.9 |
| | Female | 1 | 0.3 | 0 | 0.0 | 3 | 1.1 | 6 | 2.1 | 0 | 0.0 | 10 | 0.8 |
| | Total | 1 | 0.2 | 2 | 0.3 | 7 | 1.2 | 10 | 1.9 | 1 | 0.9 | 21 | 0.9 |
| Other antiarrhythmic agents | Male | 0 | 0.0 | 0 | 0.0 | 1 | 0.3 | 1 | 0.4 | 0 | 0.0 | 2 | 0.2 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 1 | 0.1 |
| | Total | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 2 | 0.4 | 0 | 0.0 | 3 | 0.1 |
| Thiazide diuretics | Male | 0 | 0.0 | 0 | 0.0 | 1 | 0.3 | 0 | 0.0 | 1 | 1.9 | 2 | 0.2 |
| | Female | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 7 | 2.5 | 1 | 1.7 | 9 | 0.8 |
| | Total | 0 | 0.0 | 1 | 0.2 | 1 | 0.2 | 7 | 1.3 | 2 | 1.8 | 11 | 0.5 |
| Loop diuretics | Male | 0 | 0.0 | 1 | 0.3 | 2 | 0.7 | 6 | 2.4 | 2 | 3.8 | 11 | 0.9 |
| | Female | 0 | 0.0 | 3 | 1.1 | 2 | 0.7 | 6 | 2.1 | 4 | 6.8 | 15 | 1.3 |
| | Total | 0 | 0.0 | 4 | 0.7 | 4 | 0.7 | 12 | 2.2 | 6 | 5.4 | 26 | 1.1 |
| Potassium sparing diuretics | Male | 0 | 0.0 | 0 | 0.0 | 1 | 0.3 | 4 | 1.6 | 0 | 0.0 | 5 | 0.4 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 1.8 | 1 | 1.7 | 6 | 0.5 |
| | Total | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 9 | 1.7 | 1 | 0.9 | 11 | 0.5 |
| Carbonate dehydratase inhibitor | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 1 | 0.1 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 | 1 | 0.0 |
| Other diuretics | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 1 | 0.1 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 1.4 | 1 | 1.7 | 5 | 0.4 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.9 | 1 | 0.9 | 6 | 0.3 |
| Unkounwn antihypertensive agent | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 1 | 0.1 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 | 1 | 0.0 |
| ACE inhibitor | Male | 8 | 2.8 | 19 | 6.4 | 38 | 12.7 | 44 | 17.3 | 11 | 20.8 | 120 | 10.1 |
| | Female | 4 | 1.4 | 14 | 4.9 | 30 | 11.0 | 67 | 23.5 | 13 | 22.0 | 128 | 10.7 |
| | Total | 12 | 2.1 | 33 | 5.7 | 68 | 11.9 | 111 | 20.6 | 24 | 21.4 | 248 | 10.4 |
| Ca antagonist | Male | 7 | 2.4 | 33 | 11.2 | 69 | 23.0 | 89 | 34.9 | 13 | 24.5 | 211 | 17.7 |
| | Female | 8 | 2.7 | 19 | 6.7 | 40 | 14.7 | 101 | 35.4 | 24 | 40.7 | 192 | 16.1 |
| | Total | 15 | 2.6 | 52 | 9.0 | 109 | 19.0 | 190 | 35.2 | 37 | 33.0 | 403 | 16.9 |
| Other antihypertensive agents | Male | 2 | 0.7 | 6 | 2.0 | 10 | 3.3 | 8 | 3.1 | 0 | 0.0 | 26 | 2.2 |
| | Female | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 10 | 3.5 | 1 | 1.7 | 12 | 1.0 |
| | Total | 2 | 0.3 | 6 | 1.0 | 11 | 1.9 | 18 | 3.3 | 1 | 0.9 | 38 | 1.6 |

| | | | | | | | | | | | | | |
|--|--------|----|-----|----|-----|----|------|-----|------|----|------|-----|------|
| Vascular reinforcing agent | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Vasoconstrictor | Male | 1 | 0.3 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 2 | 0.2 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.7 | 0 | 0.0 | 2 | 0.2 |
| | Total | 1 | 0.2 | 0 | 0.0 | 0 | 0.0 | 3 | 0.6 | 0 | 0.0 | 4 | 0.2 |
| Vasodilator | Male | 0 | 0.0 | 3 | 1.0 | 9 | 3.0 | 19 | 7.5 | 7 | 13.2 | 38 | 3.2 |
| | Female | 1 | 0.3 | 0 | 0.0 | 4 | 1.5 | 16 | 5.6 | 6 | 10.2 | 27 | 2.3 |
| | Total | 1 | 0.2 | 3 | 0.5 | 13 | 2.3 | 35 | 6.5 | 13 | 11.6 | 65 | 2.7 |
| Antihyperlipidemic agent | Male | 2 | 0.7 | 19 | 6.4 | 26 | 8.7 | 33 | 12.9 | 5 | 9.4 | 85 | 7.1 |
| | Female | 3 | 1.0 | 20 | 7.1 | 55 | 20.1 | 71 | 24.9 | 13 | 22.0 | 162 | 13.6 |
| | Total | 5 | 0.9 | 39 | 6.7 | 81 | 14.1 | 104 | 19.3 | 18 | 16.1 | 247 | 10.4 |
| Other agents acting on cardiovascular system | Male | 0 | 0.0 | 3 | 1.0 | 6 | 2.0 | 15 | 5.9 | 8 | 15.1 | 32 | 2.7 |
| | Female | 1 | 0.3 | 6 | 2.1 | 4 | 1.5 | 25 | 8.8 | 4 | 6.8 | 40 | 3.4 |
| | Total | 1 | 0.2 | 9 | 1.6 | 10 | 1.7 | 40 | 7.4 | 12 | 10.7 | 72 | 3.0 |
| Respiratory stimulator | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Antitussive agent | Male | 2 | 0.7 | 1 | 0.3 | 2 | 0.7 | 5 | 2.0 | 0 | 0.0 | 10 | 0.8 |
| | Female | 2 | 0.7 | 7 | 2.5 | 7 | 2.6 | 7 | 2.5 | 1 | 1.7 | 24 | 2.0 |
| | Total | 4 | 0.7 | 8 | 1.4 | 9 | 1.6 | 12 | 2.2 | 1 | 0.9 | 34 | 1.4 |
| Expectorant | Male | 4 | 1.4 | 5 | 1.7 | 6 | 2.0 | 12 | 4.7 | 2 | 3.8 | 29 | 2.4 |
| | Female | 3 | 1.0 | 6 | 2.1 | 8 | 2.9 | 6 | 2.1 | 2 | 3.4 | 25 | 2.1 |
| | Total | 7 | 1.2 | 11 | 1.9 | 14 | 2.4 | 18 | 3.3 | 4 | 3.6 | 54 | 2.3 |
| Antitussive agent and expectorant | Male | 2 | 0.7 | 1 | 0.3 | 3 | 1.0 | 7 | 2.7 | 0 | 0.0 | 13 | 1.1 |
| | Female | 4 | 1.4 | 4 | 1.4 | 5 | 1.8 | 1 | 0.4 | 1 | 1.7 | 15 | 1.3 |
| | Total | 6 | 1.0 | 5 | 0.9 | 8 | 1.4 | 8 | 1.5 | 1 | 0.9 | 28 | 1.2 |
| Bronchodilator | Male | 3 | 1.0 | 5 | 1.7 | 5 | 1.7 | 9 | 3.5 | 3 | 5.7 | 25 | 2.1 |
| | Female | 3 | 1.0 | 3 | 1.1 | 4 | 1.5 | 4 | 1.4 | 1 | 1.7 | 15 | 1.3 |
| | Total | 6 | 1.0 | 8 | 1.4 | 9 | 1.6 | 13 | 2.4 | 4 | 3.6 | 40 | 1.7 |
| Gargle | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Other agents acting on respiratory system | Male | 1 | 0.3 | 3 | 1.0 | 1 | 0.3 | 1 | 0.4 | 0 | 0.0 | 6 | 0.5 |
| | Female | 2 | 0.7 | 2 | 0.7 | 1 | 0.4 | 2 | 0.7 | 1 | 1.7 | 8 | 0.7 |
| | Total | 3 | 0.5 | 5 | 0.9 | 2 | 0.3 | 3 | 0.6 | 1 | 0.9 | 14 | 0.6 |
| Antidiarrheal agent | Male | 6 | 2.1 | 8 | 2.7 | 7 | 2.3 | 7 | 2.7 | 2 | 3.8 | 30 | 2.5 |
| | Female | 5 | 1.7 | 8 | 2.8 | 7 | 2.6 | 11 | 3.9 | 3 | 5.1 | 34 | 2.8 |
| | Total | 11 | 1.9 | 16 | 2.8 | 14 | 2.4 | 18 | 3.3 | 5 | 4.5 | 64 | 2.7 |
| Antiulcerative agent | Male | 11 | 3.8 | 23 | 7.8 | 34 | 11.3 | 64 | 25.1 | 14 | 26.4 | 146 | 12.3 |
| | Female | 10 | 3.4 | 23 | 8.1 | 31 | 11.4 | 71 | 24.9 | 18 | 30.5 | 153 | 12.8 |
| | Total | 21 | 3.6 | 46 | 8.0 | 65 | 11.3 | 135 | 25.0 | 32 | 28.6 | 299 | 12.5 |
| Stomachic | Male | 3 | 1.0 | 1 | 0.3 | 4 | 1.3 | 9 | 3.5 | 6 | 11.3 | 23 | 1.9 |
| | Female | 0 | 0.0 | 4 | 1.4 | 2 | 0.7 | 16 | 5.6 | 4 | 6.8 | 26 | 2.2 |
| | Total | 3 | 0.5 | 5 | 0.9 | 6 | 1.0 | 25 | 4.6 | 10 | 8.9 | 49 | 2.1 |
| Antacid | Male | 1 | 0.3 | 1 | 0.3 | 2 | 0.7 | 2 | 0.8 | 1 | 1.9 | 7 | 0.6 |
| | Female | 1 | 0.3 | 1 | 0.4 | 0 | 0.0 | 1 | 0.4 | 1 | 1.7 | 4 | 0.3 |
| | Total | 2 | 0.3 | 2 | 0.3 | 2 | 0.3 | 3 | 0.6 | 2 | 1.8 | 11 | 0.5 |
| Laxative | Male | 3 | 1.0 | 4 | 1.4 | 4 | 1.3 | 24 | 9.4 | 11 | 20.8 | 46 | 3.9 |
| | Female | 9 | 3.1 | 13 | 4.6 | 7 | 2.6 | 27 | 9.5 | 5 | 8.5 | 61 | 5.1 |
| | Total | 12 | 2.1 | 17 | 2.9 | 11 | 1.9 | 51 | 9.4 | 16 | 14.3 | 107 | 4.5 |
| Cholagogue | Male | 1 | 0.3 | 2 | 0.7 | 5 | 1.7 | 5 | 2.0 | 1 | 1.9 | 14 | 1.2 |

| | | | | | | | | | | | | | |
|--|--------|----|-----|----|-----|----|-----|----|-----|---|-----|----|-----|
| | Female | 1 | 0.3 | 2 | 0.7 | 1 | 0.4 | 2 | 0.7 | 0 | 0.0 | 6 | 0.5 |
| | Total | 2 | 0.3 | 4 | 0.7 | 6 | 1.0 | 7 | 1.3 | 1 | 0.9 | 20 | 0.8 |
| Combined digestive agent | Male | 15 | 5.2 | 8 | 2.7 | 16 | 5.3 | 7 | 2.7 | 0 | 0.0 | 46 | 3.9 |
| | Female | 12 | 4.1 | 13 | 4.6 | 5 | 1.8 | 6 | 2.1 | 2 | 3.4 | 38 | 3.2 |
| | Total | 27 | 4.7 | 21 | 3.6 | 21 | 3.7 | 13 | 2.4 | 2 | 1.8 | 84 | 3.5 |
| Other agents acting on alimentary system | Male | 3 | 1.0 | 3 | 1.0 | 6 | 2.0 | 9 | 3.5 | 2 | 3.8 | 23 | 1.9 |
| | Female | 2 | 0.7 | 5 | 1.8 | 3 | 1.1 | 15 | 5.3 | 5 | 8.5 | 30 | 2.5 |
| | Total | 5 | 0.9 | 8 | 1.4 | 9 | 1.6 | 24 | 4.4 | 7 | 6.3 | 53 | 2.2 |
| Pituitary hormone drug | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Hormone drug of salivary gland | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 1 | 0.1 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 | 1 | 0.0 |
| Thyroid hormone or parathyroid hormone drug | Male | 2 | 0.7 | 1 | 0.3 | 1 | 0.3 | 2 | 0.8 | 2 | 3.8 | 8 | 0.7 |
| | Female | 4 | 1.4 | 5 | 1.8 | 3 | 1.1 | 9 | 3.2 | 1 | 1.7 | 22 | 1.8 |
| | Total | 6 | 1.0 | 6 | 1.0 | 4 | 0.7 | 11 | 2.0 | 3 | 2.7 | 30 | 1.3 |
| Anabolic steroid drug | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Adrenocortical hormone drug | Male | 5 | 1.7 | 2 | 0.7 | 7 | 2.3 | 7 | 2.7 | 0 | 0.0 | 21 | 1.8 |
| | Female | 3 | 1.0 | 7 | 2.5 | 9 | 3.3 | 2 | 0.7 | 2 | 3.4 | 23 | 1.9 |
| | Total | 8 | 1.4 | 9 | 1.6 | 16 | 2.8 | 9 | 1.7 | 2 | 1.8 | 44 | 1.8 |
| Androgen drug | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Estrogen or progesterone drug | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 1.2 | 0 | 0.0 | 3 | 0.3 |
| | Female | 2 | 0.7 | 6 | 2.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 0.7 |
| | Total | 2 | 0.3 | 6 | 1.0 | 0 | 0.0 | 3 | 0.6 | 0 | 0.0 | 11 | 0.5 |
| Mixed hormone drug | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Other hormone drugs | Male | 0 | 0.0 | 0 | 0.0 | 2 | 0.7 | 5 | 2.0 | 3 | 5.7 | 10 | 0.8 |
| | Female | 0 | 0.0 | 0 | 0.0 | 2 | 0.7 | 7 | 2.5 | 2 | 3.4 | 11 | 0.9 |
| | Total | 0 | 0.0 | 0 | 0.0 | 4 | 0.7 | 12 | 2.2 | 5 | 4.5 | 21 | 0.9 |
| Agents acting on urinary system | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Agents acting on genital system | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Uterine constrictor | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Contraceptive | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 2 | 0.7 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.2 |
| | Total | 2 | 0.3 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.1 |
| Agents for hemorrhoids | Male | 0 | 0.0 | 1 | 0.3 | 2 | 0.7 | 1 | 0.4 | 0 | 0.0 | 4 | 0.3 |
| | Female | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 |
| | Total | 0 | 0.0 | 1 | 0.2 | 3 | 0.5 | 1 | 0.2 | 0 | 0.0 | 5 | 0.2 |
| Other agents acting on urogenital system or anus | Male | 0 | 0.0 | 1 | 0.3 | 6 | 2.0 | 20 | 7.8 | 4 | 7.5 | 31 | 2.6 |
| | Female | 1 | 0.3 | 0 | 0.0 | 1 | 0.4 | 7 | 2.5 | 4 | 6.8 | 13 | 1.1 |
| | Total | 1 | 0.2 | 1 | 0.2 | 7 | 1.2 | 27 | 5.0 | 8 | 7.1 | 44 | 1.8 |

| | | | | | | | | | | | | | |
|---|--------|----|-----|----|-----|----|-----|----|-----|---|-----|----|-----|
| Integumentary microbicide | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Protective agent for wound | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Pyostatics | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Analgesic, antipruritic, astringent, antiphlogistic (medicine for external application) | Male | 1 | 0.3 | 1 | 0.3 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 3 | 0.3 |
| | Female | 1 | 0.3 | 0 | 0.0 | 1 | 0.4 | 2 | 0.7 | 0 | 0.0 | 4 | 0.3 |
| | Total | 2 | 0.3 | 1 | 0.2 | 1 | 0.2 | 3 | 0.6 | 0 | 0.0 | 7 | 0.3 |
| Integumentary parasiticide | Male | 1 | 0.3 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 1 | 0.2 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 |
| Emollient | Male | 1 | 0.3 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 1 | 0.2 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 |
| Hair tonic | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Bath liquid | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Other surface-acting agents | Male | 0 | 0.0 | 1 | 0.3 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 |
| | Female | 2 | 0.7 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 3 | 0.3 |
| | Total | 2 | 0.3 | 1 | 0.2 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 | 4 | 0.2 |
| Steroid surface-acting agent | Male | 11 | 3.8 | 13 | 4.4 | 13 | 4.3 | 9 | 3.5 | 2 | 3.8 | 48 | 4.0 |
| | Female | 15 | 5.1 | 9 | 3.2 | 8 | 2.9 | 12 | 4.2 | 1 | 1.7 | 45 | 3.8 |
| | Total | 26 | 4.5 | 22 | 3.8 | 21 | 3.7 | 21 | 3.9 | 3 | 2.7 | 93 | 3.9 |
| Dental local anesthetic | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Agents for devitalization of the pulp | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Analgesic or sedative for dental use | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 1 | 0.1 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 | 1 | 0.0 |
| Agents for mummification of the pulp | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Agents for pulp capping | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Antibiotics for dental use | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Other agents for dental use | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 1 | 0.1 |
| | Female | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 |
| | Total | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 1 | 0.2 | 0 | 0.0 | 2 | 0.1 |
| Other agents for organ system | Male | 1 | 0.3 | 1 | 0.3 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.2 |

| | | | | | | | | | | | | | |
|---|--------|----|-----|----|-----|----|-----|----|-----|---|-----|-----|-----|
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Bisphosphonate (alendronate sodium hydrate) | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 2 | 0.7 | 5 | 1.8 | 10 | 3.5 | 3 | 5.1 | 20 | 1.7 |
| | Total | 0 | 0.0 | 2 | 0.3 | 5 | 0.9 | 10 | 1.9 | 3 | 2.7 | 20 | 0.8 |
| Bisphosphonate (sodium risedronate hydrate) | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 1 | 0.4 | 3 | 1.1 | 6 | 2.1 | 0 | 0.0 | 10 | 0.8 |
| | Total | 0 | 0.0 | 1 | 0.2 | 3 | 0.5 | 6 | 1.1 | 0 | 0.0 | 10 | 0.4 |
| Bisphosphonate (etidronate disodium) | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Ipriflavone | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Selective estrogen receptor modulator | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 2 | 0.7 | 2 | 0.7 | 2 | 0.7 | 1 | 1.7 | 7 | 0.6 |
| | Total | 0 | 0.0 | 2 | 0.3 | 2 | 0.3 | 2 | 0.4 | 1 | 0.9 | 7 | 0.3 |
| Chlorophyll agent | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Pigment agent | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Other cell activation agents | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 1 | 0.1 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 | 1 | 0.0 |
| Alkylating agent | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Antimetabolite | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 1 | 1.9 | 2 | 0.2 |
| | Female | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 1 | 0.4 | 0 | 0.0 | 2 | 0.2 |
| | Total | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 2 | 0.4 | 1 | 0.9 | 4 | 0.2 |
| Antibiotics for antitumor agent | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Plant component for antitumor agent | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Other antitumor agents | Male | 1 | 0.3 | 0 | 0.0 | 1 | 0.3 | 2 | 0.8 | 2 | 3.8 | 6 | 0.5 |
| | Female | 1 | 0.3 | 0 | 0.0 | 1 | 0.4 | 6 | 2.1 | 0 | 0.0 | 8 | 0.7 |
| | Total | 2 | 0.3 | 0 | 0.0 | 2 | 0.3 | 8 | 1.5 | 2 | 1.8 | 14 | 0.6 |
| Antihistaminic agent | Male | 9 | 3.1 | 7 | 2.4 | 5 | 1.7 | 5 | 2.0 | 1 | 1.9 | 27 | 2.3 |
| | Female | 15 | 5.1 | 8 | 2.8 | 6 | 2.2 | 8 | 2.8 | 2 | 3.4 | 39 | 3.3 |
| | Total | 24 | 4.1 | 15 | 2.6 | 11 | 1.9 | 13 | 2.4 | 3 | 2.7 | 66 | 2.8 |
| Agents for stimulus therapy | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.8 | 0 | 0.0 | 2 | 0.2 |
| | Female | 0 | 0.0 | 2 | 0.7 | 1 | 0.4 | 0 | 0.0 | 0 | 0.0 | 3 | 0.3 |
| | Total | 0 | 0.0 | 2 | 0.3 | 1 | 0.2 | 2 | 0.4 | 0 | 0.0 | 5 | 0.2 |
| Agents for nonspecific immunogenicity | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 1.9 | 1 | 0.1 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.9 | 1 | 0.0 |
| Other antiallergic drugs | Male | 14 | 4.9 | 14 | 4.7 | 14 | 4.7 | 11 | 4.3 | 1 | 1.9 | 54 | 4.5 |
| | Female | 17 | 5.8 | 15 | 5.3 | 15 | 5.5 | 14 | 4.9 | 1 | 1.7 | 62 | 5.2 |
| | Total | 31 | 5.3 | 29 | 5.0 | 29 | 5.1 | 25 | 4.6 | 2 | 1.8 | 116 | 4.9 |

| | | | | | | | | | | | | | |
|---|--------|----|------|----|------|----|------|----|------|----|------|-----|------|
| Crude drug | Male | 0 | 0.0 | 1 | 0.3 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 |
| | Female | 0 | 0.0 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 1 | 1.7 | 4 | 0.3 |
| | Total | 0 | 0.0 | 2 | 0.3 | 1 | 0.2 | 1 | 0.2 | 1 | 0.9 | 5 | 0.2 |
| Herb medicine | Male | 31 | 10.8 | 23 | 7.8 | 37 | 12.3 | 36 | 14.1 | 7 | 13.2 | 134 | 11.3 |
| | Female | 37 | 12.6 | 38 | 13.4 | 34 | 12.5 | 40 | 14.0 | 9 | 15.3 | 158 | 13.2 |
| | Total | 68 | 11.7 | 61 | 10.6 | 71 | 12.4 | 76 | 14.1 | 16 | 14.3 | 292 | 12.3 |
| Other drugs prescribed by a crude drug or a herb medicine | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Antibiotics (G(+)) | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Antibiotics (G(-)) | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Antibiotics (G(+), G(-)) | Male | 2 | 0.7 | 2 | 0.7 | 6 | 2.0 | 6 | 2.4 | 0 | 0.0 | 16 | 1.3 |
| | Female | 8 | 2.7 | 6 | 2.1 | 10 | 3.7 | 5 | 1.8 | 0 | 0.0 | 29 | 2.4 |
| | Total | 10 | 1.7 | 8 | 1.4 | 16 | 2.8 | 11 | 2.0 | 0 | 0.0 | 45 | 1.9 |
| Antibiotics (G(+), Mycoplasma) | Male | 2 | 0.7 | 3 | 1.0 | 3 | 1.0 | 4 | 1.6 | 1 | 1.9 | 13 | 1.1 |
| | Female | 3 | 1.0 | 2 | 0.7 | 0 | 0.0 | 2 | 0.7 | 0 | 0.0 | 7 | 0.6 |
| | Total | 5 | 0.9 | 5 | 0.9 | 3 | 0.5 | 6 | 1.1 | 1 | 0.9 | 20 | 0.8 |
| Antibiotics (G(+), G(-), Rickettsia, Chlamydia) | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Antibiotics against acid-fast bacterium | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Antibiotics against fungus | Male | 0 | 0.0 | 0 | 0.0 | 1 | 0.3 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 |
| Other antibiotics | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 |
| | Total | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 |
| Sulfa agent | Male | 0 | 0.0 | 0 | 0.0 | 1 | 0.3 | 0 | 0.0 | 0 | 0.0 | 1 | 0.1 |
| | Female | 2 | 0.7 | 0 | 0.0 | 0 | 0.0 | 2 | 0.7 | 0 | 0.0 | 4 | 0.3 |
| | Total | 2 | 0.3 | 0 | 0.0 | 1 | 0.2 | 2 | 0.4 | 0 | 0.0 | 5 | 0.2 |
| Antituberculous agent | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Anti-leprosy agent | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Synthetic antibiotics | Male | 2 | 0.7 | 0 | 0.0 | 2 | 0.7 | 1 | 0.4 | 0 | 0.0 | 5 | 0.4 |
| | Female | 3 | 1.0 | 2 | 0.7 | 3 | 1.1 | 8 | 2.8 | 0 | 0.0 | 16 | 1.3 |
| | Total | 5 | 0.9 | 2 | 0.3 | 5 | 0.9 | 9 | 1.7 | 0 | 0.0 | 21 | 0.9 |
| Antiviral agent | Male | 1 | 0.3 | 1 | 0.3 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 3 | 0.3 |
| | Female | 0 | 0.0 | 1 | 0.4 | 1 | 0.4 | 0 | 0.0 | 0 | 0.0 | 2 | 0.2 |
| | Total | 1 | 0.2 | 2 | 0.3 | 1 | 0.2 | 1 | 0.2 | 0 | 0.0 | 5 | 0.2 |
| Other agents for chemotherapy | Male | 1 | 0.3 | 3 | 1.0 | 1 | 0.3 | 2 | 0.8 | 0 | 0.0 | 7 | 0.6 |
| | Female | 3 | 1.0 | 2 | 0.7 | 3 | 1.1 | 3 | 1.1 | 1 | 1.7 | 12 | 1.0 |
| | Total | 4 | 0.7 | 5 | 0.9 | 4 | 0.7 | 5 | 0.9 | 1 | 0.9 | 19 | 0.8 |
| Vaccine | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.8 | 0 | 0.0 | 2 | 0.2 |

| | | | | | | | | | | | | | |
|-----------------------|--------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|------|-------|
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Coca alkaloid agent | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Other alkaloid agents | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Synthetic narcotic | Male | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Female | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | Total | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Unclassifiable drug | Male | 0 | 0.0 | 3 | 1.0 | 2 | 0.7 | 4 | 1.6 | 2 | 3.8 | 11 | 0.9 |
| | Female | 0 | 0.0 | 1 | 0.4 | 1 | 0.4 | 4 | 1.4 | 0 | 0.0 | 6 | 0.5 |
| | Total | 0 | 0.0 | 4 | 0.7 | 3 | 0.5 | 8 | 1.5 | 2 | 1.8 | 17 | 0.7 |
| No use of drug | Male | 125 | 43.7 | 116 | 39.3 | 88 | 29.3 | 39 | 15.3 | 5 | 9.4 | 373 | 31.4 |
| | Female | 121 | 41.2 | 93 | 32.9 | 67 | 24.5 | 36 | 12.6 | 2 | 3.4 | 319 | 26.7 |
| | Total | 246 | 42.4 | 209 | 36.2 | 155 | 27.1 | 75 | 13.9 | 7 | 6.3 | 692 | 29.0 |
| Total | Male | 286 | 100.0 | 295 | 100.0 | 300 | 100.0 | 255 | 100.0 | 53 | 100.0 | 1189 | 100.0 |
| | Female | 294 | 100.0 | 283 | 100.0 | 273 | 100.0 | 285 | 100.0 | 59 | 100.0 | 1194 | 100.0 |
| | Total | 580 | 100.0 | 578 | 100.0 | 573 | 100.0 | 540 | 100.0 | 112 | 100.0 | 2383 | 100.0 |