

Never	Male	257	92.1	217	75.1	176	64.2	144	50.7	38	51.4	832	69.3
	Female	281	95.3	232	83.8	186	66.2	140	50.4	37	42.0	876	71.9
	Total	538	93.7	449	79.3	362	65.2	284	50.5	75	46.3	1708	70.6
On medication	Male	13	4.7	53	18.3	80	29.2	121	42.6	33	44.6	300	25.0
	Female	10	3.4	32	11.6	78	27.8	130	46.8	46	52.3	296	24.3
	Total	23	4.0	85	15.0	158	28.5	251	44.7	79	48.8	596	24.6
Previously medicated	Male	3	1.1	10	3.5	12	4.4	14	4.9	2	2.7	41	3.4
	Female	3	1.0	9	3.2	13	4.6	7	2.5	5	5.7	37	3.0
	Total	6	1.0	19	3.4	25	4.5	21	3.7	7	4.3	78	3.2
Not treated	Male	6	2.2	9	3.1	6	2.2	5	1.8	1	1.4	27	2.3
	Female	1	0.3	4	1.4	4	1.4	1	0.4	0	0.0	10	0.8
	Total	7	1.2	13	2.3	10	1.8	6	1.1	1	0.6	37	1.5

Angina pectoris or myocardial infarction

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Never	Male	277	99.3	281	97.2	258	94.2	258	90.8	62	83.8	1136	94.7
	Female	294	99.7	272	98.2	275	97.9	254	91.4	75	85.2	1170	96.0
	Total	571	99.5	553	97.7	533	96.0	512	91.1	137	84.6	2306	95.3
On medication	Male	0	0.0	4	1.4	13	4.7	20	7.0	11	14.9	48	4.0
	Female	1	0.3	0	0.0	3	1.1	20	7.2	10	11.4	34	2.8
	Total	1	0.2	4	0.7	16	2.9	40	7.1	21	13.0	82	3.4
Previously medicated	Male	1	0.4	1	0.3	1	0.4	6	2.1	0	0.0	9	0.8
	Female	0	0.0	4	1.4	1	0.4	2	0.7	3	3.4	10	0.8
	Total	1	0.2	5	0.9	2	0.4	8	1.4	3	1.9	19	0.8
Not treated	Male	1	0.4	3	1.0	2	0.7	0	0.0	1	1.4	7	0.6
	Female	0	0.0	1	0.4	2	0.7	2	0.7	0	0.0	5	0.4
	Total	1	0.2	4	0.7	4	0.7	2	0.4	1	0.6	12	0.5

Other heart disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Never	Male	257	92.1	258	89.3	241	88.0	241	84.9	55	74.3	1052	87.7
	Female	278	94.2	264	95.3	258	91.8	246	88.5	71	80.7	1117	91.6
	Total	535	93.2	522	92.2	499	89.9	487	86.7	126	77.8	2169	89.7
On medication	Male	1	0.4	3	1.0	11	4.0	21	7.4	14	18.9	50	4.2
	Female	1	0.3	4	1.4	9	3.2	15	5.4	12	13.6	41	3.4
	Total	2	0.3	7	1.2	20	3.6	36	6.4	26	16.0	91	3.8
Previously medicated	Male	6	2.2	9	3.1	6	2.2	3	1.1	2	2.7	26	2.2
	Female	4	1.4	3	1.1	6	2.1	4	1.4	2	2.3	19	1.6
	Total	10	1.7	12	2.1	12	2.2	7	1.2	4	2.5	45	1.9
Not treated	Male	15	5.4	19	6.6	16	5.8	19	6.7	3	4.1	72	6.0
	Female	12	4.1	6	2.2	8	2.8	13	4.7	3	3.4	42	3.4
	Total	27	4.7	25	4.4	24	4.3	32	5.7	6	3.7	114	4.7

Dyslipidemia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Never	Male	247	88.5	229	79.2	217	79.2	220	77.5	66	89.2	979	81.6

	Female	282	95.6	230	83.0	201	71.5	191	68.7	62	70.5	966	79.2
	Total	529	92.2	459	81.1	418	75.3	411	73.1	128	79.0	1945	80.4
On medication	Male	6	2.2	22	7.6	32	11.7	42	14.8	4	5.4	106	8.8
	Female	7	2.4	23	8.3	52	18.5	64	23.0	23	26.1	169	13.9
	Total	13	2.3	45	8.0	84	15.1	106	18.9	27	16.7	275	11.4
Previously medicated	Male	3	1.1	7	2.4	2	0.7	7	2.5	1	1.4	20	1.7
	Female	0	0.0	6	2.2	2	0.7	6	2.2	1	1.1	15	1.2
	Total	3	0.5	13	2.3	4	0.7	13	2.3	2	1.2	35	1.4
Not treated	Male	23	8.2	31	10.7	23	8.4	15	5.3	3	4.1	95	7.9
	Female	6	2.0	18	6.5	26	9.3	17	6.1	2	2.3	69	5.7
	Total	29	5.1	49	8.7	49	8.8	32	5.7	5	3.1	164	6.8

Renal disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Never	Male	266	95.3	280	96.9	260	94.9	272	95.8	68	91.9	1146	95.5
	Female	290	98.3	263	94.9	267	95.0	268	96.4	83	94.3	1171	96.1
	Total	556	96.9	543	95.9	527	95.0	540	96.1	151	93.2	2317	95.8
On medication	Male	3	1.1	1	0.3	3	1.1	3	1.1	1	1.4	11	0.9
	Female	1	0.3	0	0.0	2	0.7	1	0.4	0	0.0	4	0.3
	Total	4	0.7	1	0.2	5	0.9	4	0.7	1	0.6	15	0.6
Previously medicated	Male	10	3.6	8	2.8	9	3.3	8	2.8	3	4.1	38	3.2
	Female	3	1.0	14	5.1	9	3.2	8	2.9	5	5.7	39	3.2
	Total	13	2.3	22	3.9	18	3.2	16	2.8	8	4.9	77	3.2
Not treated	Male	0	0.0	0	0.0	2	0.7	1	0.4	2	2.7	5	0.4
	Female	1	0.3	0	0.0	3	1.1	1	0.4	0	0.0	5	0.4
	Total	1	0.2	0	0.0	5	0.9	2	0.4	2	1.2	10	0.4

Liver disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Never	Male	272	97.5	275	95.2	252	92.0	264	93.0	66	89.2	1129	94.1
	Female	291	98.6	269	97.1	268	95.4	264	95.0	82	93.2	1174	96.3
	Total	563	98.1	544	96.1	520	93.7	528	94.0	148	91.4	2303	95.2
On medication	Male	1	0.4	1	0.3	10	3.6	5	1.8	1	1.4	18	1.5
	Female	1	0.3	2	0.7	4	1.4	3	1.1	1	1.1	11	0.9
	Total	2	0.3	3	0.5	14	2.5	8	1.4	2	1.2	29	1.2
Previously medicated	Male	4	1.4	5	1.7	11	4.0	12	4.2	6	8.1	38	3.2
	Female	2	0.7	5	1.8	9	3.2	6	2.2	5	5.7	27	2.2
	Total	6	1.0	10	1.8	20	3.6	18	3.2	11	6.8	65	2.7
Not treated	Male	2	0.7	8	2.8	1	0.4	3	1.1	1	1.4	15	1.3
	Female	1	0.3	1	0.4	0	0.0	5	1.8	0	0.0	7	0.6
	Total	3	0.5	9	1.6	1	0.2	8	1.4	1	0.6	22	0.9

Cholecystitis or gallstone

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Never	Male	270	96.8	276	95.5	256	93.4	255	89.8	63	85.1	1120	93.3
	Female	285	96.6	256	92.4	260	92.5	249	89.6	80	90.9	1130	92.7

Never	Male	274	98.2	285	98.6	262	95.6	249	87.7	56	75.7	1126	93.8
	Female	291	98.6	271	97.8	278	98.9	262	94.2	72	81.8	1174	96.3
	Total	565	98.4	556	98.2	540	97.3	511	90.9	128	79.0	2300	95.1
On medication	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Previously medicated	Male	5	1.8	4	1.4	10	3.6	31	10.9	17	23.0	67	5.6
	Female	3	1.0	5	1.8	3	1.1	16	5.8	15	17.0	42	3.4
	Total	8	1.4	9	1.6	13	2.3	47	8.4	32	19.8	109	4.5
Not treated	Male	0	0.0	0	0.0	2	0.7	4	1.4	1	1.4	7	0.6
	Female	1	0.3	1	0.4	0	0.0	0	0.0	1	1.1	3	0.2
	Total	1	0.2	1	0.2	2	0.4	4	0.7	2	1.2	10	0.4

Anemia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0	2	0.1
Never	Male	275	98.6	279	96.5	261	95.3	262	92.3	66	89.2	1143	95.3
	Female	212	71.9	179	64.6	232	82.6	238	85.6	70	79.5	931	76.4
	Total	487	84.8	458	80.9	493	88.8	500	89.0	136	84.0	2074	85.7
On medication	Male	1	0.4	0	0.0	3	1.1	2	0.7	0	0.0	6	0.5
	Female	9	3.1	4	1.4	3	1.1	3	1.1	0	0.0	19	1.6
	Total	10	1.7	4	0.7	6	1.1	5	0.9	0	0.0	25	1.0
Previously medicated	Male	1	0.4	7	2.4	4	1.5	9	3.2	2	2.7	23	1.9
	Female	61	20.7	80	28.9	39	13.9	24	8.6	12	13.6	216	17.7
	Total	62	10.8	87	15.4	43	7.7	33	5.9	14	8.6	239	9.9
Not treated	Male	2	0.7	3	1.0	6	2.2	10	3.5	6	8.1	27	2.3
	Female	13	4.4	14	5.1	7	2.5	12	4.3	6	6.8	52	4.3
	Total	15	2.6	17	3.0	13	2.3	22	3.9	12	7.4	79	3.3

Osteoporosis

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Never	Male	277	99.3	285	98.6	270	98.5	275	96.8	70	94.6	1177	98.1
	Female	291	98.6	266	96.0	245	87.2	220	79.1	59	67.0	1081	88.7
	Total	568	99.0	551	97.3	515	92.8	495	88.1	129	79.6	2258	93.3
On medication	Male	0	0.0	0	0.0	1	0.4	3	1.1	1	1.4	5	0.4
	Female	2	0.7	2	0.7	19	6.8	28	10.1	16	18.2	67	5.5
	Total	2	0.3	2	0.4	20	3.6	31	5.5	17	10.5	72	3.0
Previously medicated	Male	0	0.0	0	0.0	0	0.0	2	0.7	1	1.4	3	0.3
	Female	0	0.0	2	0.7	6	2.1	9	3.2	2	2.3	19	1.6
	Total	0	0.0	2	0.4	6	1.1	11	2.0	3	1.9	22	0.9
Not treated	Male	2	0.7	4	1.4	3	1.1	4	1.4	2	2.7	15	1.3
	Female	2	0.7	7	2.5	11	3.9	21	7.6	11	12.5	52	4.3
	Total	4	0.7	11	1.9	14	2.5	25	4.4	13	8.0	67	2.8

Rheumatoid arthritis

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	2	0.7	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2
	Total	2	0.3	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1
Never	Male	279	100.0	288	99.7	273	99.6	276	97.2	72	97.3	1188	99.0
	Female	288	97.6	271	97.8	275	97.9	270	97.1	85	96.6	1189	97.5
	Total	567	98.8	559	98.8	548	98.7	546	97.2	157	96.9	2377	98.3
On medication	Male	0	0.0	0	0.0	1	0.4	5	1.8	0	0.0	6	0.5
	Female	2	0.7	4	1.4	1	0.4	1	0.4	2	2.3	10	0.8
	Total	2	0.3	4	0.7	2	0.4	6	1.1	2	1.2	16	0.7
Previously medicated	Male	0	0.0	0	0.0	0	0.0	2	0.7	2	2.7	4	0.3
	Female	1	0.3	2	0.7	4	1.4	7	2.5	1	1.1	15	1.2
	Total	1	0.2	2	0.4	4	0.7	9	1.6	3	1.9	19	0.8
Not treated	Male	0	0.0	1	0.3	0	0.0	1	0.4	0	0.0	2	0.2
	Female	2	0.7	0	0.0	1	0.4	0	0.0	0	0.0	3	0.2
	Total	2	0.3	1	0.2	1	0.2	1	0.2	0	0.0	5	0.2

Knee osteoarthritis

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	2	0.7	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2
	Total	2	0.3	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1
Never	Male	278	99.6	287	99.3	263	96.0	263	92.6	64	86.5	1155	96.3
	Female	290	98.3	262	94.6	243	86.5	225	80.9	61	69.3	1081	88.7
	Total	568	99.0	549	97.0	506	91.2	488	86.8	125	77.2	2236	92.4
On medication	Male	0	0.0	1	0.3	2	0.7	9	3.2	3	4.1	15	1.3
	Female	1	0.3	5	1.8	12	4.3	19	6.8	17	19.3	54	4.4
	Total	1	0.2	6	1.1	14	2.5	28	5.0	20	12.3	69	2.9
Previously medicated	Male	0	0.0	0	0.0	8	2.9	9	3.2	6	8.1	23	1.9
	Female	2	0.7	8	2.9	22	7.8	29	10.4	10	11.4	71	5.8
	Total	2	0.3	8	1.4	30	5.4	38	6.8	16	9.9	94	3.9
Not treated	Male	1	0.4	1	0.3	1	0.4	3	1.1	1	1.4	7	0.6
	Female	0	0.0	2	0.7	4	1.4	5	1.8	0	0.0	11	0.9
	Total	1	0.2	3	0.5	5	0.9	8	1.4	1	0.6	18	0.7

Gout or hyperuricacidemia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Never	Male	258	92.5	266	92.0	247	90.1	246	86.6	63	85.1	1080	90.0
	Female	295	100.0	275	99.3	278	98.9	267	96.0	86	97.7	1201	98.5
	Total	553	96.3	541	95.6	525	94.6	513	91.3	149	92.0	2281	94.3
On medication	Male	7	2.5	10	3.5	14	5.1	25	8.8	4	5.4	60	5.0
	Female	0	0.0	0	0.0	0	0.0	7	2.5	2	2.3	9	0.7
	Total	7	1.2	10	1.8	14	2.5	32	5.7	6	3.7	69	2.9
Previously medicated	Male	6	2.2	12	4.2	12	4.4	9	3.2	6	8.1	45	3.8
	Female	0	0.0	1	0.4	1	0.4	2	0.7	0	0.0	4	0.3
	Total	6	1.0	13	2.3	13	2.3	11	2.0	6	3.7	49	2.0
Not treated	Male	8	2.9	1	0.3	1	0.4	4	1.4	1	1.4	15	1.3
	Female	0	0.0	1	0.4	2	0.7	2	0.7	0	0.0	5	0.4

Total	8	1.4	2	0.4	3	0.5	6	1.1	1	0.6	20	0.8
-------	---	-----	---	-----	---	-----	---	-----	---	-----	----	-----

Parathyroid disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Never	Male	279	100.0	289	100.0	274	100.0	284	100.0	74	100.0	1200	100.0
	Female	295	100.0	277	100.0	280	99.6	277	99.6	87	98.9	1216	99.8
	Total	574	100.0	566	100.0	554	99.8	561	99.8	161	99.4	2416	99.9
On medication	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0
Previously medicated	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	1	0.4	0	0.0	1	1.1	2	0.2
	Total	0	0.0	0	0.0	1	0.2	0	0.0	1	0.6	2	0.1
Not treated	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Thyroid disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Never	Male	274	98.2	286	99.0	269	98.2	280	98.6	71	95.9	1180	98.3
	Female	282	95.6	254	91.7	267	95.0	264	95.0	83	94.3	1150	94.3
	Total	556	96.9	540	95.4	536	96.6	544	96.8	154	95.1	2330	96.3
On medication	Male	0	0.0	2	0.7	1	0.4	1	0.4	2	2.7	6	0.5
	Female	3	1.0	8	2.9	6	2.1	5	1.8	2	2.3	24	2.0
	Total	3	0.5	10	1.8	7	1.3	6	1.1	4	2.5	30	1.2
Previously medicated	Male	3	1.1	1	0.3	3	1.1	3	1.1	1	1.4	11	0.9
	Female	9	3.1	13	4.7	7	2.5	7	2.5	1	1.1	37	3.0
	Total	12	2.1	14	2.5	10	1.8	10	1.8	2	1.2	48	2.0
Not treated	Male	2	0.7	0	0.0	1	0.4	0	0.0	0	0.0	3	0.3
	Female	1	0.3	2	0.7	1	0.4	2	0.7	2	2.3	8	0.7
	Total	3	0.5	2	0.4	2	0.4	2	0.4	2	1.2	11	0.5

Cancer

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Never	Male	277	99.3	283	97.9	263	96.0	255	89.8	67	90.5	1145	95.4
	Female	290	98.3	263	94.9	262	93.2	256	92.1	76	86.4	1147	94.1
	Total	567	98.8	546	96.5	525	94.6	511	90.9	143	88.3	2292	94.7
On medication	Male	1	0.4	0	0.0	1	0.4	4	1.4	2	2.7	8	0.7
	Female	0	0.0	1	0.4	3	1.1	6	2.2	2	2.3	12	1.0
	Total	1	0.2	1	0.2	4	0.7	10	1.8	4	2.5	20	0.8
Previously medicated	Male	1	0.4	6	2.1	10	3.6	24	8.5	5	6.8	46	3.8
	Female	5	1.7	13	4.7	16	5.7	16	5.8	9	10.2	59	4.8
	Total	6	1.0	19	3.4	26	4.7	40	7.1	14	8.6	105	4.3
Not treated	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.2	1	0.6	2	0.1

Fracture

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Never	Male	192	68.8	216	74.7	188	68.6	208	73.2	56	75.7	860	71.7
	Female	252	85.4	233	84.1	225	80.1	199	71.6	53	60.2	962	78.9
	Total	444	77.4	449	79.3	413	74.4	407	72.4	109	67.3	1822	75.3
On medication	Male	0	0.0	1	0.3	1	0.4	4	1.4	0	0.0	6	0.5
	Female	2	0.7	0	0.0	1	0.4	3	1.1	1	1.1	7	0.6
	Total	2	0.3	1	0.2	2	0.4	7	1.2	1	0.6	13	0.5
Previously medicated	Male	86	30.8	72	24.9	84	30.7	71	25.0	18	24.3	331	27.6
	Female	38	12.9	43	15.5	55	19.6	74	26.6	34	38.6	244	20.0
	Total	124	21.6	115	20.3	139	25.0	145	25.8	52	32.1	575	23.8
Not treated	Male	1	0.4	0	0.0	1	0.4	1	0.4	0	0.0	3	0.3
	Female	3	1.0	1	0.4	0	0.0	2	0.7	0	0.0	6	0.5
	Total	4	0.7	1	0.2	1	0.2	3	0.5	0	0.0	9	0.4

Benign prostate hyperplasia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Never	Male	278	99.6	280	96.9	249	90.9	224	78.9	44	59.5	1075	89.6
	Female	295	100.0	277	100.0	281	100.0	278	100.0	88	100.0	1219	100.0
	Total	573	99.8	557	98.4	530	95.5	502	89.3	132	81.5	2294	94.8
On medication	Male	0	0.0	4	1.4	5	1.8	13	4.6	10	13.5	32	2.7
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	4	0.7	5	0.9	13	2.3	10	6.2	32	1.3
Previously medicated	Male	1	0.4	3	1.0	15	5.5	33	11.6	19	25.7	71	5.9
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.2	3	0.5	15	2.7	33	5.9	19	11.7	71	2.9
Not treated	Male	0	0.0	2	0.7	5	1.8	14	4.9	1	1.4	22	1.8
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	2	0.4	5	0.9	14	2.5	1	0.6	22	0.9

Dementia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Never	Male	279	100.0	289	100.0	274	100.0	279	98.2	71	95.9	1192	99.3
	Female	295	100.0	276	99.6	281	100.0	277	99.6	85	96.6	1214	99.6
	Total	574	100.0	565	99.8	555	100.0	556	98.9	156	96.3	2406	99.5
On medication	Male	0	0.0	0	0.0	0	0.0	4	1.4	2	2.7	6	0.5
	Female	0	0.0	1	0.4	0	0.0	1	0.4	3	3.4	5	0.4
	Total	0	0.0	1	0.2	0	0.0	5	0.9	5	3.1	11	0.5
Previously medicated	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Not treated	Male	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0

2) Medication for hypertension or diabetes

Antihypertensive drug

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Never used	Male	263	94.3	225	77.9	181	66.1	149	52.5	39	52.7	857	71.4
	Female	282	95.6	236	85.2	190	67.6	138	49.6	36	40.9	882	72.4
	Total	545	94.9	461	81.4	371	66.8	287	51.1	75	46.3	1739	71.9
Previously used	Male	3	1.1	11	3.8	13	4.7	14	4.9	2	2.7	43	3.6
	Female	3	1.0	9	3.2	14	5.0	7	2.5	6	6.8	39	3.2
	Total	6	1.0	20	3.5	27	4.9	21	3.7	8	4.9	82	3.4
Currently use	Male	13	4.7	53	18.3	80	29.2	121	42.6	33	44.6	300	25.0
	Female	10	3.4	32	11.6	77	27.4	133	47.8	46	52.3	298	24.4
	Total	23	4.0	85	15.0	157	28.3	254	45.2	79	48.8	598	24.7

Oral diabetic medicine

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1	1	0.1
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Never used	Male	275	98.6	272	94.1	252	92.0	256	90.1	65	87.8	1120	93.3
	Female	290	98.3	271	97.8	261	92.9	257	92.4	83	94.3	1162	95.3
	Total	565	98.4	543	95.9	513	92.4	513	91.3	148	91.4	2282	94.3
Previously used	Male	2	0.7	2	0.7	3	1.1	7	2.5	3	4.1	17	1.4
	Female	0	0.0	1	0.4	7	2.5	1	0.4	2	2.3	11	0.9
	Total	2	0.3	3	0.5	10	1.8	8	1.4	5	3.1	28	1.2
Currently use	Male	2	0.7	15	5.2	19	6.9	21	7.4	6	8.1	63	5.3
	Female	5	1.7	5	1.8	13	4.6	20	7.2	2	2.3	45	3.7
	Total	7	1.2	20	3.5	32	5.8	41	7.3	8	4.9	108	4.5

Insulin therapy

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1	1	0.1
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Never used	Male	277	99.3	286	99.0	270	98.5	276	97.2	70	94.6	1179	98.3
	Female	293	99.3	273	98.6	276	98.2	274	98.6	87	98.9	1203	98.7
	Total	570	99.3	559	98.8	546	98.4	550	97.9	157	96.9	2382	98.5
Previously used	Male	2	0.7	2	0.7	0	0.0	2	0.7	4	5.4	10	0.8
	Female	1	0.3	2	0.7	1	0.4	2	0.7	0	0.0	6	0.5
	Total	3	0.5	4	0.7	1	0.2	4	0.7	4	2.5	16	0.7
Currently use	Male	0	0.0	1	0.3	4	1.5	6	2.1	0	0.0	11	0.9
	Female	1	0.3	2	0.7	4	1.4	2	0.7	0	0.0	9	0.7
	Total	1	0.2	3	0.5	8	1.4	8	1.4	0	0.0	20	0.8

3) History of surgery

History of gastrectomy

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	0	0.0	6	2.1	8	2.9	13	4.6	6	8.1	33	2.8
	Female	1	0.3	1	0.4	2	0.7	2	0.7	3	3.4	9	0.7
	Total	1	0.2	7	1.2	10	1.8	15	2.7	9	5.6	42	1.7
No	Male	279	100.0	283	97.9	266	97.1	271	95.4	68	91.9	1167	97.3
	Female	294	99.7	276	99.6	279	99.3	276	99.3	85	96.6	1210	99.3
	Total	573	99.8	559	98.8	545	98.2	547	97.3	153	94.4	2377	98.3

History of gall bladder surgery

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	5	1.8	6	2.1	10	3.6	14	4.9	6	8.1	41	3.4
	Female	2	0.7	13	4.7	9	3.2	16	5.8	7	8.0	47	3.9
	Total	7	1.2	19	3.4	19	3.4	30	5.3	13	8.0	88	3.6
No	Male	274	98.2	283	97.9	264	96.4	270	95.1	68	91.9	1159	96.6
	Female	293	99.3	264	95.3	272	96.8	262	94.2	81	92.0	1172	96.1
	Total	567	98.8	547	96.6	536	96.6	532	94.7	149	92.0	2331	96.4

History of head surgery

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	5	1.8	4	1.4	5	1.8	4	1.4	2	2.7	20	1.7
	Female	1	0.3	1	0.4	0	0.0	3	1.1	3	3.4	8	0.7
	Total	6	1.0	5	0.9	5	0.9	7	1.2	5	3.1	28	1.2
No	Male	274	98.2	285	98.6	269	98.2	280	98.6	72	97.3	1180	98.3
	Female	294	99.7	276	99.6	281	100.0	275	98.9	85	96.6	1211	99.3
	Total	568	99.0	561	99.1	550	99.1	555	98.8	157	96.9	2391	98.8

History of cardiac surgery

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	1	0.4	2	0.7	2	0.7	9	3.2	3	4.1	17	1.4
	Female	0	0.0	1	0.4	1	0.4	3	1.1	1	1.1	6	0.5
	Total	1	0.2	3	0.5	3	0.5	12	2.1	4	2.5	23	1.0
No	Male	278	99.6	287	99.3	272	99.3	275	96.8	71	95.9	1183	98.6
	Female	295	100.0	276	99.6	280	99.6	275	98.9	87	98.9	1213	99.5
	Total	573	99.8	563	99.5	552	99.5	550	97.9	158	97.5	2396	99.0

History of lung surgery

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	0	0.0	1	0.3	1	0.4	4	1.4	1	1.4	7	0.6
	Female	0	0.0	0	0.0	0	0.0	1	0.4	1	1.1	2	0.2
	Total	0	0.0	1	0.2	1	0.2	5	0.9	2	1.2	9	0.4
No	Male	279	100.0	288	99.7	273	99.6	280	98.6	73	98.6	1193	99.4
	Female	295	100.0	277	100.0	281	100.0	277	99.6	87	98.9	1217	99.8

Total 574 100.0 565 99.8 554 99.8 557 99.1 160 98.8 2410 99.6

History of thyroid surgery

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0	2	0.2
	Female	1	0.3	7	2.5	2	0.7	7	2.5	0	0.0	17	1.4
	Total	1	0.2	7	1.2	2	0.4	9	1.6	0	0.0	19	0.8
No	Male	279	100.0	289	100.0	274	100.0	282	99.3	74	100.0	1198	99.8
	Female	294	99.7	270	97.5	279	99.3	271	97.5	88	100.0	1202	98.6
	Total	573	99.8	559	98.8	553	99.6	553	98.4	162	100.0	2400	99.2

4) History of hospital admission

History of hospital admission in the past two years

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	1	0.3	0	0.0	0	0.0	1	1.4	2	0.2
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	1	0.2	0	0.0	1	0.2	1	0.6	3	0.1
Yes	Male	16	5.7	21	7.3	36	13.1	63	22.2	20	27.0	156	13.0
	Female	22	7.5	25	9.0	25	8.9	40	14.4	24	27.3	136	11.2
	Total	38	6.6	46	8.1	61	11.0	103	18.3	44	27.2	292	12.1
No	Male	263	94.3	267	92.4	238	86.9	221	77.8	53	71.6	1042	86.8
	Female	273	92.5	252	91.0	256	91.1	237	85.3	64	72.7	1082	88.8
	Total	536	93.4	519	91.7	494	89.0	458	81.5	117	72.2	2124	87.8

5) Family history of illness

Family history of hypertension

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0
Yes	Male	120	43.0	144	49.8	123	44.9	111	39.1	20	27.0	518	43.2
	Female	150	50.8	151	54.5	152	54.1	121	43.5	38	43.2	612	50.2
	Total	270	47.0	295	52.1	275	49.5	232	41.3	58	35.8	1130	46.7
No	Male	159	57.0	145	50.2	151	55.1	173	60.9	54	73.0	682	56.8
	Female	145	49.2	126	45.5	129	45.9	156	56.1	50	56.8	606	49.7
	Total	304	53.0	271	47.9	280	50.5	329	58.5	104	64.2	1288	53.2

Family history of diabetes mellitus

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	62	22.2	73	25.3	67	24.5	43	15.1	8	10.8	253	21.1
	Female	95	32.2	86	31.0	75	26.7	60	21.6	8	9.1	324	26.6
	Total	157	27.4	159	28.1	142	25.6	103	18.3	16	9.9	577	23.9
No	Male	217	77.8	216	74.7	207	75.5	241	84.9	66	89.2	947	78.9
	Female	200	67.8	191	69.0	206	73.3	218	78.4	80	90.9	895	73.4

Total	417	72.6	407	71.9	413	74.4	459	81.7	146	90.1	1842	76.1
-------	-----	------	-----	------	-----	------	-----	------	-----	------	------	------

Family history of dyslipidemia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Total	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0	1	0.0
Yes	Male	23	8.2	25	8.7	24	8.8	15	5.3	0	0.0	87	7.3
	Female	35	11.9	48	17.3	49	17.4	20	7.2	8	9.1	160	13.1
	Total	58	10.1	73	12.9	73	13.2	35	6.2	8	4.9	247	10.2
No	Male	256	91.8	264	91.3	250	91.2	269	94.7	74	100.0	1113	92.8
	Female	260	88.1	229	82.7	231	82.2	258	92.8	80	90.9	1058	86.8
	Total	516	89.9	493	87.1	481	86.7	527	93.8	154	95.1	2171	89.7

Family history of angina pectoris or myocardial infarction

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0	1	0.0
Yes	Male	47	16.8	57	19.7	54	19.7	41	14.4	8	10.8	207	17.3
	Female	64	21.7	62	22.4	74	26.3	49	17.6	9	10.2	258	21.2
	Total	111	19.3	119	21.0	128	23.1	90	16.0	17	10.5	465	19.2
No	Male	232	83.2	232	80.3	219	79.9	243	85.6	66	89.2	992	82.7
	Female	231	78.3	215	77.6	207	73.7	229	82.4	79	89.8	961	78.8
	Total	463	80.7	447	79.0	426	76.8	472	84.0	145	89.5	1953	80.7

Family history of cerebrovascular disease or stroke

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	1	0.2	1	0.2	0	0.0	2	0.1
Yes	Male	82	29.4	93	32.2	99	36.1	86	30.3	18	24.3	378	31.5
	Female	102	34.6	106	38.3	127	45.2	95	34.2	40	45.5	470	38.6
	Total	184	32.1	199	35.2	226	40.7	181	32.2	58	35.8	848	35.1
No	Male	197	70.6	196	67.8	174	63.5	198	69.7	56	75.7	821	68.4
	Female	193	65.4	171	61.7	154	54.8	182	65.5	48	54.5	748	61.4
	Total	390	67.9	367	64.8	328	59.1	380	67.6	104	64.2	1569	64.9

Family history of dementia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0	1	0.0

Yes	Male	38	13.6	55	19.0	44	16.1	40	14.1	4	5.4	181	15.1
	Female	41	13.9	51	18.4	52	18.5	28	10.1	9	10.2	181	14.8
	Total	79	13.8	106	18.7	96	17.3	68	12.1	13	8.0	362	15.0
No	Male	241	86.4	234	81.0	230	83.9	244	85.9	70	94.6	1019	84.9
	Female	254	86.1	226	81.6	229	81.5	249	89.6	79	89.8	1037	85.1
	Total	495	86.2	460	81.3	459	82.7	493	87.7	149	92.0	2056	85.0

Family history of benign prostate hyperplasia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	22	7.9	25	8.7	15	5.5	17	6.0	5	6.8	84	7.0
	Female	26	8.8	24	8.7	26	9.3	25	9.0	10	11.4	111	9.1
	Total	48	8.4	49	8.7	41	7.4	42	7.5	15	9.3	195	8.1
No	Male	257	92.1	264	91.3	259	94.5	267	94.0	69	93.2	1116	93.0
	Female	269	91.2	253	91.3	255	90.7	253	91.0	78	88.6	1108	90.9
	Total	526	91.6	517	91.3	514	92.6	520	92.5	147	90.7	2224	91.9

2. Gynecology (only for females)

Estrogen therapy for osteoporosis or menopausal disorder

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not used	284	96.3	260	93.9	249	88.6	267	96.0	87	98.9	1147	94.1
Previously used	7	2.4	14	5.1	31	11.0	11	4.0	1	1.1	64	5.3
Currently use	4	1.4	3	1.1	1	0.4	0	0.0	0	0.0	8	0.7

Age of the first menstruation

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Age	12.5	1.2	293	13.0	1.3	277	13.8	1.3	280	14.5	1.6	276	14.4	1.8	86	13.5	1.6	1212

Presence of menstruation

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	267	90.5	34	12.3	0	0.0	0	0.0	0	0.0	301	24.7
No	21	7.1	225	81.2	281	100.0	278	100.0	88	100.0	893	73.3
Do not know	7	2.4	18	6.5	0	0.0	0	0.0	0	0.0	25	2.1

Age of the last menstruation (only for postmenopausal females)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Age	42.3	4.7	21	49.9	3.9	223	49.4	5.0	277	49.5	4.5	270	49.1	4.9	81	49.4	4.7	872

History of hysterectomy (only for postmenopausal females)

	40-49yr	50-59yr	60-69yr	70-79yr	80yr-	Total

	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1	1	0.1
Yes	12	57.1	26	11.6	46	16.4	45	16.2	11	12.5	140	15.7
No	9	42.9	199	88.4	235	83.6	232	83.5	76	86.4	751	84.1
Do not know	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.1

Age at hysterectomy (only for hysterectomy females)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Age	40.2	3.9	12	44.2	6.2	26	42.7	7.4	46	46.9	8.9	45	43.9	8.3	11	44.2	7.8	140

Presence of ovarian preservation (only for hysterectomy females)

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	8	66.7	24	92.3	28	60.9	19	42.2	5	45.5	84	60.0
No	4	33.3	2	7.7	14	30.4	19	42.2	3	27.3	42	30.0
Do not know	0	0.0	0	0.0	4	8.7	7	15.6	3	27.3	14	10.0

Change in menstrual cycle in the past year (only for premenopausal females)

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Yes	76	28.5	26	76.5	0	0.0	0	0.0	0	0.0	102	33.9
No	188	70.4	8	23.5	0	0.0	0	0.0	0	0.0	196	65.1
Do not know	3	1.1	0	0.0	0	0.0	0	0.0	0	0.0	3	1.0

3. Daily life and health

1) Health

Self-rated health

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Excellent	Male	18	6.5	12	4.2	17	6.2	12	4.2	2	2.7	61	5.1
	Female	18	6.1	15	5.4	8	2.8	4	1.4	2	2.3	47	3.9
	Total	36	6.3	27	4.8	25	4.5	16	2.8	4	2.5	108	4.5
Good	Male	85	30.5	99	34.3	86	31.4	66	23.2	12	16.2	348	29.0
	Female	98	33.2	78	28.2	68	24.2	47	16.9	16	18.2	307	25.2
	Total	183	31.9	177	31.3	154	27.7	113	20.1	28	17.3	655	27.1
Neither	Male	166	59.5	162	56.1	158	57.7	184	64.8	47	63.5	717	59.8
	Female	161	54.6	163	58.8	183	65.1	195	70.1	54	61.4	756	62.0
	Total	327	57.0	325	57.4	341	61.4	379	67.4	101	62.3	1473	60.9
Bad	Male	10	3.6	14	4.8	11	4.0	21	7.4	13	17.6	69	5.8
	Female	17	5.8	20	7.2	22	7.8	31	11.2	14	15.9	104	8.5
	Total	27	4.7	34	6.0	33	5.9	52	9.3	27	16.7	173	7.2
Very bad	Male	0	0.0	2	0.7	2	0.7	1	0.4	0	0.0	5	0.4
	Female	1	0.3	1	0.4	0	0.0	1	0.4	2	2.3	5	0.4
	Total	1	0.2	3	0.5	2	0.4	2	0.4	2	1.2	10	0.4

2) Smoking

Smoking status

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	2	0.7	1	1.4	3	0.3
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	2	0.4	1	0.6	3	0.1
Non-smoker	Male	105	37.6	71	24.6	74	27.0	62	21.8	17	23.0	329	27.4
	Female	249	84.4	237	85.6	265	94.3	262	94.2	86	97.7	1099	90.2
	Total	354	61.7	308	54.4	339	61.1	324	57.7	103	63.6	1428	59.0
Ex-smoker	Male	87	31.2	125	43.3	137	50.0	167	58.8	52	70.3	568	47.3
	Female	26	8.8	22	7.9	6	2.1	8	2.9	1	1.1	63	5.2
	Total	113	19.7	147	26.0	143	25.8	175	31.1	53	32.7	631	26.1
Current-smoker	Male	87	31.2	93	32.2	63	23.0	53	18.7	4	5.4	300	25.0
	Female	20	6.8	18	6.5	10	3.6	8	2.9	1	1.1	57	4.7
	Total	107	18.6	111	19.6	73	13.2	61	10.9	5	3.1	357	14.8

Age at start smoking in ex-smoker

		40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
		Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male		19.3	1.6	87	20.2	2.5	124	20.3	3.5	137	20.7	3.6	166	21.0	5.4	51	20.3	3.4	565
Female		21.8	5.0	26	24.4	7.6	22	29.0	5.1	6	27.9	13.6	8	20.0	.	1	24.1	7.7	63
Total		19.9	2.9	113	20.8	4.0	146	20.6	4.0	143	21.0	4.7	174	21.0	5.4	52	20.7	4.2	628

Age at quit smoking in ex-smoker

		40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
		Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male		32.3	7.8	87	37.0	9.8	124	45.5	12.5	137	52.9	13.2	167	60.2	14.2	51	45.1	14.7	566
Female		31.0	8.0	26	36.4	12.6	22	51.8	12.7	6	53.3	9.5	8	40.0	.	1	37.8	13.1	63
Total		32.0	7.8	113	36.9	10.2	146	45.8	12.5	143	53.0	13.0	175	59.8	14.4	52	44.4	14.7	629

Previous amount of consumption in ex-smoker (pieces/day)

		40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
		Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male		18.3	10.6	87	20.3	10.7	125	23.2	11.1	137	20.6	10.8	167	19.0	10.8	52	20.7	10.9	568
Female		9.4	6.1	26	11.0	7.4	22	8.7	5.9	6	10.5	8.7	8	5.0	.	1	10.0	6.8	63
Total		16.3	10.5	113	18.9	10.8	147	22.6	11.3	143	20.1	10.9	175	18.8	10.9	53	19.6	11.1	631

Age at start smoking in current-smoker

		40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
		Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male		20.6	4.3	87	20.4	4.8	93	20.5	4.1	63	24.3	12.8	53	20.8	3.0	4	21.2	6.8	300
Female		23.1	6.1	20	23.8	5.8	17	34.4	11.3	10	32.9	9.7	8	60.0	.	1	27.4	10.0	56
Total		21.1	4.8	107	20.9	5.1	110	22.4	7.3	73	25.5	12.7	61	28.6	17.7	5	22.2	7.7	356

Amount of consumption in current-smoker (pieces/day)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	19.3	8.3	87	22.0	8.7	93	20.8	8.2	63	15.7	6.3	53	14.5	8.0	4	19.7	8.3	300
Female	11.4	5.1	20	16.7	8.1	18	13.4	9.8	10	17.0	11.0	8	5.0	.	1	14.1	8.2	57
Total	17.8	8.4	107	21.1	8.8	111	19.8	8.7	73	15.8	6.9	61	12.6	8.1	5	18.8	8.6	357

Reason for quit smoking in ex-smokers (multiple choice)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not want to smoke as previously	Male	18	20.7	18	14.4	9	6.6	12	7.2	5	9.6	62	10.9
	Female	8	30.8	5	22.7	3	50.0	0	0.0	1	100.0	17	27.0
	Total	26	23.0	23	15.6	12	8.4	12	6.9	6	11.3	79	12.5
Disease	Male	10	11.5	24	19.2	36	26.3	50	29.9	18	34.6	138	24.3
	Female	0	0.0	2	9.1	3	50.0	3	37.5	0	0.0	8	12.7
	Total	10	8.8	26	17.7	39	27.3	53	30.3	18	34.0	146	23.1
For health	Male	48	55.2	74	59.2	88	64.2	100	59.9	34	65.4	344	60.6
	Female	14	53.8	11	50.0	2	33.3	4	50.0	0	0.0	31	49.2
	Total	62	54.9	85	57.8	90	62.9	104	59.4	34	64.2	375	59.4
For family	Male	32	36.8	44	35.2	44	32.1	42	25.1	10	19.2	172	30.3
	Female	3	11.5	5	22.7	0	0.0	1	12.5	1	100.0	10	15.9
	Total	35	31.0	49	33.3	44	30.8	43	24.6	11	20.8	182	28.8
Economical problem	Male	9	10.3	7	5.6	5	3.6	5	3.0	2	3.8	28	4.9
	Female	0	0.0	1	4.5	1	16.7	0	0.0	0	0.0	2	3.2
	Total	9	8.0	8	5.4	6	4.2	5	2.9	2	3.8	30	4.8
Other	Male	10	11.5	15	12.0	15	10.9	27	16.2	5	9.6	72	12.7
	Female	8	30.8	4	18.2	0	0.0	1	12.5	0	0.0	13	20.6
	Total	18	15.9	19	12.9	15	10.5	28	16.0	5	9.4	85	13.5

3) Outing

Frequency of outing for work, shopping, walking, or hospital visit

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	1	0.2	0	0.0	0	0.0	1	0.0
Once a day or more	Male	273	97.8	282	97.6	248	90.5	224	78.9	46	62.2	1073	89.4
	Female	267	90.5	242	87.4	216	76.9	169	60.8	45	51.1	939	77.0
	Total	540	94.1	524	92.6	464	83.6	393	69.9	91	56.2	2012	83.2
Once every two or three days	Male	4	1.4	5	1.7	23	8.4	56	19.7	22	29.7	110	9.2
	Female	27	9.2	33	11.9	62	22.1	99	35.6	37	42.0	258	21.2
	Total	31	5.4	38	6.7	85	15.3	155	27.6	59	36.4	368	15.2
Once a week	Male	2	0.7	2	0.7	1	0.4	4	1.4	6	8.1	15	1.3
	Female	1	0.3	2	0.7	2	0.7	10	3.6	6	6.8	21	1.7
	Total	3	0.5	4	0.7	3	0.5	14	2.5	12	7.4	36	1.5
Almost never	Male	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Female	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.1
	Total	0	0.0	0	0.0	2	0.4	0	0.0	0	0.0	2	0.1

Main purpose of outing (only for persons outing "once a day or more" or "once every two or three days": multiple choice)

with	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	Male	0	0.0	1	50.0	0	0.0	1	25.0	0	0.0	2	12.5
	Female	1	100.0	1	50.0	2	66.7	4	40.0	0	0.0	8	36.4
	Total	1	33.3	2	50.0	2	40.0	5	35.7	0	0.0	10	26.3
No reason	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Frequency of meeting and talking with friends, neighbors or relatives

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Once a day or more	Male	260	93.2	263	91.0	192	70.1	145	51.1	22	29.7	882	73.5
	Female	222	75.3	187	67.5	173	61.6	138	49.6	35	39.8	755	61.9
	Total	482	84.0	450	79.5	365	65.8	283	50.4	57	35.2	1637	67.7
Once every two or three days	Male	12	4.3	17	5.9	56	20.4	91	32.0	23	31.1	199	16.6
	Female	48	16.3	70	25.3	91	32.4	104	37.4	39	44.3	352	28.9
	Total	60	10.5	87	15.4	147	26.5	195	34.7	62	38.3	551	22.8
Once a week	Male	3	1.1	6	2.1	13	4.7	32	11.3	20	27.0	74	6.2
	Female	19	6.4	16	5.8	14	5.0	31	11.2	12	13.6	92	7.5
	Total	22	3.8	22	3.9	27	4.9	63	11.2	32	19.8	166	6.9
Once a month	Male	2	0.7	1	0.3	9	3.3	7	2.5	5	6.8	24	2.0
	Female	3	1.0	2	0.7	3	1.1	3	1.1	2	2.3	13	1.1
	Total	5	0.9	3	0.5	12	2.2	10	1.8	7	4.3	37	1.5
Almost never	Male	2	0.7	2	0.7	4	1.5	9	3.2	4	5.4	21	1.8
	Female	3	1.0	2	0.7	0	0.0	2	0.7	0	0.0	7	0.6
	Total	5	0.9	4	0.7	4	0.7	11	2.0	4	2.5	28	1.2

Needs of help for outing

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	1	0.4	1	0.3	1	0.4	1	0.4	3	4.1	7	0.6
	Female	1	0.3	2	0.7	2	0.7	3	1.1	7	8.0	15	1.2
	Total	2	0.3	3	0.5	3	0.5	4	0.7	10	6.2	22	0.9
No	Male	278	99.6	288	99.7	273	99.6	283	99.6	71	95.9	1193	99.4
	Female	294	99.7	275	99.3	279	99.3	275	98.9	81	92.0	1204	98.8
	Total	572	99.7	563	99.5	552	99.5	558	99.3	152	93.8	2397	99.1

Feeling of disgrace for physical disability while outing

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1	1	0.1
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Yes	Male	2	0.7	0	0.0	1	0.4	2	0.7	3	4.1	8	0.7
	Female	1	0.3	0	0.0	0	0.0	8	2.9	1	1.1	10	0.8
	Total	3	0.5	0	0.0	1	0.2	10	1.8	4	2.5	18	0.7
No	Male	277	99.3	289	100.0	273	99.6	282	99.3	71	95.9	1192	99.3
	Female	294	99.7	277	100.0	281	100.0	270	97.1	86	97.7	1208	99.1

Total	571	99.5	566	100.0	554	99.8	552	98.2	157	96.9	2400	99.2
-------	-----	------	-----	-------	-----	------	-----	------	-----	------	------	------

Floor the respondent lives on

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
The first floor	Male	152	54.5	192	66.4	213	77.7	241	84.9	66	89.2	864	72.0
	Female	195	66.1	226	81.6	249	88.6	233	83.8	81	92.0	984	80.7
	Total	347	60.5	418	73.9	462	83.2	474	84.3	147	90.7	1848	76.4
The second floor	Male	76	27.2	79	27.3	45	16.4	35	12.3	6	8.1	241	20.1
	Female	69	23.4	29	10.5	25	8.9	26	9.4	2	2.3	151	12.4
	Total	145	25.3	108	19.1	70	12.6	61	10.9	8	4.9	392	16.2
The third floor or higher	Male	51	18.3	18	6.2	16	5.8	8	2.8	2	2.7	95	7.9
	Female	31	10.5	22	7.9	7	2.5	19	6.8	5	5.7	84	6.9
	Total	82	14.3	40	7.1	23	4.1	27	4.8	7	4.3	179	7.4

Feeling anxiety for neighborhood slope or heavy traffics while outing

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	12	4.3	13	4.5	24	8.8	49	17.3	23	31.1	121	10.1
	Female	23	7.8	24	8.7	24	8.5	70	25.2	33	37.5	174	14.3
	Total	35	6.1	37	6.5	48	8.6	119	21.2	56	34.6	295	12.2
No	Male	267	95.7	276	95.5	250	91.2	235	82.7	51	68.9	1079	89.9
	Female	272	92.2	253	91.3	257	91.5	208	74.8	55	62.5	1045	85.7
	Total	539	93.9	529	93.5	507	91.4	443	78.8	106	65.4	2124	87.8

4) MOS 36-Item Short-Form Health Survey (SF-36, Physical Functioning).
Difficulty in sitting on the floor Japanese style

SF-36: Doing hard exercise

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	10	3.6	20	6.9	46	16.8	108	38.0	42	56.8	226	18.8
	Female	28	9.5	37	13.4	75	26.7	138	49.6	65	73.9	343	28.1
	Total	38	6.6	57	10.1	121	21.8	246	43.8	107	66.0	569	23.5
A little difficult	Male	99	35.5	134	46.4	156	56.9	142	50.0	30	40.5	561	46.8
	Female	126	42.7	153	55.2	150	53.4	124	44.6	21	23.9	574	47.1
	Total	225	39.2	287	50.7	306	55.1	266	47.3	51	31.5	1135	46.9
Not difficult	Male	170	60.9	135	46.7	72	26.3	34	12.0	2	2.7	413	34.4
	Female	141	47.8	87	31.4	56	19.9	16	5.8	2	2.3	302	24.8
	Total	311	54.2	222	39.2	128	23.1	50	8.9	4	2.5	715	29.6

SF-36: Doing moderate exercise

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	0	0.0	0	0.0	1	0.4	6	2.1	3	4.1	10	0.8
	Female	0	0.0	0	0.0	0	0.0	1	0.4	5	5.7	6	0.5
	Total	0	0.0	0	0.0	1	0.2	7	1.2	8	4.9	16	0.7
A little difficult	Male	4	1.4	9	3.1	18	6.6	49	17.3	22	29.7	102	8.5

	Female	17	5.8	21	7.6	31	11.0	74	26.6	41	46.6	184	15.1
	Total	21	3.7	30	5.3	49	8.8	123	21.9	63	38.9	286	11.8
Not difficult	Male	275	98.6	280	96.9	255	93.1	229	80.6	49	66.2	1088	90.7
	Female	278	94.2	256	92.4	250	89.0	203	73.0	42	47.7	1029	84.4
	Total	553	96.3	536	94.7	505	91.0	432	76.9	91	56.2	2117	87.5

SF-36: Lifting or carrying a bag

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	1	0.4	0	0.0	2	0.7	4	1.4	6	8.1	13	1.1
	Female	0	0.0	1	0.4	3	1.1	17	6.1	13	14.8	34	2.8
	Total	1	0.2	1	0.2	5	0.9	21	3.7	19	11.7	47	1.9
A little difficult	Male	5	1.8	11	3.8	10	3.6	45	15.8	22	29.7	93	7.8
	Female	26	8.8	29	10.5	46	16.4	95	34.2	42	47.7	238	19.5
	Total	31	5.4	40	7.1	56	10.1	140	24.9	64	39.5	331	13.7
Not difficult	Male	273	97.8	278	96.2	262	95.6	235	82.7	46	62.2	1094	91.2
	Female	269	91.2	247	89.2	232	82.6	166	59.7	33	37.5	947	77.7
	Total	542	94.4	525	92.8	494	89.0	401	71.4	79	48.8	2041	84.4

SF-36: Going up several flight of the stairs

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	2	0.7	0	0.0	3	0.3
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.2	0	0.0	0	0.0	2	0.4	0	0.0	3	0.1
Very difficult	Male	0	0.0	0	0.0	1	0.4	12	4.2	11	14.9	24	2.0
	Female	1	0.3	2	0.7	8	2.8	30	10.8	24	27.3	65	5.3
	Total	1	0.2	2	0.4	9	1.6	42	7.5	35	21.6	89	3.7
A little difficult	Male	12	4.3	16	5.5	39	14.2	77	27.1	31	41.9	175	14.6
	Female	42	14.2	51	18.4	73	26.0	109	39.2	35	39.8	310	25.4
	Total	54	9.4	67	11.8	112	20.2	186	33.1	66	40.7	485	20.0
Not difficult	Male	266	95.3	273	94.5	234	85.4	193	68.0	32	43.2	998	83.2
	Female	252	85.4	224	80.9	200	71.2	139	50.0	29	33.0	844	69.2
	Total	518	90.2	497	87.8	434	78.2	332	59.1	61	37.7	1842	76.1

SF-36: Going up a flight of the stairs

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	0	0.0	0	0.0	1	0.4	3	1.1	4	5.4	8	0.7
	Female	0	0.0	0	0.0	1	0.4	4	1.4	10	11.4	15	1.2
	Total	0	0.0	0	0.0	2	0.4	7	1.2	14	8.6	23	1.0
A little difficult	Male	1	0.4	1	0.3	4	1.5	25	8.8	20	27.0	51	4.3
	Female	1	0.3	11	4.0	16	5.7	48	17.3	24	27.3	100	8.2
	Total	2	0.3	12	2.1	20	3.6	73	13.0	44	27.2	151	6.2
Not difficult	Male	278	99.6	288	99.7	269	98.2	256	90.1	50	67.6	1141	95.1
	Female	294	99.7	266	96.0	264	94.0	226	81.3	54	61.4	1104	90.6
	Total	572	99.7	554	97.9	533	96.0	482	85.8	104	64.2	2245	92.8

SF-36: Bending over, drop the knee, or ducking down

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	1	0.4	0	0.0	1	0.4	12	4.2	6	8.1	20	1.7
	Female	2	0.7	2	0.7	2	0.7	15	5.4	11	12.5	32	2.6
	Total	3	0.5	2	0.4	3	0.5	27	4.8	17	10.5	52	2.1
A little difficult	Male	15	5.4	16	5.5	30	10.9	59	20.8	19	25.7	139	11.6
	Female	14	4.7	20	7.2	43	15.3	61	21.9	27	30.7	165	13.5
	Total	29	5.1	36	6.4	73	13.2	120	21.4	46	28.4	304	12.6
Not difficult	Male	263	94.3	273	94.5	243	88.7	213	75.0	49	66.2	1041	86.8
	Female	279	94.6	255	92.1	236	84.0	202	72.7	50	56.8	1022	83.8
	Total	542	94.4	528	93.3	479	86.3	415	73.8	99	61.1	2063	85.3

SF-36: Walking more than one kilometer

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	0	0.0	0	0.0	2	0.7	14	4.9	15	20.3	31	2.6
	Female	1	0.3	4	1.4	4	1.4	24	8.6	26	29.5	59	4.8
	Total	1	0.2	4	0.7	6	1.1	38	6.8	41	25.3	90	3.7
A little difficult	Male	7	2.5	12	4.2	17	6.2	44	15.5	14	18.9	94	7.8
	Female	18	6.1	19	6.9	28	10.0	63	22.7	32	36.4	160	13.1
	Total	25	4.4	31	5.5	45	8.1	107	19.0	46	28.4	254	10.5
Not difficult	Male	272	97.5	277	95.8	255	93.1	226	79.6	45	60.8	1075	89.6
	Female	276	93.6	254	91.7	249	88.6	191	68.7	30	34.1	1000	82.0
	Total	548	95.5	531	93.8	504	90.8	417	74.2	75	46.3	2075	85.8

SF-36: Walking more than several hundred meters

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	0	0.0	0	0.0	1	0.4	6	2.1	5	6.8	12	1.0
	Female	0	0.0	0	0.0	1	0.4	6	2.2	13	14.8	20	1.6
	Total	0	0.0	0	0.0	2	0.4	12	2.1	18	11.1	32	1.3
A little difficult	Male	1	0.4	1	0.3	5	1.8	21	7.4	15	20.3	43	3.6
	Female	4	1.4	8	2.9	8	2.8	38	13.7	23	26.1	81	6.6
	Total	5	0.9	9	1.6	13	2.3	59	10.5	38	23.5	124	5.1
Not difficult	Male	278	99.6	288	99.7	268	97.8	257	90.5	54	73.0	1145	95.4
	Female	291	98.6	269	97.1	272	96.8	234	84.2	52	59.1	1118	91.7
	Total	569	99.1	557	98.4	540	97.3	491	87.4	106	65.4	2263	93.6

SF-36: Walking more than one hundred meters

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	0	0.0	0	0.0	1	0.4	1	0.4	2	2.7	4	0.3
	Female	0	0.0	0	0.0	1	0.4	2	0.7	5	5.7	8	0.7
	Total	0	0.0	0	0.0	2	0.4	3	0.5	7	4.3	12	0.5
A little difficult	Male	0	0.0	0	0.0	2	0.7	13	4.6	10	13.5	25	2.1
	Female	1	0.3	2	0.7	3	1.1	22	7.9	15	17.0	43	3.5
	Total	1	0.2	2	0.4	5	0.9	35	6.2	25	15.4	68	2.8
Not difficult	Male	279	100.0	289	100.0	271	98.9	270	95.1	62	83.8	1171	97.6
	Female	294	99.7	275	99.3	277	98.6	254	91.4	68	77.3	1168	95.8

Total	573	99.8	564	99.6	548	98.7	524	93.2	130	80.2	2339	96.7
-------	-----	------	-----	------	-----	------	-----	------	-----	------	------	------

SF-36: Taking a bath or getting dressed

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very difficult	Male	0	0.0	0	0.0	0	0.0	1	0.4	1	1.4	2	0.2
	Female	0	0.0	0	0.0	0	0.0	1	0.4	2	2.3	3	0.2
	Total	0	0.0	0	0.0	0	0.0	2	0.4	3	1.9	5	0.2
A little difficult	Male	0	0.0	0	0.0	3	1.1	5	1.8	1	1.4	9	0.8
	Female	0	0.0	1	0.4	2	0.7	6	2.2	2	2.3	11	0.9
	Total	0	0.0	1	0.2	5	0.9	11	2.0	3	1.9	20	0.8
Not difficult	Male	279	100.0	289	100.0	271	98.9	278	97.9	72	97.3	1189	99.1
	Female	295	100.0	276	99.6	279	99.3	271	97.5	84	95.5	1205	98.9
	Total	574	100.0	565	99.8	550	99.1	549	97.7	156	96.3	2394	99.0

Sitting on the floor Japanese style

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	2	0.7	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2
	Total	2	0.3	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1
Very difficult	Male	3	1.1	5	1.7	13	4.7	30	10.6	7	9.5	58	4.8
	Female	9	3.1	6	2.2	17	6.0	47	16.9	28	31.8	107	8.8
	Total	12	2.1	11	1.9	30	5.4	77	13.7	35	21.6	165	6.8
A little difficult	Male	22	7.9	28	9.7	35	12.8	49	17.3	22	29.7	156	13.0
	Female	16	5.4	33	11.9	51	18.1	56	20.1	15	17.0	171	14.0
	Total	38	6.6	61	10.8	86	15.5	105	18.7	37	22.8	327	13.5
Not difficult	Male	254	91.0	256	88.6	226	82.5	205	72.2	45	60.8	986	82.2
	Female	268	90.8	238	85.9	213	75.8	175	62.9	45	51.1	939	77.0
	Total	522	90.9	494	87.3	439	79.1	380	67.6	90	55.6	1925	79.6

5) History and pain of knee

History of knee surgery

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	2	0.7	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2
	Total	2	0.3	0	0.0	0	0.0	0	0.0	1	0.6	3	0.1
Neither knees	Male	274	98.2	282	97.6	266	97.1	277	97.5	73	98.6	1172	97.7
	Female	283	95.9	276	99.6	279	99.3	274	98.6	87	98.9	1199	98.4
	Total	557	97.0	558	98.6	545	98.2	551	98.0	160	98.8	2371	98.0
Right knee	Male	2	0.7	3	1.0	3	1.1	1	0.4	0	0.0	9	0.8
	Female	4	1.4	0	0.0	0	0.0	3	1.1	1	1.1	8	0.7
	Total	6	1.0	3	0.5	3	0.5	4	0.7	1	0.6	17	0.7
Left knee	Male	1	0.4	2	0.7	4	1.5	5	1.8	0	0.0	12	1.0
	Female	4	1.4	1	0.4	2	0.7	1	0.4	0	0.0	8	0.7
	Total	5	0.9	3	0.5	6	1.1	6	1.1	0	0.0	20	0.8
Both knees	Male	1	0.4	2	0.7	0	0.0	1	0.4	0	0.0	4	0.3
	Female	2	0.7	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2

	Total	3	0.5	2	0.4	0	0.0	1	0.2	0	0.0	6	0.2
Do not know	Male	1	0.4	0	0.0	1	0.4	0	0.0	0	0.0	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.2	0	0.0	1	0.2	0	0.0	0	0.0	2	0.1

History of knee injury limiting walking for two weeks or more

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	2	0.7	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2
	Total	2	0.3	0	0.0	0	0.0	0	0.0	1	0.6	3	0.1
Neither knees	Male	263	94.3	281	97.2	255	93.1	267	94.0	66	89.2	1132	94.3
	Female	277	93.9	261	94.2	258	91.8	247	88.8	77	87.5	1120	91.9
	Total	540	94.1	542	95.8	513	92.4	514	91.5	143	88.3	2252	93.1
Right knee	Male	10	3.6	3	1.0	9	3.3	6	2.1	2	2.7	30	2.5
	Female	10	3.4	6	2.2	6	2.1	16	5.8	4	4.5	42	3.4
	Total	20	3.5	9	1.6	15	2.7	22	3.9	6	3.7	72	3.0
Left knee	Male	4	1.4	3	1.0	9	3.3	7	2.5	3	4.1	26	2.2
	Female	3	1.0	7	2.5	12	4.3	7	2.5	2	2.3	31	2.5
	Total	7	1.2	10	1.8	21	3.8	14	2.5	5	3.1	57	2.4
Both knees	Male	2	0.7	2	0.7	0	0.0	2	0.7	1	1.4	7	0.6
	Female	3	1.0	1	0.4	3	1.1	6	2.2	4	4.5	17	1.4
	Total	5	0.9	3	0.5	3	0.5	8	1.4	5	3.1	24	1.0
Do not know	Male	0	0.0	0	0.0	1	0.4	2	0.7	1	1.4	4	0.3
	Female	0	0.0	2	0.7	2	0.7	2	0.7	1	1.1	7	0.6
	Total	0	0.0	2	0.4	3	0.5	4	0.7	2	1.2	11	0.5

History of right knee pain except injury

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0.0	0	0.0	0	0.0	1	1.4	2	0.2
	Female	3	1.0	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2
	Total	4	0.7	0	0.0	0	0.0	0	0.0	1	0.6	5	0.2
No experience of pain	Male	212	76.0	218	75.4	180	65.7	196	69.0	41	55.4	847	70.6
	Female	217	73.6	166	59.9	135	48.0	108	38.8	33	37.5	659	54.1
	Total	429	74.7	384	67.8	315	56.8	304	54.1	74	45.7	1506	62.3
Previous pain	Male	54	19.4	48	16.6	65	23.7	48	16.9	13	17.6	228	19.0
	Female	55	18.6	74	26.7	93	33.1	75	27.0	26	29.5	323	26.5
	Total	109	19.0	122	21.6	158	28.5	123	21.9	39	24.1	551	22.8
Current pain	Male	12	4.3	23	8.0	29	10.6	40	14.1	19	25.7	123	10.3
	Female	20	6.8	37	13.4	53	18.9	95	34.2	29	33.0	234	19.2
	Total	32	5.6	60	10.6	82	14.8	135	24.0	48	29.6	357	14.8

Pain when walking on the flatlands (only for persons with right knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No pain	Male	4	33.3	17	73.9	25	86.2	20	50.0	10	52.6	76	61.8
	Female	14	70.0	25	67.6	34	64.2	50	52.6	12	41.4	135	57.7
	Total	18	56.3	42	70.0	59	72.0	70	51.9	22	45.8	211	59.1

Mild pain	Male	8	66.7	4	17.4	2	6.9	15	37.5	7	36.8	36	29.3
	Female	5	25.0	11	29.7	16	30.2	37	38.9	11	37.9	80	34.2
	Total	13	40.6	15	25.0	18	22.0	52	38.5	18	37.5	116	32.5
Moderate pain	Male	0	0.0	2	8.7	2	6.9	4	10.0	1	5.3	9	7.3
	Female	1	5.0	1	2.7	3	5.7	5	5.3	4	13.8	14	6.0
	Total	1	3.1	3	5.0	5	6.1	9	6.7	5	10.4	23	6.4
Severe pain	Male	0	0.0	0	0.0	0	0.0	1	2.5	0	0.0	1	0.8
	Female	0	0.0	0	0.0	0	0.0	2	2.1	2	6.9	4	1.7
	Total	0	0.0	0	0.0	0	0.0	3	2.2	2	4.2	5	1.4
Very severe pain	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	5.3	1	0.8
	Female	0	0.0	0	0.0	0	0.0	1	1.1	0	0.0	1	0.4
	Total	0	0.0	0	0.0	0	0.0	1	0.7	1	2.1	2	0.6

Pain when going up and down the stairs (only for persons with right knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No pain	Male	5	41.7	7	30.4	8	27.6	15	37.5	4	21.1	39	31.7
	Female	8	40.0	8	21.6	11	20.8	18	18.9	6	20.7	51	21.8
	Total	13	40.6	15	25.0	19	23.2	33	24.4	10	20.8	90	25.2
Mild pain	Male	5	41.7	13	56.5	20	69.0	14	35.0	10	52.6	62	50.4
	Female	9	45.0	22	59.5	31	58.5	49	51.6	13	44.8	124	53.0
	Total	14	43.8	35	58.3	51	62.2	63	46.7	23	47.9	186	52.1
Moderate pain	Male	1	8.3	1	4.3	0	0.0	5	12.5	3	15.8	10	8.1
	Female	2	10.0	6	16.2	9	17.0	21	22.1	6	20.7	44	18.8
	Total	3	9.4	7	11.7	9	11.0	26	19.3	9	18.8	54	15.1
Severe pain	Male	0	0.0	1	4.3	1	3.4	5	12.5	0	0.0	7	5.7
	Female	1	5.0	1	2.7	2	3.8	6	6.3	3	10.3	13	5.6
	Total	1	3.1	2	3.3	3	3.7	11	8.1	3	6.3	20	5.6
Very severe pain	Male	1	8.3	1	4.3	0	0.0	1	2.5	2	10.5	5	4.1
	Female	0	0.0	0	0.0	0	0.0	1	1.1	1	3.4	2	0.9
	Total	1	3.1	1	1.7	0	0.0	2	1.5	3	6.3	7	2.0

Pain when sleeping at night (only for persons with right knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No pain	Male	10	83.3	18	78.3	26	89.7	31	77.5	15	78.9	100	81.3
	Female	17	85.0	29	78.4	38	71.7	61	64.2	14	48.3	159	67.9
	Total	27	84.4	47	78.3	64	78.0	92	68.1	29	60.4	259	72.5
Mild pain	Male	1	8.3	4	17.4	3	10.3	6	15.0	2	10.5	16	13.0
	Female	3	15.0	7	18.9	13	24.5	20	21.1	13	44.8	56	23.9
	Total	4	12.5	11	18.3	16	19.5	26	19.3	15	31.3	72	20.2
Moderate pain	Male	1	8.3	1	4.3	0	0.0	3	7.5	2	10.5	7	5.7
	Female	0	0.0	1	2.7	2	3.8	8	8.4	2	6.9	13	5.6
	Total	1	3.1	2	3.3	2	2.4	11	8.1	4	8.3	20	5.6
Severe pain	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	5	5.3	0	0.0	5	2.1
	Total	0	0.0	0	0.0	0	0.0	5	3.7	0	0.0	5	1.4
Very severe pain	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	1.1	0	0.0	1	0.4
	Total	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0	1	0.3

Pain when getting up from the chair (only for persons with right knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No pain	Male	8	66.7	14	60.9	21	72.4	21	52.5	12	63.2	76	61.8
	Female	12	60.0	19	51.4	25	47.2	37	38.9	9	31.0	102	43.6
	Total	20	62.5	33	55.0	46	56.1	58	43.0	21	43.8	178	49.9
Mild pain	Male	4	33.3	6	26.1	6	20.7	13	32.5	5	26.3	34	27.6
	Female	6	30.0	14	37.8	21	39.6	42	44.2	11	37.9	94	40.2
	Total	10	31.3	20	33.3	27	32.9	55	40.7	16	33.3	128	35.9
Moderate pain	Male	0	0.0	3	13.0	1	3.4	2	5.0	1	5.3	7	5.7
	Female	1	5.0	4	10.8	5	9.4	10	10.5	5	17.2	25	10.7
	Total	1	3.1	7	11.7	6	7.3	12	8.9	6	12.5	32	9.0
Severe pain	Male	0	0.0	0	0.0	1	3.4	4	10.0	0	0.0	5	4.1
	Female	1	5.0	0	0.0	1	1.9	4	4.2	4	13.8	10	4.3
	Total	1	3.1	0	0.0	2	2.4	8	5.9	4	8.3	15	4.2
Very severe pain	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	5.3	1	0.8
	Female	0	0.0	0	0.0	1	1.9	2	2.1	0	0.0	3	1.3
	Total	0	0.0	0	0.0	1	1.2	2	1.5	1	2.1	4	1.1

Pain when sitting on the floor Japanese style (only for persons with right knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	5.0	1	2.7	0	0.0	0	0.0	0	0.0	2	0.9
	Total	1	3.1	1	1.7	0	0.0	0	0.0	0	0.0	2	0.6
No pain	Male	5	41.7	9	39.1	10	34.5	10	25.0	4	21.1	38	30.9
	Female	7	35.0	8	21.6	13	24.5	18	18.9	5	17.2	51	21.8
	Total	12	37.5	17	28.3	23	28.0	28	20.7	9	18.8	89	24.9
Mild pain	Male	6	50.0	5	21.7	11	37.9	11	27.5	5	26.3	38	30.9
	Female	8	40.0	16	43.2	18	34.0	23	24.2	9	31.0	74	31.6
	Total	14	43.8	21	35.0	29	35.4	34	25.2	14	29.2	112	31.4
Moderate pain	Male	0	0.0	5	21.7	2	6.9	5	12.5	3	15.8	15	12.2
	Female	2	10.0	7	18.9	8	15.1	15	15.8	5	17.2	37	15.8
	Total	2	6.3	12	20.0	10	12.2	20	14.8	8	16.7	52	14.6
Severe pain	Male	1	8.3	3	13.0	4	13.8	4	10.0	4	21.1	16	13.0
	Female	1	5.0	4	10.8	6	11.3	24	25.3	5	17.2	40	17.1
	Total	2	6.3	7	11.7	10	12.2	28	20.7	9	18.8	56	15.7
Very severe pain	Male	0	0.0	1	4.3	2	6.9	10	25.0	3	15.8	16	13.0
	Female	1	5.0	1	2.7	8	15.1	15	15.8	5	17.2	30	12.8
	Total	1	3.1	2	3.3	10	12.2	25	18.5	8	16.7	46	12.9

History of left knee pain except injury

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	3	1.0	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2
	Total	3	0.5	0	0.0	0	0.0	0	0.0	1	0.6	4	0.2
No experience of pain	Male	212	76.0	225	77.9	194	70.8	204	71.8	47	63.5	882	73.5

	Female	227	76.9	182	65.7	155	55.2	135	48.6	33	37.5	732	60.0
	Total	439	76.5	407	71.9	349	62.9	339	60.3	80	49.4	1614	66.7
Previous pain	Male	48	17.2	45	15.6	45	16.4	44	15.5	10	13.5	192	16.0
	Female	45	15.3	64	23.1	76	27.0	61	21.9	22	25.0	268	22.0
	Total	93	16.2	109	19.3	121	21.8	105	18.7	32	19.8	460	19.0
Current pain	Male	19	6.8	19	6.6	35	12.8	36	12.7	16	21.6	125	10.4
	Female	20	6.8	31	11.2	50	17.8	82	29.5	33	37.5	216	17.7
	Total	39	6.8	50	8.8	85	15.3	118	21.0	49	30.2	341	14.1

Pain when walking on the flatlands (only for persons with left knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No pain	Male	13	68.4	12	63.2	23	65.7	14	38.9	9	56.3	71	56.8
	Female	15	75.0	21	67.7	31	62.0	42	51.2	16	48.5	125	57.9
	Total	28	71.8	33	66.0	54	63.5	56	47.5	25	51.0	196	57.5
Mild pain	Male	6	31.6	6	31.6	9	25.7	19	52.8	5	31.3	45	36.0
	Female	4	20.0	9	29.0	17	34.0	33	40.2	12	36.4	75	34.7
	Total	10	25.6	15	30.0	26	30.6	52	44.1	17	34.7	120	35.2
Moderate pain	Male	0	0.0	1	5.3	3	8.6	3	8.3	1	6.3	8	6.4
	Female	1	5.0	1	3.2	2	4.0	4	4.9	4	12.1	12	5.6
	Total	1	2.6	2	4.0	5	5.9	7	5.9	5	10.2	20	5.9
Severe pain	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	2	2.4	1	3.0	3	1.4
	Total	0	0.0	0	0.0	0	0.0	2	1.7	1	2.0	3	0.9
Very severe pain	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	6.3	1	0.8
	Female	0	0.0	0	0.0	0	0.0	1	1.2	0	0.0	1	0.5
	Total	0	0.0	0	0.0	0	0.0	1	0.8	1	2.0	2	0.6

Pain when going up and down the stairs (only for persons with left knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No pain	Male	12	63.2	4	21.1	9	25.7	10	27.8	3	18.8	38	30.4
	Female	8	40.0	7	22.6	13	26.0	15	18.3	5	15.2	48	22.2
	Total	20	51.3	11	22.0	22	25.9	25	21.2	8	16.3	86	25.2
Mild pain	Male	7	36.8	14	73.7	21	60.0	15	41.7	8	50.0	65	52.0
	Female	11	55.0	20	64.5	20	40.0	43	52.4	21	63.6	115	53.2
	Total	18	46.2	34	68.0	41	48.2	58	49.2	29	59.2	180	52.8
Moderate pain	Male	0	0.0	0	0.0	4	11.4	7	19.4	2	12.5	13	10.4
	Female	0	0.0	3	9.7	15	30.0	16	19.5	4	12.1	38	17.6
	Total	0	0.0	3	6.0	19	22.4	23	19.5	6	12.2	51	15.0
Severe pain	Male	0	0.0	1	5.3	1	2.9	4	11.1	1	6.3	7	5.6
	Female	1	5.0	1	3.2	2	4.0	7	8.5	2	6.1	13	6.0
	Total	1	2.6	2	4.0	3	3.5	11	9.3	3	6.1	20	5.9
Very severe pain	Male	0	0.0	0	0.0	0	0.0	0	0.0	2	12.5	2	1.6
	Female	0	0.0	0	0.0	0	0.0	1	1.2	1	3.0	2	0.9
	Total	0	0.0	0	0.0	0	0.0	1	0.8	3	6.1	4	1.2

Pain when sleeping at night (only for persons with left knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
--	--	---------	--	---------	--	---------	--	---------	--	-------	--	-------	--

		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	3.0	1	0.5
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	2.0	1	0.3
No pain	Male	16	84.2	17	89.5	27	77.1	27	75.0	13	81.3	100	80.0
	Female	17	85.0	25	80.6	40	80.0	50	61.0	20	60.6	152	70.4
	Total	33	84.6	42	84.0	67	78.8	77	65.3	33	67.3	252	73.9
Mild pain	Male	2	10.5	2	10.5	5	14.3	8	22.2	1	6.3	18	14.4
	Female	3	15.0	6	19.4	9	18.0	22	26.8	8	24.2	48	22.2
	Total	5	12.8	8	16.0	14	16.5	30	25.4	9	18.4	66	19.4
Moderate pain	Male	1	5.3	0	0.0	2	5.7	1	2.8	2	12.5	6	4.8
	Female	0	0.0	0	0.0	1	2.0	6	7.3	4	12.1	11	5.1
	Total	1	2.6	0	0.0	3	3.5	7	5.9	6	12.2	17	5.0
Severe pain	Male	0	0.0	0	0.0	1	2.9	0	0.0	0	0.0	1	0.8
	Female	0	0.0	0	0.0	0	0.0	3	3.7	0	0.0	3	1.4
	Total	0	0.0	0	0.0	1	1.2	3	2.5	0	0.0	4	1.2
Very severe pain	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1	1.2	0	0.0	1	0.5
	Total	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	0.3

Pain at standing up from a chair (only for persons with the left knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No pain	Male	13	68.4	14	73.7	19	54.3	19	52.8	7	43.8	72	57.6
	Female	14	70.0	19	61.3	25	50.0	36	43.9	10	30.3	104	48.1
	Total	27	69.2	33	66.0	44	51.8	55	46.6	17	34.7	176	51.6
Mild pain	Male	6	31.6	3	15.8	12	34.3	12	33.3	6	37.5	39	31.2
	Female	5	25.0	8	25.8	18	36.0	30	36.6	11	33.3	72	33.3
	Total	11	28.2	11	22.0	30	35.3	42	35.6	17	34.7	111	32.6
Moderate pain	Male	0	0.0	2	10.5	0	0.0	2	5.6	2	12.5	6	4.8
	Female	1	5.0	4	12.9	5	10.0	11	13.4	8	24.2	29	13.4
	Total	1	2.6	6	12.0	5	5.9	13	11.0	10	20.4	35	10.3
Severe pain	Male	0	0.0	0	0.0	3	8.6	3	8.3	0	0.0	6	4.8
	Female	0	0.0	0	0.0	1	2.0	3	3.7	3	9.1	7	3.2
	Total	0	0.0	0	0.0	4	4.7	6	5.1	3	6.1	13	3.8
Very severe pain	Male	0	0.0	0	0.0	1	2.9	0	0.0	1	6.3	2	1.6
	Female	0	0.0	0	0.0	1	2.0	2	2.4	1	3.0	4	1.9
	Total	0	0.0	0	0.0	2	2.4	2	1.7	2	4.1	6	1.8

Pain at sitting on the floor Japanese style (only for persons with the left knee pain)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	5.0	1	3.2	0	0.0	0	0.0	0	0.0	2	0.9
	Total	1	2.6	1	2.0	0	0.0	0	0.0	0	0.0	2	0.6
No pain	Male	7	36.8	8	42.1	8	22.9	6	16.7	4	25.0	33	26.4
	Female	8	40.0	8	25.8	12	24.0	13	15.9	4	12.1	45	20.8
	Total	15	38.5	16	32.0	20	23.5	19	16.1	8	16.3	78	22.9
Mild pain	Male	6	31.6	5	26.3	16	45.7	13	36.1	4	25.0	44	35.2
	Female	8	40.0	17	54.8	14	28.0	22	26.8	9	27.3	70	32.4
	Total	14	35.9	22	44.0	30	35.3	35	29.7	13	26.5	114	33.4

Moderate pain	Male	5	26.3	4	21.1	2	5.7	5	13.9	3	18.8	19	15.2
	Female	2	10.0	3	9.7	8	16.0	15	18.3	5	15.2	33	15.3
	Total	7	17.9	7	14.0	10	11.8	20	16.9	8	16.3	52	15.2
Severe pain	Male	1	5.3	1	5.3	5	14.3	4	11.1	2	12.5	13	10.4
	Female	1	5.0	2	6.5	8	16.0	17	20.7	5	15.2	33	15.3
	Total	2	5.1	3	6.0	13	15.3	21	17.8	7	14.3	46	13.5
Very severe pain	Male	0	0.0	1	5.3	4	11.4	8	22.2	3	18.8	16	12.8
	Female	0	0.0	0	0.0	8	16.0	15	18.3	10	30.3	33	15.3
	Total	0	0.0	1	2.0	12	14.1	23	19.5	13	26.5	49	14.4

4. Eyesight

Use of glasses

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Yes	Male	183	65.6	255	88.2	258	94.2	263	92.6	68	91.9	1027	85.6
	Female	197	66.8	238	85.9	263	93.6	252	90.6	72	81.8	1022	83.8
	Total	380	66.2	493	87.1	521	93.9	515	91.6	140	86.4	2049	84.7
No	Male	96	34.4	34	11.8	16	5.8	21	7.4	5	6.8	172	14.3
	Female	98	33.2	39	14.1	18	6.4	26	9.4	16	18.2	197	16.2
	Total	194	33.8	73	12.9	34	6.1	47	8.4	21	13.0	369	15.3

Type of glasses (only for glasses users)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
For far distance	Male	146	79.8	68	26.7	35	13.6	10	3.8	5	7.4	264	25.7
	Female	159	80.7	66	27.7	24	9.1	9	3.6	7	9.7	265	25.9
	Total	305	80.3	134	27.2	59	11.3	19	3.7	12	8.6	529	25.8
For near distance	Male	12	6.6	61	23.9	68	26.4	94	35.7	18	26.5	253	24.6
	Female	22	11.2	77	32.4	86	32.7	86	34.1	22	30.6	293	28.7
	Total	34	8.9	138	28.0	154	29.6	180	35.0	40	28.6	546	26.6
For near and far distance	Male	25	13.7	126	49.4	155	60.1	159	60.5	45	66.2	510	49.7
	Female	16	8.1	95	39.9	153	58.2	157	62.3	43	59.7	464	45.4
	Total	41	10.8	221	44.8	308	59.1	316	61.4	88	62.9	974	47.5

Use of contact lens

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.4	1	1.4	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	1	0.6	2	0.1
Non-user	Male	208	74.6	264	91.3	270	98.5	280	98.6	73	98.6	1095	91.3
	Female	152	51.5	189	68.2	246	87.5	275	98.9	88	100.0	950	77.9
	Total	360	62.7	453	80.0	516	93.0	555	98.8	161	99.4	2045	84.5
Ex-user	Male	42	15.1	16	5.5	3	1.1	3	1.1	0	0.0	64	5.3
	Female	50	16.9	54	19.5	28	10.0	3	1.1	0	0.0	135	11.1
	Total	92	16.0	70	12.4	31	5.6	6	1.1	0	0.0	199	8.2

Current-user	Male	29	10.4	9	3.1	1	0.4	0	0.0	0	0.0	39	3.3
	Female	93	31.5	34	12.3	7	2.5	0	0.0	0	0.0	134	11.0
	Total	122	21.3	43	7.6	8	1.4	0	0.0	0	0.0	173	7.2

Type of contact lens (only for contact lens users: contact lens with the longest use currently or previously)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	1	2.9	0	0.0	0	0.0	1	0.4
	Total	0	0.0	0	0.0	1	2.6	0	0.0	0	0.0	1	0.3
Hard	Male	40	56.3	19	76.0	4	100.0	2	66.7	0	0.0	65	63.1
	Female	91	63.6	66	75.0	28	80.0	2	66.7	0	0.0	187	69.5
	Total	131	61.2	85	75.2	32	82.1	4	66.7	0	0.0	252	67.7
Soft	Male	17	23.9	4	16.0	0	0.0	1	33.3	0	0.0	22	21.4
	Female	29	20.3	14	15.9	5	14.3	1	33.3	0	0.0	49	18.2
	Total	46	21.5	18	15.9	5	12.8	2	33.3	0	0.0	71	19.1
Disposable	Male	14	19.7	2	8.0	0	0.0	0	0.0	0	0.0	16	15.5
	Female	23	16.1	8	9.1	1	2.9	0	0.0	0	0.0	32	11.9
	Total	37	17.3	10	8.8	1	2.6	0	0.0	0	0.0	48	12.9

Duration of using contact lens (only for contact lens users)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
<5yrs.	Male	35	49.3	12	48.0	3	75.0	3	100.0	0	0.0	53	51.5
	Female	35	24.5	29	33.0	16	45.7	1	33.3	0	0.0	81	30.1
	Total	70	32.7	41	36.3	19	48.7	4	66.7	0	0.0	134	36.0
5-10yrs.	Male	12	16.9	2	8.0	0	0.0	0	0.0	0	0.0	14	13.6
	Female	18	12.6	12	13.6	4	11.4	1	33.3	0	0.0	35	13.0
	Total	30	14.0	14	12.4	4	10.3	1	16.7	0	0.0	49	13.2
10-20yrs.	Male	12	16.9	1	4.0	0	0.0	0	0.0	0	0.0	13	12.6
	Female	28	19.6	7	8.0	5	14.3	0	0.0	0	0.0	40	14.9
	Total	40	18.7	8	7.1	5	12.8	0	0.0	0	0.0	53	14.2
20yrs. -	Male	12	16.9	10	40.0	1	25.0	0	0.0	0	0.0	23	22.3
	Female	62	43.4	40	45.5	10	28.6	1	33.3	0	0.0	113	42.0
	Total	74	34.6	50	44.2	11	28.2	1	16.7	0	0.0	136	36.6

History of operation in the right eye (multiple choice)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Never	Male	272	97.5	281	97.2	235	85.8	231	81.3	48	64.9	1067	88.9
	Female	290	98.3	266	96.0	266	94.7	223	80.2	41	46.6	1086	89.1
	Total	562	97.9	547	96.6	501	90.3	454	80.8	89	54.9	2153	89.0
Cataract	Male	0	0.0	3	1.0	8	2.9	39	13.7	22	29.7	72	6.0
	Female	0	0.0	3	1.1	8	2.8	42	15.1	42	47.7	95	7.8
	Total	0	0.0	6	1.1	16	2.9	81	14.4	64	39.5	167	6.9
Glaucoma	Male	0	0.0	0	0.0	1	0.4	2	0.7	2	2.7	5	0.4
	Female	0	0.0	0	0.0	1	0.4	1	0.4	1	1.1	3	0.2
	Total	0	0.0	0	0.0	2	0.4	3	0.5	3	1.9	8	0.3
Retinal	Male	1	0.4	1	0.3	8	2.9	2	0.7	1	1.4	13	1.1

detachment	Female	0	0.0	1	0.4	0	0.0	0	0.0	3	3.4	4	0.3
	Total	1	0.2	2	0.4	8	1.4	2	0.4	4	2.5	17	0.7
Laser ing	Male	5	1.8	2	0.7	20	7.3	11	3.9	2	2.7	40	3.3
	Female	1	0.3	1	0.4	5	1.8	8	2.9	9	10.2	24	2.0
	Total	6	1.0	3	0.5	25	4.5	19	3.4	11	6.8	64	2.6
Other	Male	2	0.7	2	0.7	5	1.8	6	2.1	1	1.4	16	1.3
	Female	3	1.0	7	2.5	3	1.1	6	2.2	2	2.3	21	1.7
	Total	5	0.9	9	1.6	8	1.4	12	2.1	3	1.9	37	1.5
Do not know	Male	0	0.0	0	0.0	3	1.1	2	0.7	0	0.0	5	0.4
	Female	1	0.3	1	0.4	0	0.0	2	0.7	1	1.1	5	0.4
	Total	1	0.2	1	0.2	3	0.5	4	0.7	1	0.6	10	0.4

History of operation in the left eye (multiple choice)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Never	Male	271	97.1	279	96.5	244	89.1	226	79.6	47	63.5	1067	88.9
	Female	288	97.6	271	97.8	258	91.8	221	79.5	45	51.1	1083	88.8
	Total	559	97.4	550	97.2	502	90.5	447	79.5	92	56.8	2150	88.9
Cataract	Male	0	0.0	3	1.0	9	3.3	37	13.0	22	29.7	71	5.9
	Female	0	0.0	1	0.4	12	4.3	44	15.8	36	40.9	93	7.6
	Total	0	0.0	4	0.7	21	3.8	81	14.4	58	35.8	164	6.8
Glaucoma	Male	0	0.0	0	0.0	0	0.0	1	0.4	1	1.4	2	0.2
	Female	0	0.0	0	0.0	1	0.4	2	0.7	1	1.1	4	0.3
	Total	0	0.0	0	0.0	1	0.2	3	0.5	2	1.2	6	0.2
Retinal detachment	Male	0	0.0	2	0.7	5	1.8	3	1.1	0	0.0	10	0.8
	Female	1	0.3	0	0.0	1	0.4	1	0.4	0	0.0	3	0.2
	Total	1	0.2	2	0.4	6	1.1	4	0.7	0	0.0	13	0.5
Laser ing	Male	3	1.1	3	1.0	16	5.8	13	4.6	4	5.4	39	3.3
	Female	3	1.0	2	0.7	6	2.1	9	3.2	10	11.4	30	2.5
	Total	6	1.0	5	0.9	22	4.0	22	3.9	14	8.6	69	2.9
Other	Male	5	1.8	4	1.4	3	1.1	9	3.2	1	1.4	22	1.8
	Female	3	1.0	4	1.4	5	1.8	6	2.2	0	0.0	18	1.5
	Total	8	1.4	8	1.4	8	1.4	15	2.7	1	0.6	40	1.7
Do not know	Male	0	0.0	0	0.0	1	0.4	3	1.1	0	0.0	4	0.3
	Female	0	0.0	1	0.4	0	0.0	0	0.0	0	0.0	1	0.1
	Total	0	0.0	1	0.2	1	0.2	3	0.5	0	0.0	5	0.2

History of being pointed out of glaucoma

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Neither eyes	Male	274	98.2	278	96.2	256	93.4	256	90.1	63	85.1	1127	93.9
	Female	288	97.6	269	97.1	265	94.3	245	88.1	78	88.6	1145	93.9
	Total	562	97.9	547	96.6	521	93.9	501	89.1	141	87.0	2272	93.9
Left eye	Male	1	0.4	1	0.3	1	0.4	2	0.7	3	4.1	8	0.7
	Female	2	0.7	1	0.4	1	0.4	6	2.2	3	3.4	13	1.1
	Total	3	0.5	2	0.4	2	0.4	8	1.4	6	3.7	21	0.9
Right eye	Male	0	0.0	2	0.7	3	1.1	6	2.1	1	1.4	12	1.0

	Female	0	0.0	1	0.4	1	0.4	4	1.4	1	1.1	7	0.6
	Total	0	0.0	3	0.5	4	0.7	10	1.8	2	1.2	19	0.8
Both eyes	Male	3	1.1	1	0.3	9	3.3	11	3.9	4	5.4	28	2.3
	Female	1	0.3	4	1.4	6	2.1	11	4.0	3	3.4	25	2.1
	Total	4	0.7	5	0.9	15	2.7	22	3.9	7	4.3	53	2.2
Do not know	Male	1	0.4	7	2.4	5	1.8	9	3.2	2	2.7	24	2.0
	Female	4	1.4	2	0.7	8	2.8	12	4.3	3	3.4	29	2.4
	Total	5	0.9	9	1.6	13	2.3	21	3.7	5	3.1	53	2.2

History of being pointed out of cataract

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Neither eyes	Male	278	99.6	277	95.8	232	84.7	178	62.7	29	39.2	994	82.8
	Female	291	98.6	255	92.1	232	82.6	135	48.6	20	22.7	933	76.5
	Total	569	99.1	532	94.0	464	83.6	313	55.7	49	30.2	1927	79.7
Left eye	Male	0	0.0	0	0.0	7	2.6	15	5.3	4	5.4	26	2.2
	Female	0	0.0	6	2.2	10	3.6	10	3.6	3	3.4	29	2.4
	Total	0	0.0	6	1.1	17	3.1	25	4.4	7	4.3	55	2.3
Right eye	Male	0	0.0	2	0.7	3	1.1	7	2.5	4	5.4	16	1.3
	Female	0	0.0	4	1.4	4	1.4	7	2.5	7	8.0	22	1.8
	Total	0	0.0	6	1.1	7	1.3	14	2.5	11	6.8	38	1.6
Both eyes	Male	0	0.0	8	2.8	22	8.0	68	23.9	33	44.6	131	10.9
	Female	3	1.0	9	3.2	27	9.6	95	34.2	53	60.2	187	15.3
	Total	3	0.5	17	3.0	49	8.8	163	29.0	86	53.1	318	13.1
Do not know	Male	1	0.4	2	0.7	10	3.6	16	5.6	3	4.1	32	2.7
	Female	1	0.3	3	1.1	8	2.8	31	11.2	5	5.7	48	3.9
	Total	2	0.3	5	0.9	18	3.2	47	8.4	8	4.9	80	3.3

Use of sunshade

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.4	1	1.4	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	1	0.6	2	0.1
Never	Male	198	71.0	171	59.2	110	40.1	89	31.3	20	27.0	588	49.0
	Female	91	30.8	65	23.5	33	11.7	27	9.7	6	6.8	222	18.2
	Total	289	50.3	236	41.7	143	25.8	116	20.6	26	16.0	810	33.5
Sometimes	Male	69	24.7	79	27.3	89	32.5	69	24.3	21	28.4	327	27.3
	Female	143	48.5	129	46.6	140	49.8	99	35.6	23	26.1	534	43.8
	Total	212	36.9	208	36.7	229	41.3	168	29.9	44	27.2	861	35.6
Always	Male	12	4.3	39	13.5	75	27.4	125	44.0	32	43.2	283	23.6
	Female	61	20.7	83	30.0	108	38.4	152	54.7	59	67.0	463	38.0
	Total	73	12.7	122	21.6	183	33.0	277	49.3	91	56.2	746	30.8

Use of sunglasses

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
--	--	---------	--	---------	--	---------	--	---------	--	-------	--	-------	--

		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Never	Male	181	64.9	189	65.4	191	69.7	186	65.5	53	71.6	800	66.7
	Female	223	75.6	187	67.5	156	55.5	164	59.0	58	65.9	788	64.6
	Total	404	70.4	376	66.4	347	62.5	350	62.3	111	68.5	1588	65.6
Sometimes	Male	74	26.5	75	26.0	52	19.0	50	17.6	9	12.2	260	21.7
	Female	54	18.3	64	23.1	69	24.6	43	15.5	11	12.5	241	19.8
	Total	128	22.3	139	24.6	121	21.8	93	16.5	20	12.3	501	20.7
Always	Male	24	8.6	25	8.7	31	11.3	48	16.9	11	14.9	139	11.6
	Female	18	6.1	26	9.4	56	19.9	71	25.5	19	21.6	190	15.6
	Total	42	7.3	51	9.0	87	15.7	119	21.2	30	18.5	329	13.6

Self-evaluation on visual acuity (with glasses or contact lens)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Excellent	Male	26	9.3	9	3.1	22	8.0	12	4.2	2	2.7	71	5.9
	Female	24	8.1	7	2.5	16	5.7	17	6.1	5	5.7	69	5.7
	Total	50	8.7	16	2.8	38	6.8	29	5.2	7	4.3	140	5.8
Good	Male	75	26.9	55	19.0	47	17.2	71	25.0	16	21.6	264	22.0
	Female	74	25.1	62	22.4	63	22.4	45	16.2	23	26.1	267	21.9
	Total	149	26.0	117	20.7	110	19.8	116	20.6	39	24.1	531	22.0
Neither	Male	140	50.2	178	61.6	165	60.2	160	56.3	38	51.4	681	56.8
	Female	170	57.6	170	61.4	175	62.3	185	66.5	47	53.4	747	61.3
	Total	310	54.0	348	61.5	340	61.3	345	61.4	85	52.5	1428	59.0
Bad	Male	37	13.3	46	15.9	38	13.9	40	14.1	16	21.6	177	14.8
	Female	25	8.5	37	13.4	23	8.2	28	10.1	11	12.5	124	10.2
	Total	62	10.8	83	14.7	61	11.0	68	12.1	27	16.7	301	12.4
Very bad	Male	1	0.4	1	0.3	2	0.7	1	0.4	1	1.4	6	0.5
	Female	2	0.7	1	0.4	4	1.4	3	1.1	2	2.3	12	1.0
	Total	3	0.5	2	0.4	6	1.1	4	0.7	3	1.9	18	0.7

Taking examination of visual acuity in the past two years

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
No	Male	30	10.8	28	9.7	61	22.3	64	22.5	11	14.9	194	16.2
	Female	72	24.4	71	25.6	79	28.1	71	25.5	13	14.8	306	25.1
	Total	102	17.8	99	17.5	140	25.2	135	24.0	24	14.8	500	20.7
Yes	Male	249	89.2	261	90.3	212	77.4	220	77.5	61	82.4	1003	83.6
	Female	221	74.9	205	74.0	202	71.9	207	74.5	75	85.2	910	74.7
	Total	470	81.9	466	82.3	414	74.6	427	76.0	136	84.0	1913	79.1
Do not know	Male	0	0.0	0	0.0	1	0.4	0	0.0	1	1.4	2	0.2
	Female	2	0.7	1	0.4	0	0.0	0	0.0	0	0.0	3	0.2
	Total	2	0.3	1	0.2	1	0.2	0	0.0	1	0.6	5	0.2

Visiting ophthalmologist in the past two years

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
No	Male	217	77.8	206	71.3	159	58.0	129	45.4	30	40.5	741	61.8
	Female	173	58.6	163	58.8	139	49.5	102	36.7	17	19.3	594	48.7
	Total	390	67.9	369	65.2	298	53.7	231	41.1	47	29.0	1335	55.2
Yes	Male	61	21.9	82	28.4	114	41.6	155	54.6	42	56.8	454	37.8
	Female	121	41.0	110	39.7	142	50.5	175	62.9	71	80.7	619	50.8
	Total	182	31.7	192	33.9	256	46.1	330	58.7	113	69.8	1073	44.4
Do not know	Male	1	0.4	1	0.3	1	0.4	0	0.0	1	1.4	4	0.3
	Female	1	0.3	4	1.4	0	0.0	1	0.4	0	0.0	6	0.5
	Total	2	0.3	5	0.9	1	0.2	1	0.2	1	0.6	10	0.4

5. Hearing ability

Use of a hearing aid

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Frequently	Male	2	0.7	1	0.3	7	2.6	9	3.2	12	16.2	31	2.6
	Female	1	0.3	0	0.0	1	0.4	4	1.4	4	4.5	10	0.8
	Total	3	0.5	1	0.2	8	1.4	13	2.3	16	9.9	41	1.7
Sometimes	Male	0	0.0	0	0.0	4	1.5	9	3.2	3	4.1	16	1.3
	Female	0	0.0	1	0.4	0	0.0	4	1.4	3	3.4	8	0.7
	Total	0	0.0	1	0.2	4	0.7	13	2.3	6	3.7	24	1.0
Possession without using	Male	0	0.0	0	0.0	1	0.4	6	2.1	2	2.7	9	0.8
	Female	1	0.3	0	0.0	0	0.0	5	1.8	3	3.4	9	0.7
	Total	1	0.2	0	0.0	1	0.2	11	2.0	5	3.1	18	0.7
No possession	Male	277	99.3	288	99.7	262	95.6	260	91.5	56	75.7	1143	95.3
	Female	293	99.3	276	99.6	280	99.6	265	95.3	78	88.6	1192	97.8
	Total	570	99.3	564	99.6	542	97.7	525	93.4	134	82.7	2335	96.5

Frequency of tinnitus

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	2	2.7	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	2	1.2	2	0.1
Always	Male	20	7.2	23	8.0	55	20.1	64	22.5	18	24.3	180	15.0
	Female	13	4.4	9	3.2	37	13.2	47	16.9	19	21.6	125	10.3
	Total	33	5.7	32	5.7	92	16.6	111	19.8	37	22.8	305	12.6
Sometimes	Male	62	22.2	79	27.3	67	24.5	64	22.5	20	27.0	292	24.3
	Female	67	22.7	73	26.4	57	20.3	56	20.1	20	22.7	273	22.4
	Total	129	22.5	152	26.9	124	22.3	120	21.4	40	24.7	565	23.4

Never	Male	197	70.6	187	64.7	152	55.5	156	54.9	34	45.9	726	60.5
	Female	215	72.9	195	70.4	187	66.5	175	62.9	49	55.7	821	67.4
	Total	412	71.8	382	67.5	339	61.1	331	58.9	83	51.2	1547	64.0

Location of tinnitus (only for persons with tinnitus: multiple choice)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Right side	Male	14	17.1	29	28.4	38	31.1	27	21.1	12	31.6	120	25.4
	Female	27	33.8	26	31.7	33	35.1	30	29.1	9	23.1	125	31.4
	Total	41	25.3	55	29.9	71	32.9	57	24.7	21	27.3	245	28.2
Left side	Male	23	28.0	24	23.5	47	38.5	46	35.9	15	39.5	155	32.8
	Female	18	22.5	28	34.1	26	27.7	38	36.9	6	15.4	116	29.1
	Total	41	25.3	52	28.3	73	33.8	84	36.4	21	27.3	271	31.1
Median	Male	17	20.7	19	18.6	15	12.3	27	21.1	6	15.8	84	17.8
	Female	7	8.8	4	4.9	11	11.7	15	14.6	9	23.1	46	11.6
	Total	24	14.8	23	12.5	26	12.0	42	18.2	15	19.5	130	14.9
Do not know	Male	33	40.2	40	39.2	34	27.9	44	34.4	11	28.9	162	34.3
	Female	39	48.8	31	37.8	32	34.0	39	37.9	20	51.3	161	40.5
	Total	72	44.4	71	38.6	66	30.6	83	35.9	31	40.3	323	37.1

Feeling difficulty in hearing due to tinnitus (only for persons with tinnitus)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	2	2.5	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5
	Total	2	1.2	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2
Always	Male	2	2.4	5	4.9	14	11.5	19	14.8	7	18.4	47	10.0
	Female	1	1.3	3	3.7	7	7.4	16	15.5	4	10.3	31	7.8
	Total	3	1.9	8	4.3	21	9.7	35	15.2	11	14.3	78	9.0
Sometimes	Male	17	20.7	23	22.5	39	32.0	39	30.5	14	36.8	132	28.0
	Female	12	15.0	11	13.4	19	20.2	41	39.8	12	30.8	95	23.9
	Total	29	17.9	34	18.5	58	26.9	80	34.6	26	33.8	227	26.1
Never	Male	63	76.8	74	72.5	69	56.6	70	54.7	17	44.7	293	62.1
	Female	65	81.3	68	82.9	68	72.3	46	44.7	23	59.0	270	67.8
	Total	128	79.0	142	77.2	137	63.4	116	50.2	40	51.9	563	64.7

Feeling uncomfortable due to tinnitus (only for persons with tinnitus)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Very uncomfortable	Male	7	8.5	12	11.8	9	7.4	15	11.7	5	13.2	48	10.2
	Female	9	11.3	11	13.4	12	12.8	17	16.5	5	12.8	54	13.6
	Total	16	9.9	23	12.5	21	9.7	32	13.9	10	13.0	102	11.7
Sometimes uncomfortable	Male	39	47.6	53	52.0	55	45.1	51	39.8	16	42.1	214	45.3
	Female	33	41.3	38	46.3	42	44.7	46	44.7	19	48.7	178	44.7
	Total	72	44.4	91	49.5	97	44.9	97	42.0	35	45.5	392	45.1
Never	Male	36	43.9	37	36.3	58	47.5	62	48.4	17	44.7	210	44.5
	Female	38	47.5	33	40.2	40	42.6	40	38.8	15	38.5	166	41.7
	Total	74	45.7	70	38.0	98	45.4	102	44.2	32	41.6	376	43.2

History of ear disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Yes	Male	91	32.6	104	36.0	84	30.7	76	26.8	20	27.0	375	31.3
	Female	136	46.1	112	40.4	86	30.6	86	30.9	11	12.5	431	35.4
	Total	227	39.5	216	38.2	170	30.6	162	28.8	31	19.1	806	33.3
No	Male	176	63.1	178	61.6	176	64.2	196	69.0	50	67.6	776	64.7
	Female	153	51.9	160	57.8	185	65.8	180	64.7	73	83.0	751	61.6
	Total	329	57.3	338	59.7	361	65.0	376	66.9	123	75.9	1527	63.1
Do not know	Male	12	4.3	7	2.4	14	5.1	12	4.2	3	4.1	48	4.0
	Female	6	2.0	5	1.8	10	3.6	12	4.3	4	4.5	37	3.0
	Total	18	3.1	12	2.1	24	4.3	24	4.3	7	4.3	85	3.5

Types of ear disease (only for persons with ear disease: multiple choice)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Otitis media	Male	66	72.5	70	67.3	55	65.5	47	61.8	12	60.0	250	66.7
	Female	82	60.3	72	64.3	49	57.0	44	51.2	4	36.4	251	58.2
	Total	148	65.2	142	65.7	104	61.2	91	56.2	16	51.6	501	62.2
Otitis externa	Male	33	36.3	28	26.9	11	13.1	9	11.8	2	10.0	83	22.1
	Female	50	36.8	50	44.6	21	24.4	13	15.1	1	9.1	135	31.3
	Total	83	36.6	78	36.1	32	18.8	22	13.6	3	9.7	218	27.0
Sudden deafness	Male	4	4.4	5	4.8	12	14.3	8	10.5	3	15.0	32	8.5
	Female	17	12.5	6	5.4	9	10.5	11	12.8	1	9.1	44	10.2
	Total	21	9.3	11	5.1	21	12.4	19	11.7	4	12.9	76	9.4
Meniere disease	Male	5	5.5	4	3.8	4	4.8	6	7.9	1	5.0	20	5.3
	Female	10	7.4	8	7.1	12	14.0	9	10.5	4	36.4	43	10.0
	Total	15	6.6	12	5.6	16	9.4	15	9.3	5	16.1	63	7.8
Ohter	Male	1	1.1	3	2.9	4	4.8	4	5.3	2	10.0	14	3.7
	Female	8	5.9	8	7.1	4	4.7	6	7.0	1	9.1	27	6.3
	Total	9	4.0	11	5.1	8	4.7	10	6.2	3	9.7	41	5.1
Do not know	Male	3	3.3	10	9.6	11	13.1	14	18.4	3	15.0	41	10.9
	Female	4	2.9	7	6.3	12	14.0	12	14.0	2	18.2	37	8.6
	Total	7	3.1	17	7.9	23	13.5	26	16.0	5	16.1	78	9.7

History of ear surgery (only for persons with ear disease)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	1.1	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
Yes	Male	3	3.3	5	4.8	10	11.9	9	11.8	1	5.0	28	7.5
	Female	7	5.1	6	5.4	7	8.1	13	15.1	0	0.0	33	7.7
	Total	10	4.4	11	5.1	17	10.0	22	13.6	1	3.2	61	7.6
No	Male	86	94.5	95	91.3	72	85.7	61	80.3	18	90.0	332	88.5
	Female	128	94.1	104	92.9	78	90.7	71	82.6	10	90.9	391	90.7

		Total	214	94.3	199	92.1	150	88.2	132	81.5	28	90.3	723	89.7
Do not know	Male	1	1.1	4	3.8	2	2.4	6	7.9	1	5.0	14	3.7	
	Female	1	0.7	2	1.8	1	1.2	2	2.3	1	9.1	7	1.6	
	Total	2	0.9	6	2.8	3	1.8	8	4.9	2	6.5	21	2.6	

History of hospital consultation due to hitting the head

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	2	0.7	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2
	Total	2	0.3	0	0.0	0	0.0	0	0.0	1	0.6	3	0.1
Yes	Male	55	19.7	41	14.2	35	12.8	38	13.4	9	12.2	178	14.8
	Female	35	11.9	22	7.9	25	8.9	30	10.8	14	15.9	126	10.3
	Total	90	15.7	63	11.1	60	10.8	68	12.1	23	14.2	304	12.6
No	Male	218	78.1	245	84.8	237	86.5	244	85.9	62	83.8	1006	83.8
	Female	254	86.1	255	92.1	253	90.0	248	89.2	73	83.0	1083	88.8
	Total	472	82.2	500	88.3	490	88.3	492	87.5	135	83.3	2089	86.4
Do not know	Male	6	2.2	3	1.0	2	0.7	2	0.7	2	2.7	15	1.3
	Female	4	1.4	0	0.0	3	1.1	0	0.0	1	1.1	8	0.7
	Total	10	1.7	3	0.5	5	0.9	2	0.4	3	1.9	23	1.0

Noise in workplace

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	1.1	1	0.1
	Total	0	0.0	0	0.0	0	0.0	0	0.0	2	1.2	2	0.1
Currently	Male	46	16.5	46	15.9	33	12.0	7	2.5	2	2.7	134	11.2
	Female	11	3.7	23	8.3	13	4.6	6	2.2	2	2.3	55	4.5
	Total	57	9.9	69	12.2	46	8.3	13	2.3	4	2.5	189	7.8
Previously	Male	12	4.3	26	9.0	48	17.5	73	25.7	21	28.4	180	15.0
	Female	6	2.0	13	4.7	27	9.6	37	13.3	8	9.1	91	7.5
	Total	18	3.1	39	6.9	75	13.5	110	19.6	29	17.9	271	11.2
Never	Male	221	79.2	217	75.1	193	70.4	204	71.8	50	67.6	885	73.8
	Female	278	94.2	241	87.0	241	85.8	235	84.5	77	87.5	1072	87.9
	Total	499	86.9	458	80.9	434	78.2	439	78.1	127	78.4	1957	80.9

Residence in noisy areas

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Currently	Male	30	10.8	22	7.6	21	7.7	33	11.6	8	10.8	114	9.5
	Female	27	9.2	27	9.7	34	12.1	45	16.2	12	13.6	145	11.9
	Total	57	9.9	49	8.7	55	9.9	78	13.9	20	12.3	259	10.7
Previously	Male	23	8.2	17	5.9	13	4.7	20	7.0	9	12.2	82	6.8
	Female	24	8.1	17	6.1	15	5.3	24	8.6	6	6.8	86	7.1
	Total	47	8.2	34	6.0	28	5.0	44	7.8	15	9.3	168	6.9

Not applicable	Male	226	81.0	250	86.5	240	87.6	231	81.3	56	75.7	1003	83.6
	Female	244	82.7	233	84.1	232	82.6	209	75.2	70	79.5	988	81.1
	Total	470	81.9	483	85.3	472	85.0	440	78.3	126	77.8	1991	82.3

Going in and out of noisy areas

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Frequently	Male	14	5.0	24	8.3	15	5.5	9	3.2	1	1.4	63	5.3
	Female	3	1.0	7	2.5	10	3.6	12	4.3	1	1.1	33	2.7
	Total	17	3.0	31	5.5	25	4.5	21	3.7	2	1.2	96	4.0
Sometimes	Male	83	29.7	83	28.7	64	23.4	68	23.9	7	9.5	305	25.4
	Female	51	17.3	43	15.5	58	20.6	45	16.2	14	15.9	211	17.3
	Total	134	23.3	126	22.3	122	22.0	113	20.1	21	13.0	516	21.3
Rarely	Male	182	65.2	182	63.0	195	71.2	207	72.9	65	87.8	831	69.3
	Female	241	81.7	227	81.9	213	75.8	221	79.5	73	83.0	975	80.0
	Total	423	73.7	409	72.3	408	73.5	428	76.2	138	85.2	1806	74.7

Feeling my hearing poor

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Always	Male	18	6.5	29	10.0	57	20.8	81	28.5	30	40.5	215	17.9
	Female	19	6.4	20	7.2	44	15.7	58	20.9	27	30.7	168	13.8
	Total	37	6.4	49	8.7	101	18.2	139	24.7	57	35.2	383	15.8
Sometimes	Male	76	27.2	100	34.6	89	32.5	92	32.4	21	28.4	378	31.5
	Female	99	33.6	105	37.9	119	42.3	113	40.6	37	42.0	473	38.8
	Total	175	30.5	205	36.2	208	37.5	205	36.5	58	35.8	851	35.2
Never	Male	185	66.3	160	55.4	128	46.7	111	39.1	22	29.7	606	50.5
	Female	177	60.0	152	54.9	118	42.0	107	38.5	24	27.3	578	47.4
	Total	362	63.1	312	55.1	246	44.3	218	38.8	46	28.4	1184	48.9

Having been told my hearing is poor

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Always	Male	6	2.2	8	2.8	33	12.0	45	15.8	15	20.3	107	8.9
	Female	7	2.4	9	3.2	15	5.3	29	10.4	12	13.6	72	5.9
	Total	13	2.3	17	3.0	48	8.6	74	13.2	27	16.7	179	7.4
Sometimes	Male	45	16.1	75	26.0	71	25.9	90	31.7	32	43.2	313	26.1
	Female	51	17.3	49	17.7	66	23.5	68	24.5	29	33.0	263	21.6
	Total	96	16.7	124	21.9	137	24.7	158	28.1	61	37.7	576	23.8
Never	Male	228	81.7	206	71.3	170	62.0	149	52.5	26	35.1	779	64.9

Female	237	80.3	219	79.1	200	71.2	181	65.1	47	53.4	884	72.5
Total	465	81.0	425	75.1	370	66.7	330	58.7	73	45.1	1663	68.7

Limitations in daily life due to poor hearing (only for persons with hearing disturbance: with a hearing aid)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.6	1	1.9	2	0.3
	Female	0	0.0	1	0.8	0	0.0	0	0.0	0	0.0	1	0.2
	Total	0	0.0	1	0.4	0	0.0	1	0.3	1	0.8	3	0.2
Always	Male	1	1.0	0	0.0	7	4.6	16	8.8	9	17.0	33	5.3
	Female	2	1.6	2	1.6	0	0.0	10	5.8	5	7.6	19	2.9
	Total	3	1.3	2	0.7	7	2.2	26	7.3	14	11.8	52	4.0
Sometimes	Male	3	3.0	12	8.5	20	13.2	38	21.0	17	32.1	90	14.4
	Female	11	8.9	7	5.6	21	12.4	28	16.2	12	18.2	79	12.0
	Total	14	6.3	19	7.1	41	12.7	66	18.6	29	24.4	169	13.1
Never	Male	95	96.0	130	91.5	125	82.2	126	69.6	26	49.1	502	80.1
	Female	111	89.5	116	92.1	149	87.6	135	78.0	49	74.2	560	85.0
	Total	206	92.4	246	91.8	274	85.1	261	73.7	75	63.0	1062	82.6

Losing confidence due to poor hearing (only for persons with hearing disturbance: with a hearing aid)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.6	1	1.9	2	0.3
	Female	0	0.0	1	0.8	0	0.0	0	0.0	0	0.0	1	0.2
	Total	0	0.0	1	0.4	0	0.0	1	0.3	1	0.8	3	0.2
Always	Male	2	2.0	0	0.0	1	0.7	16	8.8	3	5.7	22	3.5
	Female	3	2.4	0	0.0	2	1.2	10	5.8	4	6.1	19	2.9
	Total	5	2.2	0	0.0	3	0.9	26	7.3	7	5.9	41	3.2
Sometimes	Male	14	14.1	14	9.9	23	15.1	32	17.7	21	39.6	104	16.6
	Female	11	8.9	20	15.9	16	9.4	34	19.7	16	24.2	97	14.7
	Total	25	11.2	34	12.7	39	12.1	66	18.6	37	31.1	201	15.6
Never	Male	83	83.8	128	90.1	128	84.2	132	72.9	28	52.8	499	79.6
	Female	110	88.7	105	83.3	152	89.4	129	74.6	46	69.7	542	82.2
	Total	193	86.5	233	86.9	280	87.0	261	73.7	74	62.2	1041	80.9

Feeling difficulty in understanding speech (only for persons with hearing disturbance: with a hearing aid)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	1.0	0	0.0	0	0.0	1	0.6	1	1.9	3	0.5
	Female	0	0.0	1	0.8	0	0.0	0	0.0	0	0.0	1	0.2
	Total	1	0.4	1	0.4	0	0.0	1	0.3	1	0.8	4	0.3
Always	Male	8	8.1	10	7.0	33	21.7	47	26.0	24	45.3	122	19.5
	Female	10	8.1	17	13.5	22	12.9	33	19.1	12	18.2	94	14.3
	Total	18	8.1	27	10.1	55	17.1	80	22.6	36	30.3	216	16.8
Sometimes	Male	63	63.6	97	68.3	87	57.2	105	58.0	24	45.3	376	60.0
	Female	83	66.9	90	71.4	109	64.1	115	66.5	50	75.8	447	67.8
	Total	146	65.5	187	69.8	196	60.9	220	62.1	74	62.2	823	64.0
Never	Male	27	27.3	35	24.6	32	21.1	28	15.5	4	7.5	126	20.1
	Female	31	25.0	18	14.3	39	22.9	25	14.5	4	6.1	117	17.8

Total	58	26.0	53	19.8	71	22.0	53	15.0	8	6.7	243	18.9
-------	----	------	----	------	----	------	----	------	---	-----	-----	------

Catching up on the news on TV (only for persons with hearing disturbance: with a hearing aid)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	1.0	0	0.0	0	0.0	1	0.6	1	1.9	3	0.5
	Female	0	0.0	1	0.8	0	0.0	0	0.0	0	0.0	1	0.2
	Total	1	0.4	1	0.4	0	0.0	1	0.3	1	0.8	4	0.3
No problem	Male	86	86.9	128	90.1	115	75.7	117	64.6	28	52.8	474	75.6
	Female	114	91.9	109	86.5	150	88.2	135	78.0	40	60.6	548	83.2
	Total	200	89.7	237	88.4	265	82.3	252	71.2	68	57.1	1022	79.5
Occasionally hard to hear	Male	12	12.1	14	9.9	33	21.7	60	33.1	22	41.5	141	22.5
	Female	7	5.6	16	12.7	19	11.2	37	21.4	23	34.8	102	15.5
	Total	19	8.5	30	11.2	52	16.1	97	27.4	45	37.8	243	18.9
Always hard to hear	Male	0	0.0	0	0.0	4	2.6	3	1.7	2	3.8	9	1.4
	Female	3	2.4	0	0.0	1	0.6	1	0.6	3	4.5	8	1.2
	Total	3	1.3	0	0.0	5	1.6	4	1.1	5	4.2	17	1.3

Catching what several people say in quiet room (only for persons with hearing disturbance: with a hearing aid)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	1.0	0	0.0	0	0.0	1	0.6	1	1.9	3	0.5
	Female	0	0.0	1	0.8	0	0.0	0	0.0	0	0.0	1	0.2
	Total	1	0.4	1	0.4	0	0.0	1	0.3	1	0.8	4	0.3
No problem	Male	76	76.8	99	69.7	88	57.9	88	48.6	18	34.0	369	58.9
	Female	98	79.0	89	70.6	119	70.0	101	58.4	25	37.9	432	65.6
	Total	174	78.0	188	70.1	207	64.3	189	53.4	43	36.1	801	62.3
Occasionally hard to hear	Male	22	22.2	43	30.3	58	38.2	84	46.4	27	50.9	234	37.3
	Female	24	19.4	35	27.8	51	30.0	66	38.2	37	56.1	213	32.3
	Total	46	20.6	78	29.1	109	33.9	150	42.4	64	53.8	447	34.8
Always hard to hear	Male	0	0.0	0	0.0	6	3.9	8	4.4	7	13.2	21	3.3
	Female	2	1.6	1	0.8	0	0.0	6	3.5	4	6.1	13	2.0
	Total	2	0.9	1	0.4	6	1.9	14	4.0	11	9.2	34	2.6

6. Fall

Fear of falling

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Terribly fearful	Male	8	2.9	7	2.4	6	2.2	35	12.3	14	18.9	70	5.8
	Female	24	8.1	18	6.5	39	13.9	88	31.7	40	45.5	209	17.1
	Total	32	5.6	25	4.4	45	8.1	123	21.9	54	33.3	279	11.5
Slightly fearful	Male	61	21.9	62	21.5	96	35.0	121	42.6	40	54.1	380	31.7
	Female	107	36.3	129	46.6	145	51.6	145	52.2	42	47.7	568	46.6
	Total	168	29.3	191	33.7	241	43.4	266	47.3	82	50.6	948	39.2
Not fearful	Male	210	75.3	220	76.1	172	62.8	128	45.1	19	25.7	749	62.4

Female	164	55.6	130	46.9	97	34.5	45	16.2	6	6.8	442	36.3
Total	374	65.2	350	61.8	269	48.5	173	30.8	25	15.4	1191	49.2

History of falls in the past year

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.4	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.0
Yes	Male	31	11.1	33	11.4	45	16.4	56	19.7	15	20.3	180	15.0
	Female	55	18.6	38	13.7	51	18.1	67	24.1	36	40.9	247	20.3
	Total	86	15.0	71	12.5	96	17.3	123	21.9	51	31.5	427	17.7
No	Male	248	88.9	256	88.6	229	83.6	228	80.3	58	78.4	1019	84.9
	Female	240	81.4	239	86.3	230	81.9	211	75.9	52	59.1	972	79.7
	Total	488	85.0	495	87.5	459	82.7	439	78.1	110	67.9	1991	82.3

Frequency of falls in the past year (only for persons with falls)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	3.1	5.6	30	1.7	1.2	31	1.8	1.1	44	2.0	1.6	55	2.3	1.5	15	2.1	2.6	175
Female	1.9	2.0	55	1.7	3.1	38	1.9	1.6	51	1.5	0.9	67	1.9	1.0	36	1.7	1.8	247
Total	2.3	3.7	85	1.7	2.4	69	1.8	1.4	95	1.7	1.3	122	2.0	1.2	51	1.9	2.2	422

Month of the year of falls with the most severe injury (only for persons with falls)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	3.2	9	27.3	11	24.4	9	16.1	5	33.3	35	19.4
	Female	9	16.4	2	5.3	6	11.8	7	10.4	8	22.2	32	13.0
	Total	10	11.6	11	15.5	17	17.7	16	13.0	13	25.5	67	15.7
Jan. -Mar.	Male	10	32.3	8	24.2	6	13.3	10	17.9	5	33.3	39	21.7
	Female	12	21.8	8	21.1	13	25.5	20	29.9	8	22.2	61	24.7
	Total	22	25.6	16	22.5	19	19.8	30	24.4	13	25.5	100	23.4
Apr. -Jun.	Male	5	16.1	7	21.2	13	28.9	14	25.0	2	13.3	41	22.8
	Female	15	27.3	12	31.6	11	21.6	13	19.4	6	16.7	57	23.1
	Total	20	23.3	19	26.8	24	25.0	27	22.0	8	15.7	98	23.0
Jul. -Sep.	Male	5	16.1	5	15.2	7	15.6	9	16.1	2	13.3	28	15.6
	Female	6	10.9	8	21.1	7	13.7	17	25.4	6	16.7	44	17.8
	Total	11	12.8	13	18.3	14	14.6	26	21.1	8	15.7	72	16.9
Oct. -Dec.	Male	10	32.3	4	12.1	8	17.8	14	25.0	1	6.7	37	20.6
	Female	13	23.6	8	21.1	14	27.5	10	14.9	8	22.2	53	21.5
	Total	23	26.7	12	16.9	22	22.9	24	19.5	9	17.6	90	21.1

Time of the day of falls with the most severe injury (only for persons with falls)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	2	6.5	6	18.2	8	17.8	10	17.9	5	33.3	31	17.2
	Female	9	16.4	3	7.9	4	7.8	5	7.5	9	25.0	30	12.1
	Total	11	12.8	9	12.7	12	12.5	15	12.2	14	27.5	61	14.3

0AM-5AM	Male	1	3.2	0	0.0	2	4.4	3	5.4	0	0.0	6	3.3
	Female	0	0.0	3	7.9	1	2.0	4	6.0	0	0.0	8	3.2
	Total	1	1.2	3	4.2	3	3.1	7	5.7	0	0.0	14	3.3
6AM-11AM	Male	13	41.9	9	27.3	12	26.7	20	35.7	2	13.3	56	31.1
	Female	25	45.5	15	39.5	20	39.2	26	38.8	12	33.3	98	39.7
	Total	38	44.2	24	33.8	32	33.3	46	37.4	14	27.5	154	36.1
12PM-5PM	Male	14	45.2	13	39.4	17	37.8	15	26.8	7	46.7	66	36.7
	Female	16	29.1	12	31.6	18	35.3	25	37.3	11	30.6	82	33.2
	Total	30	34.9	25	35.2	35	36.5	40	32.5	18	35.3	148	34.7
6PM-11PM	Male	1	3.2	5	15.2	6	13.3	8	14.3	1	6.7	21	11.7
	Female	5	9.1	5	13.2	8	15.7	7	10.4	4	11.1	29	11.7
	Total	6	7.0	10	14.1	14	14.6	15	12.2	5	9.8	50	11.7

Direction of falls with the most severe injury (only for persons with falls)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Forward	Male	22	71.0	20	60.6	23	51.1	31	55.4	8	53.3	104	57.8
	Female	29	52.7	18	47.4	31	60.8	42	62.7	19	52.8	139	56.3
	Total	51	59.3	38	53.5	54	56.3	73	59.3	27	52.9	243	56.9
Sideward	Male	7	22.6	4	12.1	8	17.8	12	21.4	4	26.7	35	19.4
	Female	9	16.4	12	31.6	10	19.6	15	22.4	5	13.9	51	20.6
	Total	16	18.6	16	22.5	18	18.8	27	22.0	9	17.6	86	20.1
Backward	Male	2	6.5	6	18.2	9	20.0	6	10.7	2	13.3	25	13.9
	Female	10	18.2	6	15.8	7	13.7	3	4.5	5	13.9	31	12.6
	Total	12	14.0	12	16.9	16	16.7	9	7.3	7	13.7	56	13.1
Other	Male	0	0.0	3	9.1	5	11.1	7	12.5	1	6.7	16	8.9
	Female	7	12.7	2	5.3	3	5.9	7	10.4	7	19.4	26	10.5
	Total	7	8.1	5	7.0	8	8.3	14	11.4	8	15.7	42	9.8

Location of falls with the most severe injury (only for persons with falls)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Entrance room	Male	0	0.0	3	9.1	2	4.4	2	3.6	0	0.0	7	3.9
	Female	0	0.0	0	0.0	3	5.9	4	6.0	1	2.8	8	3.2
	Total	0	0.0	3	4.2	5	5.2	6	4.9	1	2.0	15	3.5
Living room	Male	0	0.0	1	3.0	0	0.0	4	7.1	0	0.0	5	2.8
	Female	2	3.6	3	7.9	8	15.7	8	11.9	7	19.4	28	11.3
	Total	2	2.3	4	5.6	8	8.3	12	9.8	7	13.7	33	7.7
Toilet	Male	0	0.0	0	0.0	0	0.0	1	1.8	0	0.0	1	0.6
	Female	0	0.0	0	0.0	1	2.0	1	1.5	1	2.8	3	1.2
	Total	0	0.0	0	0.0	1	1.0	2	1.6	1	2.0	4	0.9
Bathroom	Male	0	0.0	0	0.0	0	0.0	1	1.8	1	6.7	2	1.1
	Female	0	0.0	0	0.0	1	2.0	0	0.0	0	0.0	1	0.4
	Total	0	0.0	0	0.0	1	1.0	1	0.8	1	2.0	3	0.7
Kitchen	Male	0	0.0	0	0.0	0	0.0	1	1.8	1	6.7	2	1.1
	Female	0	0.0	1	2.6	1	2.0	0	0.0	0	0.0	2	0.8
	Total	0	0.0	1	1.4	1	1.0	1	0.8	1	2.0	4	0.9
Corridor	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	1.8	0	0.0	2	3.9	1	1.5	0	0.0	4	1.6
	Total	1	1.2	0	0.0	2	2.1	1	0.8	0	0.0	4	0.9

Stair	Male	1	3.2	4	12.1	5	11.1	2	3.6	0	0.0	12	6.7
	Female	7	12.7	2	5.3	1	2.0	2	3.0	1	2.8	13	5.3
	Total	8	9.3	6	8.5	6	6.3	4	3.3	1	2.0	25	5.9
Other (indoor)	Male	1	3.2	4	12.1	4	8.9	2	3.6	1	6.7	12	6.7
	Female	3	5.5	1	2.6	0	0.0	8	11.9	1	2.8	13	5.3
	Total	4	4.7	5	7.0	4	4.2	10	8.1	2	3.9	25	5.9
Garden	Male	0	0.0	0	0.0	2	4.4	6	10.7	5	33.3	13	7.2
	Female	4	7.3	4	10.5	5	9.8	8	11.9	6	16.7	27	10.9
	Total	4	4.7	4	5.6	7	7.3	14	11.4	11	21.6	40	9.4
Flat road	Male	3	9.7	3	9.1	6	13.3	6	10.7	4	26.7	22	12.2
	Female	6	10.9	8	21.1	10	19.6	15	22.4	4	11.1	43	17.4
	Total	9	10.5	11	15.5	16	16.7	21	17.1	8	15.7	65	15.2
Sloped road	Male	2	6.5	2	6.1	0	0.0	5	8.9	0	0.0	9	5.0
	Female	2	3.6	3	7.9	1	2.0	2	3.0	4	11.1	12	4.9
	Total	4	4.7	5	7.0	1	1.0	7	5.7	4	7.8	21	4.9
Farm	Male	1	3.2	2	6.1	4	8.9	5	8.9	1	6.7	13	7.2
	Female	0	0.0	0	0.0	1	2.0	5	7.5	2	5.6	8	3.2
	Total	1	1.2	2	2.8	5	5.2	10	8.1	3	5.9	21	4.9
Outdoor stairs	Male	4	12.9	3	9.1	7	15.6	7	12.5	1	6.7	22	12.2
	Female	6	10.9	2	5.3	7	13.7	5	7.5	2	5.6	22	8.9
	Total	10	11.6	5	7.0	14	14.6	12	9.8	3	5.9	44	10.3
In vehicle	Male	0	0.0	1	3.0	1	2.2	2	3.6	0	0.0	4	2.2
	Female	0	0.0	0	0.0	2	3.9	1	1.5	2	5.6	5	2.0
	Total	0	0.0	1	1.4	3	3.1	3	2.4	2	3.9	9	2.1
Other (outdoor)	Male	19	61.3	10	30.3	14	31.1	12	21.4	1	6.7	56	31.1
	Female	24	43.6	14	36.8	8	15.7	7	10.4	5	13.9	58	23.5
	Total	43	50.0	24	33.8	22	22.9	19	15.4	6	11.8	114	26.7

Footgear when falling with the most severe injury (only for persons with falls)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Shoes	Male	25	80.6	24	72.7	33	73.3	38	67.9	9	60.0	129	71.7
	Female	31	56.4	24	63.2	27	52.9	39	58.2	19	52.8	140	56.7
	Total	56	65.1	48	67.6	60	62.5	77	62.6	28	54.9	269	63.0
Wooden clogs	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	1	2.6	1	2.0	0	0.0	0	0.0	2	0.8
	Total	0	0.0	1	1.4	1	1.0	0	0.0	0	0.0	2	0.5
Sandals	Male	1	3.2	1	3.0	1	2.2	6	10.7	2	13.3	11	6.1
	Female	13	23.6	6	15.8	9	17.6	12	17.9	7	19.4	47	19.0
	Total	14	16.3	7	9.9	10	10.4	18	14.6	9	17.6	58	13.6
Slippers	Male	1	3.2	4	12.1	4	8.9	3	5.4	2	13.3	14	7.8
	Female	5	9.1	2	5.3	4	7.8	3	4.5	2	5.6	16	6.5
	Total	6	7.0	6	8.5	8	8.3	6	4.9	4	7.8	30	7.0
Socks	Male	0	0.0	1	3.0	0	0.0	2	3.6	0	0.0	3	1.7
	Female	3	5.5	1	2.6	6	11.8	7	10.4	3	8.3	20	8.1
	Total	3	3.5	2	2.8	6	6.3	9	7.3	3	5.9	23	5.4
Bare foot	Male	0	0.0	1	3.0	1	2.2	7	12.5	1	6.7	10	5.6
	Female	1	1.8	2	5.3	4	7.8	6	9.0	4	11.1	17	6.9
	Total	1	1.2	3	4.2	5	5.2	13	10.6	5	9.8	27	6.3
Other	Male	4	12.9	2	6.1	6	13.3	0	0.0	1	6.7	13	7.2
	Female	2	3.6	2	5.3	0	0.0	0	0.0	1	2.8	5	2.0
	Total	6	7.0	4	5.6	6	6.3	0	0.0	2	3.9	18	4.2

Activities when falling with falls with the most severe injury (only for persons with falls)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Walking	Male	8	25.8	14	42.4	18	40.0	24	42.9	6	40.0	70	38.9
	Female	20	36.4	16	42.1	22	43.1	27	40.3	14	38.9	99	40.1
	Total	28	32.6	30	42.3	40	41.7	51	41.5	20	39.2	169	39.6
Running	Male	3	9.7	1	3.0	1	2.2	0	0.0	0	0.0	5	2.8
	Female	7	12.7	5	13.2	1	2.0	3	4.5	0	0.0	16	6.5
	Total	10	11.6	6	8.5	2	2.1	3	2.4	0	0.0	21	4.9
Going up the stairs	Male	5	16.1	4	12.1	5	11.1	4	7.1	0	0.0	18	10.0
	Female	2	3.6	1	2.6	3	5.9	2	3.0	0	0.0	8	3.2
	Total	7	8.1	5	7.0	8	8.3	6	4.9	0	0.0	26	6.1
Going down the stairs	Male	0	0.0	3	9.1	7	15.6	6	10.7	1	6.7	17	9.4
	Female	7	12.7	2	5.3	6	11.8	5	7.5	4	11.1	24	9.7
	Total	7	8.1	5	7.0	13	13.5	11	8.9	5	9.8	41	9.6
Standing	Male	0	0.0	0	0.0	1	2.2	0	0.0	0	0.0	1	0.6
	Female	1	1.8	1	2.6	1	2.0	0	0.0	1	2.8	4	1.6
	Total	1	1.2	1	1.4	2	2.1	0	0.0	1	2.0	5	1.2
Standing up	Male	1	3.2	0	0.0	0	0.0	2	3.6	2	13.3	5	2.8
	Female	1	1.8	0	0.0	5	9.8	3	4.5	6	16.7	15	6.1
	Total	2	2.3	0	0.0	5	5.2	5	4.1	8	15.7	20	4.7
Sitting down	Male	0	0.0	1	3.0	1	2.2	1	1.8	0	0.0	3	1.7
	Female	0	0.0	0	0.0	1	2.0	1	1.5	3	8.3	5	2.0
	Total	0	0.0	1	1.4	2	2.1	2	1.6	3	5.9	8	1.9
Exercising	Male	11	35.5	5	15.2	3	6.7	2	3.6	0	0.0	21	11.7
	Female	6	10.9	1	2.6	2	3.9	2	3.0	0	0.0	11	4.5
	Total	17	19.8	6	8.5	5	5.2	4	3.3	0	0.0	32	7.5
Cycling	Male	0	0.0	0	0.0	1	2.2	2	3.6	2	13.3	5	2.8
	Female	2	3.6	2	5.3	1	2.0	7	10.4	4	11.1	16	6.5
	Total	2	2.3	2	2.8	2	2.1	9	7.3	6	11.8	21	4.9
Other	Male	3	9.7	5	15.2	8	17.8	15	26.8	4	26.7	35	19.4
	Female	9	16.4	10	26.3	9	17.6	17	25.4	4	11.1	49	19.8
	Total	12	14.0	15	21.1	17	17.7	32	26.0	8	15.7	84	19.7

The most important cause of falls with the most severe injury (only for persons with falls)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Stumbled	Male	13	41.9	12	36.4	19	42.2	22	39.3	5	33.3	71	39.4
	Female	13	23.6	17	44.7	24	47.1	24	35.8	12	33.3	90	36.4
	Total	26	30.2	29	40.8	43	44.8	46	37.4	17	33.3	161	37.7
Slipped	Male	7	22.6	7	21.2	10	22.2	9	16.1	1	6.7	34	18.9
	Female	19	34.5	4	10.5	10	19.6	11	16.4	6	16.7	50	20.2
	Total	26	30.2	11	15.5	20	20.8	20	16.3	7	13.7	84	19.7
Faintness	Male	0	0.0	0	0.0	1	2.2	2	3.6	1	6.7	4	2.2
	Female	0	0.0	0	0.0	1	2.0	4	6.0	5	13.9	10	4.0
	Total	0	0.0	0	0.0	2	2.1	6	4.9	6	11.8	14	3.3
Dizzy feeling	Male	0	0.0	1	3.0	0	0.0	4	7.1	2	13.3	7	3.9
	Female	5	9.1	0	0.0	3	5.9	3	4.5	6	16.7	17	6.9
	Total	5	5.8	1	1.4	3	3.1	7	5.7	8	15.7	24	5.6
Struck against	Male	0	0.0	1	3.0	1	2.2	0	0.0	0	0.0	2	1.1

other person or obstacles	Female	4	7.3	1	2.6	0	0.0	4	6.0	1	2.8	10	4.0
	Total	4	4.7	2	2.8	1	1.0	4	3.3	1	2.0	12	2.8
Difference in level	Male	3	9.7	3	9.1	7	15.6	7	12.5	0	0.0	20	11.1
	Female	8	14.5	8	21.1	5	9.8	11	16.4	1	2.8	33	13.4
	Total	11	12.8	11	15.5	12	12.5	18	14.6	1	2.0	53	12.4
Misstep	Male	1	3.2	3	9.1	3	6.7	3	5.4	3	20.0	13	7.2
	Female	3	5.5	3	7.9	2	3.9	3	4.5	2	5.6	13	5.3
	Total	4	4.7	6	8.5	5	5.2	6	4.9	5	9.8	26	6.1
Other	Male	7	22.6	6	18.2	4	8.9	9	16.1	3	20.0	29	16.1
	Female	3	5.5	5	13.2	6	11.8	7	10.4	3	8.3	24	9.7
	Total	10	11.6	11	15.5	10	10.4	16	13.0	6	11.8	53	12.4

Injury due to falls with the most severe injury (only for persons with falls: multiple choice)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No injury	Male	16	51.6	19	57.6	25	55.6	26	46.4	8	53.3	94	52.2
	Female	22	40.0	6	15.8	18	35.3	27	40.3	14	38.9	87	35.2
	Total	38	44.2	25	35.2	43	44.8	53	43.1	22	43.1	181	42.4
Bruise	Male	9	29.0	13	39.4	14	31.1	20	35.7	7	46.7	63	35.0
	Female	28	50.9	27	71.1	23	45.1	31	46.3	14	38.9	123	49.8
	Total	37	43.0	40	56.3	37	38.5	51	41.5	21	41.2	186	43.6
Hip joint fracture	Male	0	0.0	0	0.0	0	0.0	1	1.8	0	0.0	1	0.6
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.8	0	0.0	1	0.2
Lumbar bone fracture	Male	0	0.0	0	0.0	1	2.2	1	1.8	0	0.0	2	1.1
	Female	0	0.0	0	0.0	1	2.0	0	0.0	1	2.8	2	0.8
	Total	0	0.0	0	0.0	2	2.1	1	0.8	1	2.0	4	0.9
Hand or arm fracture	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	2	3.9	1	1.5	2	5.6	5	2.0
	Total	0	0.0	0	0.0	2	2.1	1	0.8	2	3.9	5	1.2
Other	Male	6	19.4	4	12.1	6	13.3	8	14.3	1	6.7	25	13.9
	Female	7	12.7	11	28.9	13	25.5	11	16.4	8	22.2	50	20.2
	Total	13	15.1	15	21.1	19	19.8	19	15.4	9	17.6	75	17.6

7. Urination

1) Urinary symptoms

Feeling of residual urine after urination in the past month

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.4	1	1.4	2	0.2
	Female	1	0.3	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Total	1	0.2	0	0.0	0	0.0	1	0.2	1	0.6	3	0.1
Never	Male	216	77.4	201	69.6	174	63.5	177	62.3	43	58.1	811	67.6
	Female	266	90.2	237	85.6	224	79.7	219	78.8	68	77.3	1014	83.2
	Total	482	84.0	438	77.4	398	71.7	396	70.5	111	68.5	1825	75.4
Less than once in 5 times	Male	48	17.2	64	22.1	70	25.5	64	22.5	14	18.9	260	21.7
	Female	25	8.5	36	13.0	46	16.4	45	16.2	13	14.8	165	13.5
	Total	73	12.7	100	17.7	116	20.9	109	19.4	27	16.7	425	17.6
Less than once in 2 times	Male	7	2.5	9	3.1	11	4.0	13	4.6	3	4.1	43	3.6
	Female	3	1.0	1	0.4	1	0.4	0	0.0	1	1.1	6	0.5

	Total	10	1.7	10	1.8	12	2.2	13	2.3	4	2.5	49	2.0
Once in 2 times	Male	0	0.0	7	2.4	6	2.2	13	4.6	5	6.8	31	2.6
	Female	0	0.0	1	0.4	5	1.8	3	1.1	2	2.3	11	0.9
	Total	0	0.0	8	1.4	11	2.0	16	2.8	7	4.3	42	1.7
More than once in 2 times	Male	5	1.8	3	1.0	4	1.5	5	1.8	2	2.7	19	1.6
	Female	0	0.0	0	0.0	4	1.4	2	0.7	2	2.3	8	0.7
	Total	5	0.9	3	0.5	8	1.4	7	1.2	4	2.5	27	1.1
Almost always	Male	3	1.1	5	1.7	9	3.3	11	3.9	6	8.1	34	2.8
	Female	0	0.0	2	0.7	1	0.4	9	3.2	2	2.3	14	1.1
	Total	3	0.5	7	1.2	10	1.8	20	3.6	8	4.9	48	2.0

Re-urination within two hours in the past month

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.4	1	1.4	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	1	0.6	2	0.1
Never	Male	142	50.9	120	41.5	93	33.9	96	33.8	23	31.1	474	39.5
	Female	159	53.9	122	44.0	128	45.6	127	45.7	35	39.8	571	46.8
	Total	301	52.4	242	42.8	221	39.8	223	39.7	58	35.8	1045	43.2
Less than once in 5 times	Male	112	40.1	137	47.4	127	46.4	109	38.4	25	33.8	510	42.5
	Female	111	37.6	120	43.3	118	42.0	101	36.3	34	38.6	484	39.7
	Total	223	38.9	257	45.4	245	44.1	210	37.4	59	36.4	994	41.1
Less than once in 2 times	Male	15	5.4	13	4.5	12	4.4	27	9.5	7	9.5	74	6.2
	Female	15	5.1	24	8.7	8	2.8	18	6.5	6	6.8	71	5.8
	Total	30	5.2	37	6.5	20	3.6	45	8.0	13	8.0	145	6.0
Once in 2 times	Male	5	1.8	10	3.5	11	4.0	15	5.3	7	9.5	48	4.0
	Female	2	0.7	4	1.4	10	3.6	18	6.5	7	8.0	41	3.4
	Total	7	1.2	14	2.5	21	3.8	33	5.9	14	8.6	89	3.7
More than once in 2 times	Male	2	0.7	5	1.7	11	4.0	20	7.0	4	5.4	42	3.5
	Female	3	1.0	2	0.7	8	2.8	9	3.2	2	2.3	24	2.0
	Total	5	0.9	7	1.2	19	3.4	29	5.2	6	3.7	66	2.7
Almost always	Male	3	1.1	4	1.4	20	7.3	16	5.6	7	9.5	50	4.2
	Female	5	1.7	5	1.8	9	3.2	5	1.8	4	4.5	28	2.3
	Total	8	1.4	9	1.6	29	5.2	21	3.7	11	6.8	78	3.2

Break during urination in the past month

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.4	1	1.4	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	1	0.6	2	0.1
Never	Male	246	88.2	206	71.3	169	61.7	171	60.2	41	55.4	833	69.4
	Female	283	95.9	247	89.2	236	84.0	216	77.7	65	73.9	1047	85.9
	Total	529	92.2	453	80.0	405	73.0	387	68.9	106	65.4	1880	77.7
Less than once in 5 times	Male	30	10.8	64	22.1	68	24.8	56	19.7	17	23.0	235	19.6
	Female	10	3.4	20	7.2	33	11.7	40	14.4	12	13.6	115	9.4
	Total	40	7.0	84	14.8	101	18.2	96	17.1	29	17.9	350	14.5
Less than once in 2 times	Male	1	0.4	10	3.5	10	3.6	15	5.3	6	8.1	42	3.5
	Female	1	0.3	6	2.2	2	0.7	4	1.4	0	0.0	13	1.1
	Total	2	0.3	16	2.8	12	2.2	19	3.4	6	3.7	55	2.3

Once in 2 times	Male	0	0.0	4	1.4	10	3.6	7	2.5	4	5.4	25	2.1
	Female	0	0.0	0	0.0	2	0.7	3	1.1	2	2.3	7	0.6
	Total	0	0.0	4	0.7	12	2.2	10	1.8	6	3.7	32	1.3
More than once in 2 times	Male	2	0.7	0	0.0	8	2.9	11	3.9	2	2.7	23	1.9
	Female	1	0.3	2	0.7	3	1.1	7	2.5	3	3.4	16	1.3
	Total	3	0.5	2	0.4	11	2.0	18	3.2	5	3.1	39	1.6
Almost always	Male	0	0.0	5	1.7	9	3.3	23	8.1	3	4.1	40	3.3
	Female	0	0.0	2	0.7	5	1.8	8	2.9	6	6.8	21	1.7
	Total	0	0.0	7	1.2	14	2.5	31	5.5	9	5.6	61	2.5

Difficulty to suppress urination in the past month

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.4	1	1.4	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	1	0.6	2	0.1
Never	Male	250	89.6	220	76.1	146	53.3	143	50.4	29	39.2	788	65.7
	Female	243	82.4	220	79.4	203	72.2	176	63.3	56	63.6	898	73.7
	Total	493	85.9	440	77.7	349	62.9	319	56.8	85	52.5	1686	69.7
Less than once in 5 times	Male	24	8.6	57	19.7	74	27.0	95	33.5	28	37.8	278	23.2
	Female	45	15.3	48	17.3	55	19.6	68	24.5	21	23.9	237	19.4
	Total	69	12.0	105	18.6	129	23.2	163	29.0	49	30.2	515	21.3
Less than once in 2 times	Male	1	0.4	5	1.7	18	6.6	13	4.6	7	9.5	44	3.7
	Female	4	1.4	6	2.2	4	1.4	5	1.8	3	3.4	22	1.8
	Total	5	0.9	11	1.9	22	4.0	18	3.2	10	6.2	66	2.7
Once in 2 times	Male	0	0.0	4	1.4	7	2.6	4	1.4	0	0.0	15	1.3
	Female	1	0.3	0	0.0	9	3.2	6	2.2	1	1.1	17	1.4
	Total	1	0.2	4	0.7	16	2.9	10	1.8	1	0.6	32	1.3
More than once in 2 times	Male	2	0.7	0	0.0	10	3.6	8	2.8	4	5.4	24	2.0
	Female	1	0.3	1	0.4	2	0.7	10	3.6	2	2.3	16	1.3
	Total	3	0.5	1	0.2	12	2.2	18	3.2	6	3.7	40	1.7
Almost always	Male	2	0.7	3	1.0	19	6.9	20	7.0	5	6.8	49	4.1
	Female	1	0.3	2	0.7	8	2.8	13	4.7	5	5.7	29	2.4
	Total	3	0.5	5	0.9	27	4.9	33	5.9	10	6.2	78	3.2

No forcible urination in the past month

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.4	1	1.4	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	1	0.6	2	0.1
Never	Male	210	75.3	169	58.5	112	40.9	103	36.3	24	32.4	618	51.5
	Female	252	85.4	205	74.0	193	68.7	157	56.5	46	52.3	853	70.0
	Total	462	80.5	374	66.1	305	55.0	260	46.3	70	43.2	1471	60.8
Less than once in 5 times	Male	59	21.1	75	26.0	79	28.8	83	29.2	21	28.4	317	26.4
	Female	38	12.9	60	21.7	61	21.7	66	23.7	18	20.5	243	19.9
	Total	97	16.9	135	23.9	140	25.2	149	26.5	39	24.1	560	23.2
Less than once in 2 times	Male	3	1.1	12	4.2	19	6.9	24	8.5	8	10.8	66	5.5
	Female	3	1.0	6	2.2	5	1.8	13	4.7	5	5.7	32	2.6
	Total	6	1.0	18	3.2	24	4.3	37	6.6	13	8.0	98	4.1

Once in 2 times	Male	1	0.4	7	2.4	17	6.2	9	3.2	2	2.7	36	3.0
	Female	1	0.3	2	0.7	5	1.8	8	2.9	2	2.3	18	1.5
	Total	2	0.3	9	1.6	22	4.0	17	3.0	4	2.5	54	2.2
More than once in 2 times	Male	2	0.7	8	2.8	10	3.6	13	4.6	3	4.1	36	3.0
	Female	0	0.0	2	0.7	2	0.7	12	4.3	4	4.5	20	1.6
	Total	2	0.3	10	1.8	12	2.2	25	4.4	7	4.3	56	2.3
Almost always	Male	4	1.4	18	6.2	37	13.5	51	18.0	15	20.3	125	10.4
	Female	1	0.3	2	0.7	15	5.3	22	7.9	13	14.8	53	4.3
	Total	5	0.9	20	3.5	52	9.4	73	13.0	28	17.3	178	7.4

Necessity to bear down on urination in the past month

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.4	1	1.4	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	1	0.6	2	0.1
Never	Male	253	90.7	240	83.0	208	75.9	200	70.4	45	60.8	946	78.8
	Female	288	97.6	261	94.2	258	91.8	236	84.9	73	83.0	1116	91.6
	Total	541	94.3	501	88.5	466	84.0	436	77.6	118	72.8	2062	85.2
Less than once in 5 times	Male	20	7.2	35	12.1	40	14.6	45	15.8	11	14.9	151	12.6
	Female	6	2.0	11	4.0	16	5.7	24	8.6	8	9.1	65	5.3
	Total	26	4.5	46	8.1	56	10.1	69	12.3	19	11.7	216	8.9
Less than once in 2 times	Male	0	0.0	5	1.7	9	3.3	13	4.6	3	4.1	30	2.5
	Female	0	0.0	4	1.4	3	1.1	1	0.4	2	2.3	10	0.8
	Total	0	0.0	9	1.6	12	2.2	14	2.5	5	3.1	40	1.7
Once in 2 times	Male	1	0.4	2	0.7	2	0.7	7	2.5	3	4.1	15	1.3
	Female	0	0.0	0	0.0	0	0.0	4	1.4	3	3.4	7	0.6
	Total	1	0.2	2	0.4	2	0.4	11	2.0	6	3.7	22	0.9
More than once in 2 times	Male	3	1.1	2	0.7	5	1.8	11	3.9	2	2.7	23	1.9
	Female	0	0.0	0	0.0	1	0.4	5	1.8	0	0.0	6	0.5
	Total	3	0.5	2	0.4	6	1.1	16	2.8	2	1.2	29	1.2
Almost always	Male	2	0.7	5	1.7	10	3.6	7	2.5	9	12.2	33	2.8
	Female	1	0.3	1	0.4	3	1.1	8	2.9	2	2.3	15	1.2
	Total	3	0.5	6	1.1	13	2.3	15	2.7	11	6.8	48	2.0

Times of urination in bedtime in the past month

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.4	1	1.4	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	1	0.6	2	0.1
Never	Male	191	68.5	142	49.1	49	17.9	26	9.2	0	0.0	408	34.0
	Female	223	75.6	152	54.9	82	29.2	53	19.1	12	13.6	522	42.8
	Total	414	72.1	294	51.9	131	23.6	79	14.1	12	7.4	930	38.4
Once	Male	83	29.7	123	42.6	147	53.6	122	43.0	21	28.4	496	41.3
	Female	71	24.1	106	38.3	143	50.9	124	44.6	31	35.2	475	39.0
	Total	154	26.8	229	40.5	290	52.3	246	43.8	52	32.1	971	40.1
Twice	Male	1	0.4	23	8.0	57	20.8	94	33.1	25	33.8	200	16.7
	Female	1	0.3	16	5.8	46	16.4	73	26.3	31	35.2	167	13.7
	Total	2	0.3	39	6.9	103	18.6	167	29.7	56	34.6	367	15.2
Three times	Male	4	1.4	0	0.0	16	5.8	31	10.9	20	27.0	71	5.9

	Female	0	0.0	3	1.1	8	2.8	22	7.9	12	13.6	45	3.7
	Total	4	0.7	3	0.5	24	4.3	53	9.4	32	19.8	116	4.8
Four times	Male	0	0.0	1	0.3	4	1.5	8	2.8	6	8.1	19	1.6
	Female	0	0.0	0	0.0	2	0.7	6	2.2	2	2.3	10	0.8
	Total	0	0.0	1	0.2	6	1.1	14	2.5	8	4.9	29	1.2
Five times or more	Male	0	0.0	0	0.0	1	0.4	2	0.7	1	1.4	4	0.3
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	1	0.2	2	0.4	1	0.6	4	0.2

Self-rated current urination

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.4	1	1.4	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	1	0.6	2	0.1
Very satisfied	Male	50	17.9	25	8.7	20	7.3	8	2.8	0	0.0	103	8.6
	Female	72	24.4	36	13.0	24	8.5	16	5.8	2	2.3	150	12.3
	Total	122	21.3	61	10.8	44	7.9	24	4.3	2	1.2	253	10.5
Satisfied	Male	83	29.7	85	29.4	56	20.4	51	18.0	10	13.5	285	23.8
	Female	100	33.9	82	29.6	91	32.4	75	27.0	18	20.5	366	30.0
	Total	183	31.9	167	29.5	147	26.5	126	22.4	28	17.3	651	26.9
Satisfied a little	Male	59	21.1	71	24.6	81	29.6	75	26.4	21	28.4	307	25.6
	Female	49	16.6	74	26.7	75	26.7	88	31.7	36	40.9	322	26.4
	Total	108	18.8	145	25.6	156	28.1	163	29.0	57	35.2	629	26.0
Neither satisfied nor dissatisfied	Male	66	23.7	68	23.5	57	20.8	74	26.1	15	20.3	280	23.3
	Female	56	19.0	60	21.7	51	18.1	45	16.2	20	22.7	232	19.0
	Total	122	21.3	128	22.6	108	19.5	119	21.2	35	21.6	512	21.2
Unsatisfied a little	Male	14	5.0	33	11.4	41	15.0	48	16.9	16	21.6	152	12.7
	Female	15	5.1	19	6.9	21	7.5	33	11.9	8	9.1	96	7.9
	Total	29	5.1	52	9.2	62	11.2	81	14.4	24	14.8	248	10.3
Unsatisfied	Male	5	1.8	6	2.1	16	5.8	22	7.7	10	13.5	59	4.9
	Female	3	1.0	5	1.8	15	5.3	19	6.8	2	2.3	44	3.6
	Total	8	1.4	11	1.9	31	5.6	41	7.3	12	7.4	103	4.3
Very unsatisfied	Male	2	0.7	1	0.3	3	1.1	5	1.8	1	1.4	12	1.0
	Female	0	0.0	1	0.4	4	1.4	2	0.7	2	2.3	9	0.7
	Total	2	0.3	2	0.4	7	1.3	7	1.2	3	1.9	21	0.9

2) Urinary incontinence

History of incontinence

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	0	0.0	1	0.4	1	1.4	2	0.2
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0.2	1	0.6	2	0.1
Yes	Male	10	3.6	21	7.3	38	13.9	60	21.1	26	35.1	155	12.9
	Female	150	50.8	154	55.6	123	43.8	126	45.3	39	44.3	592	48.6
	Total	160	27.9	175	30.9	161	29.0	186	33.1	65	40.1	747	30.9
No	Male	269	96.4	268	92.7	236	86.1	223	78.5	47	63.5	1043	86.9
	Female	145	49.2	123	44.4	158	56.2	152	54.7	49	55.7	627	51.4
	Total	414	72.1	391	69.1	394	71.0	375	66.7	96	59.3	1670	69.0

Current incontinence (only for persons with the history of incontinence)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0.0	0	0.0	1	2.6	0	0.0	0	0.0	1	0.6
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	1	0.6	0	0.0	0	0.0	1	0.1
Yes	Male	5	50.0	16	76.2	21	55.3	38	63.3	22	84.6	102	65.8
	Female	97	64.7	89	57.8	90	73.2	101	80.2	36	92.3	413	69.8
	Total	102	63.8	105	60.0	111	68.9	139	74.7	58	89.2	515	68.9
No	Male	5	50.0	5	23.8	16	42.1	22	36.7	4	15.4	52	33.5
	Female	53	35.3	65	42.2	33	26.8	25	19.8	3	7.7	179	30.2
	Total	58	36.3	70	40.0	49	30.4	47	25.3	7	10.8	231	30.9

Frequency of incontinence (only for persons with current incontinence)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Once a week or less	Male	4	80.0	11	68.8	12	57.1	22	57.9	9	40.9	58	56.9
	Female	81	83.5	78	87.6	70	77.8	77	76.2	22	61.1	328	79.4
	Total	85	83.3	89	84.8	82	73.9	99	71.2	31	53.4	386	75.0
Twice or three times a week	Male	0	0.0	2	12.5	8	38.1	9	23.7	3	13.6	22	21.6
	Female	10	10.3	6	6.7	12	13.3	17	16.8	9	25.0	54	13.1
	Total	10	9.8	8	7.6	20	18.0	26	18.7	12	20.7	76	14.8
Once a day	Male	0	0.0	1	6.3	0	0.0	2	5.3	7	31.8	10	9.8
	Female	3	3.1	2	2.2	3	3.3	4	4.0	4	11.1	16	3.9
	Total	3	2.9	3	2.9	3	2.7	6	4.3	11	19.0	26	5.0
Twice a day or more	Male	1	20.0	2	12.5	0	0.0	2	5.3	3	13.6	8	7.8
	Female	3	3.1	2	2.2	5	5.6	2	2.0	1	2.8	13	3.1
	Total	4	3.9	4	3.8	5	4.5	4	2.9	4	6.9	21	4.1
Always	Male	0	0.0	0	0.0	1	4.8	3	7.9	0	0.0	4	3.9
	Female	0	0.0	1	1.1	0	0.0	1	1.0	0	0.0	2	0.5
	Total	0	0.0	1	1.0	1	0.9	4	2.9	0	0.0	6	1.2

Amount of incontinence (only for persons with current incontinence)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Low	Male	5	100.0	16	100.0	19	90.5	31	81.6	19	86.4	90	88.2
	Female	93	95.9	85	95.5	87	96.7	96	95.0	29	80.6	390	94.4
	Total	98	96.1	101	96.2	106	95.5	127	91.4	48	82.8	480	93.2
Middle	Male	0	0.0	0	0.0	2	9.5	5	13.2	3	13.6	10	9.8
	Female	4	4.1	4	4.5	2	2.2	5	5.0	7	19.4	22	5.3
	Total	4	3.9	4	3.8	4	3.6	10	7.2	10	17.2	32	6.2
High	Male	0	0.0	0	0.0	0	0.0	2	5.3	0	0.0	2	2.0
	Female	0	0.0	0	0.0	1	1.1	0	0.0	0	0.0	1	0.2
	Total	0	0.0	0	0.0	1	0.9	2	1.4	0	0.0	3	0.6

Limitation in daily life due to incontinence (only for persons with current incontinence)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
--	--	---------	--	---------	--	---------	--	---------	--	-------	--	-------	--

		N	%	N	%	N	%	N	%	N	%	N	%
0: Lowest	Male	2	40.0	13	81.3	10	47.6	7	18.4	3	13.6	35	34.3
	Female	46	47.4	46	51.7	38	42.2	39	38.6	10	27.8	179	43.3
	Total	48	47.1	59	56.2	48	43.2	46	33.1	13	22.4	214	41.6
1	Male	2	40.0	2	12.5	5	23.8	10	26.3	2	9.1	21	20.6
	Female	36	37.1	29	32.6	29	32.2	34	33.7	14	38.9	142	34.4
	Total	38	37.3	31	29.5	34	30.6	44	31.7	16	27.6	163	31.7
2	Male	0	0.0	1	6.3	3	14.3	8	21.1	5	22.7	17	16.7
	Female	7	7.2	5	5.6	11	12.2	10	9.9	4	11.1	37	9.0
	Total	7	6.9	6	5.7	14	12.6	18	12.9	9	15.5	54	10.5
3	Male	0	0.0	0	0.0	1	4.8	6	15.8	5	22.7	12	11.8
	Female	2	2.1	3	3.4	7	7.8	11	10.9	2	5.6	25	6.1
	Total	2	2.0	3	2.9	8	7.2	17	12.2	7	12.1	37	7.2
4	Male	0	0.0	0	0.0	1	4.8	2	5.3	3	13.6	6	5.9
	Female	2	2.1	2	2.2	1	1.1	0	0.0	2	5.6	7	1.7
	Total	2	2.0	2	1.9	2	1.8	2	1.4	5	8.6	13	2.5
5	Male	0	0.0	0	0.0	0	0.0	2	5.3	3	13.6	5	4.9
	Female	2	2.1	1	1.1	2	2.2	4	4.0	0	0.0	9	2.2
	Total	2	2.0	1	1.0	2	1.8	6	4.3	3	5.2	14	2.7
6	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	1	1.1	0	0.0	1	1.0	2	5.6	4	1.0
	Total	0	0.0	1	1.0	0	0.0	1	0.7	2	3.4	4	0.8
7	Male	0	0.0	0	0.0	1	4.8	0	0.0	0	0.0	1	1.0
	Female	0	0.0	1	1.1	0	0.0	2	2.0	2	5.6	5	1.2
	Total	0	0.0	1	1.0	1	0.9	2	1.4	2	3.4	6	1.2
8	Male	1	20.0	0	0.0	0	0.0	1	2.6	0	0.0	2	2.0
	Female	1	1.0	0	0.0	2	2.2	0	0.0	0	0.0	3	0.7
	Total	2	2.0	0	0.0	2	1.8	1	0.7	0	0.0	5	1.0
9	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
10: Highest	Male	0	0.0	0	0.0	0	0.0	2	5.3	1	4.5	3	2.9
	Female	1	1.0	1	1.1	0	0.0	0	0.0	0	0.0	2	0.5
	Total	1	1.0	1	1.0	0	0.0	2	1.4	1	1.7	5	1.0

Occasion of incontinence (only for persons with current incontinence: multiple choice)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
When going to toilet	Male	1	20.0	5	31.3	12	57.1	23	60.5	12	54.5	53	52.0
	Female	14	14.4	9	10.1	24	26.7	33	32.7	18	50.0	98	23.7
	Total	15	14.7	14	13.3	36	32.4	56	40.3	30	51.7	151	29.3
On sneezing or coughing	Male	0	0.0	0	0.0	2	9.5	5	13.2	3	13.6	10	9.8
	Female	92	94.8	81	91.0	75	83.3	79	78.2	23	63.9	350	84.7
	Total	92	90.2	81	77.1	77	69.4	84	60.4	26	44.8	360	69.9
During sleeping	Male	0	0.0	0	0.0	0	0.0	1	2.6	1	4.5	2	2.0
	Female	0	0.0	1	1.1	2	2.2	0	0.0	1	2.8	4	1.0
	Total	0	0.0	1	1.0	2	1.8	1	0.7	2	3.4	6	1.2
During physical activity	Male	0	0.0	0	0.0	1	4.8	6	15.8	3	13.6	10	9.8
	Female	25	25.8	17	19.1	17	18.9	10	9.9	3	8.3	72	17.4
	Total	25	24.5	17	16.2	18	16.2	16	11.5	6	10.3	82	15.9
After urination	Male	4	80.0	10	62.5	7	33.3	5	13.2	7	31.8	33	32.4
	Female	2	2.1	4	4.5	1	1.1	0	0.0	1	2.8	8	1.9

	Total	6	5.9	14	13.3	8	7.2	5	3.6	8	13.8	41	8.0
Do not know	Male	0	0.0	0	0.0	0	0.0	5	13.2	5	22.7	10	9.8
	Female	3	3.1	1	1.1	3	3.3	3	3.0	1	2.8	11	2.7
	Total	3	2.9	1	1.0	3	2.7	8	5.8	6	10.3	21	4.1
Always	Male	0	0.0	0	0.0	0	0.0	1	2.6	0	0.0	1	1.0
	Female	0	0.0	0	0.0	1	1.1	0	0.0	0	0.0	1	0.2
	Total	0	0.0	0	0.0	1	0.9	1	0.7	0	0.0	2	0.4
Other	Male	1	20.0	2	12.5	2	9.5	9	23.7	7	31.8	21	20.6
	Female	1	1.0	2	2.2	7	7.8	9	8.9	2	5.6	21	5.1
	Total	2	2.0	4	3.8	9	8.1	18	12.9	9	15.5	42	8.2