Note:

This page doesn't meet web accessibility standards, only for creating PDFs open to the public. Any PDFs made from this page also don't meet web accessibility standards.

# III. Medication

All the prescription and nonprescription drugs used in previous 2 weeks were checked.

\* The drugs were coded by 3-digit therapeutic category numbers according to the Standard Commodity Classification No. of Japan. Note that the fourth and subsequent digits of a code number were NILS-LSA original codes.

### Drugs on nervous system and sensory organ

Agents acting on central nervous system

- 111. General anesthetic
- 112. Hypnotic sedative agent, antianxiety agent
- 113. Antiepileptic agent
- 114. Antipyretic analgesic agent
- 115. Stimulant drug, antihypnotic drug
- 116. Antiparkinson drug
- 117. Antipsychotic drug
- 118. Drugs for common cold
- 119. Other agents acting on central nervous system

### Agents acting on peripheral nervous system

- 121. Local anesthetic
- 122. Muscle relaxant
- 123. Agents acting on autonomic nervous system
- 124. Antispasmodic agent
- 125. Antiperspirants
- 126. Other agents acting on peripheral nervous system

### Agents acting on sensory organ

- 13100. Ophthalmic solution (others)
- 13111. Ophthalmic solution (for cataract)
- 13121. Ophthalmic solution (pilocarpine)
- 13122. Ophthalmic solution (β blocker)
- 13123. Ophthalmic solution (epinephrine)
- 13124. Ophthalmic solution (other solutions for glaucoma)
- 13131. Ophthalmic solution (steroid)
- 13199. Ophthalmic solution (unknown)
- 132. Agents acting on ear, nose and throat use
- 133. Anti-vertigenous drug
- 134. Other agents acting on sensory organ

### Drugs on individual organs

### Agents acting on cardiovascular system

- 21101. Digitalis agent
- 21102. Xanthine agent
- 21103. Other inotropic agents
- 21201. β blocker
- 21202. Agents for membrane-stabilizing activity
- 21203. Other antiarrhythmic agents
- 21301. Thiazide diuretics
- 21302. Loop diuretics
- 21303. Potassium sparing diuretics
- 21304. Carbonate dehydratase inhibitor
- 21305. Other diuretics
- 214. Unknown antihypertensive agent
- 21401. ACE inhibitor
- 21402. Ca antagonist
- 21403. Other antihypertensive agents
- 215. Vascular reinforcing agent
- 216. Vasoconstrictor
- 217. Vasodilator
- 218. Antihyperlipidemic agent
- 219. Other agents acting on cardiovascular system

### Agents acting on respiratory system

- 221. Respiratory stimulator
- 222. Antitussive agent
- 223. Expectorant
- 224. Antitussive agent and expectorant
- 225. Bronchodilator

- 226. Gargle
- 229. Other agents acting on respiratory system

# Agents acting on alimentary system

- 231. Antidiarrheal agent
- 232. Antiulcerative agent
- 233. Stomachic
- 234. Antacid
- 235. Laxative
- 236. Cholagogue
- 237. Combined digestive agent
- 239. Other agents acting on alimentary system

### Hormone drug

- 241. Pituitary hormone drug
- 242. Hormone drug of salivary gland
- 243. Thyroid hormone or parathyroid hormone drug
- 244. Anabolic steroid drug
- 245. Adrenocortical hormone drug
- 246. Androgen drug
- 247. Estrogen or progesterone drug
- 248. Mixed hormone drug
- 249. Other hormone drugs

### Agents acting on urogenital system or anus

- 251. Agents acting on urinary system
- 252. Agents acting on genital system
- 253. Uterine constrictor
- 254. Contraceptive
- 255. Agents for hemorrhoids
- 259. Other agents acting on urogenital system or anus

### Surface-acting agent

- 261. Integumentary microbicide
- 262. Protective agent for wound
- 263. Pyostatics
- 264. Analgesic, antipruritic, astringent, antiphlogistic (medicine for external application)
- 265. Integumentary parasiticide
- 266. Emollient
- 267. Hair tonic
- 268. Bath liquid
- 269. Other surface-acting agents
- 270. Steroid surface-acting agent

### Agents for dental use

- 271. Dental local anesthetic
- 272. Agents for devitalization of the pulp
- 273. Analgesic or sedative for dental use
- 274. Agents for mummification of the pulp
- 275. Agents for pulp capping
- 276. Antibiotics for dental use
- 279. Other agents for dental use
- 290. Other agents for organ system

#### Drugs on metabolism

#### Vitamins

- 31101. Vitamin A preparation
- 31102. Vitamin D preparation
- 312. Vitamin B1 preparation
- 313. Vitamin B complex preparation (exclude B1)
- 314. Vitamin C preparation
- 315. Vitamin E preparation
- 316. Vitamin K preparation
- 317. Mixed vitamin preparation
- 319. Other vitamin preparations

### Restoratives

- 321. Calcium preparation
- 322. Mineral preparation
- 323. Saccharide preparation
- 324. Organic acid preparation
- 325. Protein or amino acid preparation
- 326. Hormone drug made from some internal organ
- 327. Infant preparation
- 329. Other tonic

#### Blood substitute

- 331. Blood substitute
- 332. Styptics
- 333. Anticoagulant
- 339. Other blood substitutes

#### Agents for dialysis

- 341. Agents for hemodialysis
- 342. Agents for peritoneal dialysis
- 349. Other agents for dialysis

### Other agents acting on metabolic system

- 391. Agents for liver disease
- 392. Antidote
- 393. Agents for habitual intoxication
- 394. Agents for gout
- 395. Enzyme preparation
- 39600. Insulin
- 39601. Oral antidiabetics
- 397. Agents acting generally on metabolic system
- 399. Unclassified agent acting on metabolic system
- 39911. Calcitonin (elcatonin)
- 39912. Calcitonin (calcitonin salmon)
- 39921. Bisphosphonate (alendronate sodium hydrate)
- 39922. Bisphosphonate (sodium risedronate hydrate)
- 39923. Bisphosphonate (etidronate disodium)
- 39931. Ipriflavone
- 39941. Selective estrogen receptor modulator

### Cell activation agent

### Cell activation agent

- 411. Chlorophyll agent
- 412. Pigment agent
- 419. Other cell activation agents

### Antitumor agent

- 421. Alkylating agent
- 422. Antimetabolite
- 423. Antibiotics for antitumor agent
- 424. Plant component for antitumor agent
- 429. Other antitumor agents

# Antiallergic drug

- 441. Antihistaminic agent
- 442. Agents for stimulus therapy
- 443. Agents for nonspecific immunogenicity
- 449. Other antiallergic drugs

### Drugs prescribed by a crude drug or a herb medicine

- 510. Crude drug
- 520. Herb medicine
- 590. Other drugs prescribed by a crude drug or herb medicine

### Drugs for pathogenic organism

### Antibiotics

- 611. Antibiotics against gram-positive bacteria
- 612. Antibiotics against gram-negative bacteria
- 613. Antibiotics against gram-positive and negative bacteria
- 614. Antibiotics against gram-positive bacteria and Mycoplasma
- 615. Antibiotics against gram-positive and negative bacteria, Rickettsia, and Chlamydia
- 616. Antibiotics against acid-fastbacterium
- 617. Antibiotics against fungus
- 619. Other antibiotics

#### Agents for chemotherapy

- 621. Sulfa agent
- 622. Antituberculous agent
- 623. Anti-leprosy agent
- 624. Synthetic antibiotics
- 625. Antiviral agent
- 626. Other agents for chemotherapy

# Biological agent

631. Vaccine

- 632. Poison or toxoid
- 633. Antitoxic serum or leptospira serum
- 634. Blood supplements
- 635. Reagents for biological tests
- 636. Mixed biological agent
- 639. Other biological agents

### Drugs against parasitic disease

- 641. Protozoicide
- 642. Parasiticide
- 649. Other drugs against parasitic disease

### Drugs not for treatment

#### Dispensing drug

- 711. Diluents
- 712. Ointment base
- 713. Solution
- 714. Corrective, tinction
- 715. Emulsifier
- 719. Other dispensing drugs

### Drugs for diagnosis

- 721. X-ray contrast medium
- 722. Reagents for functional tests
- 729. Other drugs for diagnosis

# Drugs for public health

- 731. Antiseptic
- 732. Pesticide for prevention of epidemics
- 733. Insect repellent
- 734. Insecticide
- 735. Rodenticide
- 736. Other drugs for public health

# Reagents for extracorporeal diagnosis

- 741. Reagents for general tests
- 742. Reagents for blood tests
- 743. Reagents for biochemical tests
- 744. Reagents for immunologic or serologic tests
- 745. Reagents for microbiological tests
- 746. Reagents for histopathological tests
- 747. Radiopharmaceutical for extracorporeal diagnosis
- 749. Other reagents for extracorporeal diagnosis

### Drugs not for other treatments

- 791. Adhesive bandage
- 799. Other drugs not for treatment

# Narcotics

### Alkaloid agent

- 811. Opiate alkaloid agent
- 812. Coca alkaloid agent
- 819. Other alkaloid agents

# Non-alkaloid narcotics

821. Synthetic narcotic

# Unclassifiable drug

999. Unclassifiable drug

### Prevalence of taking medicine in previous 2 weeks

		40-	 49yr	50-	59yr	60-	 69yr	70-	79yr	80	yr-	To	 tal
		N	%	N	%	N	%	N	%	N	%	N	%
General anesthetic	Male	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0.0	0	0.0	0	0. 0	0	0.0	0	0. 0

Hypnotic sedative agent, antianxiety agent	Male	8	3. 1	6	2. 2	10	3. 6	21	7. 8	6	6. 3	51	4. 3
antranxiety agent	Female	6	2. 3	4	1. 6	21	7. 7	38	15. 3	18	18. 4	87	7. 7
	Total	14	2. 7	10	1. 9	31	5. 7	59	11. 4	24	12. 4	138	6. 0
Antiepileptic agent	Male	0	0.0	0	0.0	2	0. 7	3	1. 1	0	0.0	5	0. 4
	Female	0	0. 0	1	0. 4	0	0. 0	1	0. 4	1	1. 0	3	0. 3
	Total	0	0. 0	1	0. 2	2	0. 4	4	0.8	1	0. 5	8	0. 3
Antipyretic analgesic	Male	24	9. 3	31	11. 3	36	13. 0	51	18. 9	29	30. 2	171	14. 6
agent	Female	61	23. 3	42	16. 9	35	12. 9	56	22. 5	25	25. 5	219	19. 4
	Total	85	16. 4	73	14. 0	71	13. 0	107	20. 6	54	27. 8	390	16. 9
Stimulant drug,	Male	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0	0	0. 0
antihypnotic drug	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0	0	0. 0
Antiparkinson drug	Male	0	0. 0	1	0. 4	1	0. 4	3	1. 1	1	1.0	6	0. 5
	Female	0	0. 0	1	0. 4	0	0. 0	3	1. 2	0	0.0	4	0. 4
	Total	0	0.0	2	0. 4	1	0. 2	6	1. 2	1	0. 5	10	0. 4
Antipsychotic drug	Male	9	3. 5	8	2. 9	10	3. 6	15	5. 6	5	5. 2	47	4. 0
	Female	5	1. 9	9	3. 6	11	4. 1	26	10. 4	9	9. 2	60	5. 3
	Total	14	2. 7	17	3. 3	21	3. 8	41	7. 9	14	7. 2	107	4. 6
Drugs for common cold	Male	18	7. 0	7	2. 6	14	5. 1	10	3. 7	2	2. 1	51	4. 3
	Female	21	8. 0	18	7. 2	15	5. 5	16	6. 4	5	5. 1	75	6. 6
	Total	39	7. 5	25	4. 8	29	5. 3	26	5. 0	7	3. 6	126	5. 5
Other agents acting on central nervous system	Male	0	0. 0	0	0. 0	0	0.0	1	0. 4	1	1.0	2	0. 2
Central Hervous System	Female	0	0. 0	1	0. 4	1	0. 4	0	0. 0	3	3. 1	5	0. 4
	Total	0	0. 0	1	0. 2	1	0. 2	1	0. 2	4	2. 1	7	0. 3
Local anesthetic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Muscle relaxant	Male	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0. 1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	1	0. 2	0	0.0	0	0.0	1	0.0
Agents acting on autonomic nervous system	Male 	0	0.0	1	0. 4	2	0.7	2	0. 7	0	0.0	5	0. 4
datamania na vada ayatani	Female	0	0.0	1	0.4	2	0. 7	1	0.4	0	0.0	4	0. 4
	Total	0	0.0	2	0. 4	4	0.7	3	0.6	0	0.0	9	0. 4
Antispasmodic agent	Male	2	0.8	1	0. 4	4	1.4	3	1. 1	1	1.0	11	0. 9
	Female	0	0.0	4	1.6	1	0.4	3	1. 2	0	0.0	8	0. 7
	Total	2	0. 4	5	1.0	5	0.9	6	1. 2	1	0.5	19	0.8
Antiperspirants	Male 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agents acting on peripheral nervous	Male 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
system	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Ophthalmic solution (others)	Male 	43	16. 7	70	25. 5 	52	18. 8	71	26. 3	29	30. 2	265	22. 6
(- 2 <del>-</del> /	Female	53	20. 2	60	24. 1	70	25. 8	88	35. 3	48	49.0	319	28. 3
	Total 	96	18. 5	130	24. 9	122	22. 3	159	30.6	77	39. 7	584	25. 4
Ophthalmic solution (for cataract)	Male 	0	0.0	1	0.4	10	3.6	32	11. 9	8	8.3	51	4. 3
(. 5) Gatal act,	Female	1	0. 4	6	2. 4	20	7.4	27	10.8	14	14. 3	68	6.0
	Total	1	0. 2	7	1. 3	30	5. 5	59 	11.4	22	11. 3	119	5. 2
Ophthalmic solution	Male	0	0.0	0	0.0	1	0.4	1	0.4	0	0.0	2	0. 2

/ 'I													
(pilocarpine)	Female	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	1	0. 2	1	0. 2	0	0.0	2	0. 1
Ophthalmic solution	Male	3	1. 2	2	0. 7	6	2. 2	7	2. 6	8	8. 3	26	2. 2
(β blocker)	Female	0	0. 0	4	1.6	4	1. 5	7	2. 8	5	5. 1	20	1.8
	Total	3	0. 6	6	1. 1	10	1.8	14	2. 7	13	6. 7	46	2. 0
Ophthalmic solution	Male	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0	0	0.0
(epinephrine)	Female	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0	0	0.0
Ophthalmic solution	Male	2	0.8	3	1. 1	6	2. 2	14	5. 2	7	7. 3	32	2. 7
(other solutions for glaucoma)	Female	4	1.5	2	0.8	5	1. 8	9	3. 6	5	5. 1	25	2. 2
	Total	6	1. 2	5	1. 0	11	2. 0	23	4. 4	12	6. 2	57	2. 5
Ophthalmic solution	Male	3	1. 2	0	0. 0	4	1. 4	17	6. 3	6	6. 3	30	2. 6
(steroid)	Female	5	1. 9	5	2. 0	6	2. 2	16	6. 4	16	16. 3	48	4. 3
	Total	8	1.5	5	1.0	10	1. 8	33	6. 4	22	11.3	78	3. 4
Ophthalmic solution	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
(unknown)	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents acting on ear,	Male	2	0.8	0	0. 0	0	0.0	1	0. 4	1	1.0	4	0. 3
nose and throat use	Female	0	0.0	1	0. 4	1	0. 4	1	0. 4	0	0.0	3	0. 3
	Total	2	0. 4	1	0. 2	1	0. 2	2	0. 4	1	0. 5	7	0. 3
Anti-vertigenous drug	Male	0	0.0	2	0. 7	0	0. 0	0	0. 0	0	0.0	2	0. 2
	Female	4	1.5	1	0. 4	1	0. 4	6	2. 4	1	1.0	13	1. 2
	Total	4	0.8	3	0. 6	1	0. 2	6	1. 2	1	0. 5	15	0. 7
Other agents acting on	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
sensory organ	Female	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Digitalis agent	Male	0	0.0	1	0. 4	2	0. 7	7	2. 6	3	3. 1	13	1. 1
	Female	0	0.0	2	0.8	0	0.0	2	0.8	1	1.0	5	0. 4
	Total	0	0.0	3	0. 6	2	0. 4	9	1. 7	4	2. 1	18	0.8
Xanthine agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.0	1	0. 1
	Female	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0. 5	1	0.0
Other inotropic agents	Male	0	0.0	0	0.0	0	0.0	0	0.0	1	1.0	1	0. 1
	Female	0	0.0	1	0. 4	0	0.0	0	0.0	1	1.0	2	0. 2
	Total	0	0.0	1	0. 2	0	0.0	0	0.0	2	1.0	3	0. 1
eta blocker	Male	3	1. 2	13	4. 7	6	2. 2	28	10. 4	6	6.3	56	4. 8
	Female	1	0. 4	4	1.6	8	3. 0	19	7. 6	5	5. 1	37	3.3
	Total	4	0.8	17	3. 3	14	2. 6	47	9. 1	11	5. 7	93	4. 0
Agents for membrane- stabilizing activity	Male	0	0.0	1	0.4	2	0. 7	3	1. 1	2	2. 1	8	0. 7
Stabilizing activity	Female	0	0.0	0	0.0	0	0.0	1	0.4	3	3. 1	4	0.4
	Total	0	0.0	1	0. 2	2	0. 4	4	0.8	5	2. 6	12	0.5
Other antiarrhythmic agents	Male	0	0.0	0	0. 0	2	0. 7	2	0. 7	1	1.0	5	0. 4
agents	Female	0	0.0	0	0. 0	1	0. 4	1	0. 4	0	0.0	2	0. 2
	Total	0	0. 0	0	0. 0	3	0. 5	3	0. 6	1	0. 5	7	0. 3
Thiazide diuretics	Male	3	1. 2	3	1. 1	6	2. 2	2	0. 7	3	3. 1	17	1. 4
	Female	0	0. 0	0	0. 0	4	1. 5	10	4. 0	9	9. 2	23	2. 0
	Total	3	0. 6	3	0. 6	10	1. 8	12	2. 3	12	6. 2	40	1. 7
Loop diuretics	Male	1	0. 4	1	0. 4	2	0. 7	14	5. 2	5	5. 2	23	2. 0
	Female	0	0.0	2	0.8	1	0. 4	3	1. 2	5	5. 1	11	1.0

	Total 	1 		3	0.6	3	0.5	17	3.3	10	5. 2	34	1.5
Potassium sparing diuretics	Male	0		1	0. 4	1	0.4	5	1.9	3	3. 1	10	0.9
	Female			2	0.8	0 	0.0	1	0.4	3	3.1	6 	0.5
	Total 	0 		3	0.6	1	0. 2	6	1.2	6 	3.1	 	0. 7
Carbonate dehydratase inhibitor	Male 	1 		0	0.0	0	0.0	0	0.0	0	0.0	1	0. 1
	Female	0 		0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total 	1		0	0. 0 	0	0. 0 	0	0. 0 	0	0.0	1 	0.0
Other diuretics	Male 	0		0	0.0	0	0.0	0	0.0	0	0.0	0 	0.0
	Female	0		0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total 	0		0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknouwn antihypertensive agent		0		0	0.0	0	0.0	1	0.4	0	0.0	1	0. 1
	Female	0		0	0.0	0	0. 0 	1	0. 4	0	0.0	1 	0. 1 
	Total 	0		0	0.0	0	0.0	2	0. 4	0	0.0	2	0. 1 
ACE inhibitor	Male 	17 		32	11. 7 	61	22. 1 	65 	24. 1 	32	33. 3 	207	17. 6 
	Female 	4		16 	6. 4	41 	15. 1 	56 	22. 5 	36	36. 7 		13. 6 
	Total 	21		48	9. 2	102	18. 6 	121	23. 3	68	35. 1 	360	15. 6 
Ca antagonist	Male 	9		43	15. 7 	66	23. 9	90	33. 3	40	41.7		21. 1
	Female	5	1. 9	17 	6.8	45 	16. 6 	79	31. 7 	41	41.8	187	16.6
	Total 	14 	2. 7	60	11. 5 	111	20. 3	169	32. 6	81	41.8	435	18. 9
Other antihypertensive agents	Male 	2	0.8	3	1. 1	2	0. 7	6	2. 2	6	6.3	19	1.6
4,000	Female	1	0.4	1	0. 4	3	1.1	2	0.8	2	2.0	9	0.8
	Total 	3	0.6	4	0.8	5	0. 9	8	1. 5	8	4. 1	28	1. 2
Vascular reinforcing agent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
450110	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Vasoconstrictor	Male	0	0.0	1	0. 4	0	0.0	0	0.0	1	1.0	2	0. 2
	Female	0	0.0	0	0.0	1	0.4	1	0.4	0	0.0	2	0. 2
	Total	0	0.0	1	0. 2	1	0. 2	1	0. 2	1	0.5	4	0. 2
Vasodilator	Male	0	0.0	3	1. 1	3	1.1	15	5. 6	14	14. 6	35	3. 0
	Female	0	0.0	0	0.0	3	1.1	15	6.0	10	10. 2	28	2. 5
	Total	0	0.0	3	0. 6	6	1.1	30	5. 8	24	12. 4	63	2. 7
Antihyperlipidemic agent	Male	12	4. 7	26	9. 5	44	15. 9	47	17. 4	22	22. 9	151	12. 9
	Female	8	3. 1	33	13. 3	76	28. 0	78	31. 3	32	32. 7	227	20. 1
	Total	20	3. 9	59	11. 3	120	21. 9	125	24. 1	54	27. 8	378	16. 4
Other agents acting on cardiovascular system	Male	1	0. 4	3	1. 1	5	1.8	12	4. 4	12	12. 5	33	2. 8
Cardiovascurar system	Female	2	0.8	1	0. 4	6	2. 2	17	6.8	8	8. 2	34	3. 0
	Total	3	0. 6	4	0.8	11	2. 0	29	5. 6	20	10.3	67	2. 9
Respiratory stimulator	Male	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0
Antitussive agent	Male	6	2. 3	1	0. 4	1	0. 4	1	0. 4	2	2. 1	11	0. 9
	Female	7	2. 7	2	0. 8	3	1. 1	6	2. 4	0	0.0	18	1. 6
	Total	13	2. 5	3	0. 6	4	0. 7	7	1. 3	2	1.0	29	1. 3
Expectorant	Male	6	2. 3	2	0. 7	4	1.4	7	2. 6	6	6.3	25	2. 1
	Female	5	1. 9	6	2. 4	8	3. 0	9	3. 6	2	2. 0	30	2. 7
	Total	 11	2. 1	8	1. 5	12	2. 2	16	3. 1	8	4. 1	 55	2. 4
Antitussive agent and	 Male	3	1. 2	0	0. 0	1	0. 4	1	0. 4	2	2. 1	7	0. 6
expectorant	Female	4	1.5	3	1. 2	 5	1.8	2	0.8	1	1.0	 15	1. 3
	 Total	7		3	0. 6	6	1. 1	3	0. 6	3	1. 5	22	1. 0
		•		-		-		-		-		_	-

Bronchodilator	Male	1	0. 4	4	1. 5	2	0. 7	8	3. 0	6	6. 3	21	1.8
	Female	5	1.9	3	1. 2	2	0. 7	4	1.6	0	0.0	14	1. 2
	Total	6	1. 2	7	1.3	4	0. 7	12	2. 3	6	3. 1	35	1.5
Gargle	Male 	0	0.0	0	0.0	0	0.0	1	0. 4	0	0.0	1	0. 1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1	0. 2	0	0.0	1	0.0
Other agents acting on respiratory system	Male	0	0.0	0	0.0	0	0.0	2	0. 7	0	0.0	2	0. 2
respiratory system	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	2	0.4	0	0.0	2	0. 1
Antidiarrheal agent	Male	4	1.6	6	2. 2	8	2. 9	8	3. 0	3	3. 1	29	2. 5
	Female	7	2. 7	3	1. 2	6	2. 2	8	3. 2	8	8. 2	32	2. 8
	Total	11	2. 1	9	1. 7	14	2. 6	16	3. 1	11	5. 7	61	2. 6
Antiulcerative agent	Male	17	6.6	29	10. 6	29	10. 5	63	23. 3	22	22. 9	160	13. 6
	Female	15	5. 7	20	8. 0	31	11. 4	65	26. 1	35	35. 7	166	14. 7
	Total	32	6. 2	49	9. 4	60	11.0	128	24. 7	57	29. 4	326	14. 2
Stomachic	Male	1	0. 4	0	0. 0	2	0. 7	6	2. 2	3	3. 1	12	1. 0
	Female	1	0. 4	2	0.8	3	1. 1	4	1.6	4	4. 1	14	1. 2
	Total	2	0. 4	2	0. 4	5	0. 9	10	1. 9	7	3. 6	26	1. 1
Antacid	Male	1	0. 4	0	0. 0	0	0.0	0	0.0	1	1.0	2	0. 2
	Female	0	0. 0	0	0. 0	0	0. 0	2	0.8	1	1.0	3	0. 3
	Total	1	0. 2	0	0. 0	0	0. 0	2	0. 4	2	1.0	5	0. 2
Laxative	Male	4	1. 6	2	0. 7	3	1. 1	22	8. 1	17	17. 7	48	4. 1
	Female	9	3. 4	7	2. 8	11	4. 1	30	12. 0	15	15. 3	72	6. 4
	Total	13	2. 5	9	1. 7	14	2. 6	52	10. 0	32	16. 5	120	5. 2
Cholagogue	Male	1	0. 4	2	0. 7	6	2. 2	6	2. 2	4	4. 2	19	1. 6
	Female	0	0.0	1	0. 4	0	0.0	1	0. 4	1	1.0	3	0. 3
	Total	1	0. 2	3	0. 6	6	1. 1	7	1. 3	5	2. 6	22	1. 0
Combined digestive agent	Male	7	2. 7	10	3. 6	9	3. 3	6	2. 2	2	2. 1	34	2. 9
	Female	8	3. 1	2	0.8	10	3. 7	5	2. 0	1	1.0	26	2. 3
	Total	15	2. 9	12	2. 3	19	3. 5	11	2. 1	3	1.5	60	2. 6
Other agents acting on alimentary system	Male	3	1. 2	1	0. 4	7	2. 5	12	4. 4	3	3. 1	26	2. 2
arrillericary system	Female	6	2. 3	3	1. 2	5	1.8	4	1.6	6	6. 1	24	2. 1
	Total	9	1. 7	4	0.8	12	2. 2	16	3. 1	9	4. 6	50	2. 2
Pituitary hormone drug	Male	0	0.0	0	0. 0	0	0.0	0	0.0	0	0.0	0	0. 0
	Female	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0. 0
	Total	0	0.0	0	0.0	0	0. 0	0	0.0	0	0.0	0	0.0
Hormone drug of salivary gland	Male	0	0.0	0	0.0	0	0. 0	0	0.0	0	0.0	0	0.0
granu	Female	0	0.0	0	0.0	0	0.0	1	0. 4	0	0.0	1	0. 1
	Total	0	0. 0	0	0.0	0	0.0	1	0. 2	0	0.0	1	0. 0
Thyroid hormone or parathyroid hormone drug	Male	0	0.0	1	0. 4	1	0. 4	1	0. 4	1	1.0	4	0. 3
parachyroru normone urug	Female	4	1. 5	5	2. 0	9	3. 3	4	1.6	3	3. 1	25	2. 2
	Total	4	0.8	6	1. 1	10	1. 8	5	1. 0	4	2. 1	29	1. 3
Anabolic steroid drug	Male	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0. 0
Adrenocortical hormone	Male	2	0.8	5	1.8	3	1. 1	7	2. 6	3	3. 1	20	1. 7
drug	Female	4	1. 5	7	2. 8	15	5. 5	6	2. 4	2	2. 0	34	3. 0
	Total	6	1. 2	12	2. 3	18	3. 3	13	2. 5	5	2. 6	54	2. 3
Androgen drug	Male	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0. 0

	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total 	0	0.0	0	0.0	0	0.0	0 	0.0	0	0.0	0	0.0
Estrogen or progesterone drug	Male 	0	0.0	0	0.0	0	0.0	0 	0.0	0	0.0	0	0.0
	Female	2	0.8	2	0.8	1 	0. 4	1 	0. 4	0	0.0	6 	0. 5
	Total 	2	0. 4	2	0. 4	1 	0. 2	1 	0. 2	0	0.0	6 	0. 3
Mixed hormone drug	Male 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0 	0.0
	Female	1 	0. 4	0	0.0	0	0.0	0	0.0	0	0.0	1 	0. 1 
	Total 	1	0. 2	0	0.0	0	0.0	0	0.0	0	0.0	1 	0.0
Other hormone drugs	Male 	2	0.8	1	0. 4	3 	1. 1	2	0. 7 	0	0.0	8 	0. 7 
	Female	0	0.0	0	0.0	2 	0. 7	0	0.0	0	0.0	2	0. 2
	Total 	2	0. 4	1	0. 2	5	0. 9	2	0. 4	0	0.0	10 	0. 4
Agents acting on urinary system	Male 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	1 	0. 4	0	0.0	1 	0. 1
	Total 	0	0.0	0	0.0	0	0.0	1 	0. 2	0	0.0	1 	0.0
Agents acting on genital system	Male 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
•	Female 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Uterine constrictor	Male 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Contraceptive	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	1	0. 4	0	0. 0	0	0.0	0	0.0	0	0.0	1	0. 1
	Total	1	0. 2	0	0. 0	0	0.0	0	0. 0	0	0.0	1	0. 0
Agents for hemorrhoids	Male	1	0. 4	1	0. 4	0	0.0	1	0. 4	2	2. 1	5	0. 4
	Female	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0. 0
	Total	1	0. 2	1	0. 2	0	0. 0	1	0. 2	2	1.0	5	0. 2
Other agents acting on	Male	0	0.0	3	1. 1	7	2. 5	21	7. 8	8	8.3	39	3. 3
urogenital system or anus	Female	2	0.8	2	0.8	3	1. 1	2	0.8	6	6. 1	15	1. 3
	Total	2	0. 4	5	1.0	10	1. 8	23	4. 4	14	7. 2	54	2. 3
Integumentary	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
microbicide	 Female	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0. 0
Protective agent for	 Male	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0.0
wound	Female	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0.0
Pyostatics	 Male	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0. 0
Analgesic, antipruritic,	 Male	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0. 0
	 Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
for external application)	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Integumentary	 Male	0	0. 0	1	0. 4	0	0. 0	0	0. 0	0	0.0	1	0. 1
parasiticide	 Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	 Total	0	0. 0	1	0. 2	0	0. 0	0	0. 0	0	0.0	 1	0. 0
Emollient	 Male	0	0. 0	0	0. 0	<del>-</del>	0. 0	0	0. 0	0	0.0	 0	0. 0
	 Female	0	0. 0	<del>-</del>	0. 0	<del>-</del>	0. 0	<del>-</del>	0. 0	<del>-</del>	0.0	0	0.0
	Total		0. 0	<del>-</del>	0. 0	<del>-</del>	0.0	<del>-</del>	0. 0	<del>-</del>	0.0	<del>-</del>	0.0
 Hair tonic	 Male		0. 0	<del>-</del>	0. 0	<del>-</del> 0	0.0	<del>-</del> 0	0.0	<del>-</del> 0	0.0	0 0	0. 0 0. 0
Hall Com C	 Female	0	0. 0  0. 0	0 0	0. 0 0. 0	0 0	0.0	<u>0</u> 0	0. 0  0. 0	 0	0.0	 0	0. 0 0. 0
	ı cilia i c	U	U. U	U	U. U	U	0.0	U	U. U	U	U. U	U	0.0

· 	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Bath liquid	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Other surface-acting	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
agents	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Steroid surface-acting	 Male	7	2. 7	6	2. 2	17	6. 2	18	6. 7	8	8. 3	56	4. 8
agent	Female	11	4. 2	12	4. 8	14	5. 2	13	5. 2	9	9. 2	59	5. 2
	Total	18	3. 5	18	3. 4	31	5. 7	31	6. 0	17	8.8	115	5. 0
Dental local anesthetic	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Agents for devitalization	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
of the pulp	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Analgesic or sedative for	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
dental use	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Agents for mummification	 Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0
of the pulp	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Agents for pulp capping	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Antibiotics for dental	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
use	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	 Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Other agents for dental	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
use	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Other agents for organ	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
system	Female	0	0. 0	1	0. 4	2	0. 7	0	0. 0	0	0.0	3	0. 3
	Total	0	0. 0	1	0. 2	2	0. 4	0	0. 0	0	0.0	3	0. 1
Vitamin A preparation	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	1	0. 4	0	0. 0	0	0. 0	0	0. 0	0	0.0	1	0. 1
	Total	1	0. 2	0	0. 0	0	0. 0	0	0. 0	0	0.0	1	0.0
Vitamin D preparation	 Male	0	0. 0	0	0. 0	1	0. 4	4	1. 5	1	1.0	6	0. 5
	Female	1	0. 4	2	0.8	10	3. 7	18	7. 2	10	10. 2	41	3. 6
	Total	1	0. 2	2	0. 4	11	2. 0	22	4. 2	11	5. 7	47	2. 0
Vitamin B1 preparation	Male	0	0. 0	0	0. 0	3	1. 1	2	0. 7	2	2. 1	7	0. 6
•	Female	0	0. 0	0	0. 0	2	0. 7	3	1. 2	3	3. 1	8	0. 7
		0	0. 0	0	0. 0	5	0. 9	5	1. 0	5	2. 6	15	0. 7
	Total	U											
Vitamin B complex	Total  Male	<u>6</u>	2. 3	3	1. 1	8	2. 9	11	4. 1	14	14. 6	42	3. 6
Vitamin B complex preparation (exclude B1)			2. 3	3 4	1. 1	<u>8</u> 9	2. 9	11 17	4. 1 6. 8	14	14. 6 12. 2	42 48	3. 6 4. 3
Vitamin B complex preparation (exclude B1)	Male	6											
Vitamin B complex preparation (exclude B1)  Vitamin C preparation	Male Female	6	2. 3	4	1. 6	9	3. 3	17	6.8	12	12. 2	48	4. 3
preparation (exclude B1)	Male Female Total	6 6 12	2. 3	7	1.6	9	3. 3	17 28	6. 8	12	12. 2	48	4. 3

Vitamin E preparation	Male	1	0. 4	0	0. 0	1	0. 4	2	0. 7	1	1. 0	5	0. 4
	Female	0	0.0	3	1. 2	3	1. 1	0	0. 0	1	1.0	7	0. 6
	Total	1	0. 2	3	0. 6	4	0. 7	2	0. 4	2	1. 0	12	0. 5
Vitamin K preparation	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Female	0	0.0	0	0.0	0	0. 0	3	1. 2	3	3. 1	6	0. 5
	Total	0	0.0	0	0.0	0	0. 0	3	0. 6	3	1. 5	6	0. 3
Mixed vitamin	Male	0	0. 0	1	0. 4	0	0. 0	2	0. 7	5	5. 2	8	0. 7
preparation	Female	2	0. 8	5	2. 0	5	1. 8	6	2. 4	7	7. 1	25	2. 2
	Total	2	0. 4	6	1. 1	5	0. 9	8	1. 5	12	6. 2	33	1. 4
Other vitamin	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
preparations	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Calcium preparation	Male	0	0.0	0	0.0	0	0. 0	1	0. 4	0	0.0	1	0. 1
	Female	1	0. 4	1	0. 4	1	0. 4	3	1. 2	2	2. 0	8	0. 7
	Total	1	0. 2	1	0. 2	1	0. 2	4	0.8	2	1. 0	9	0. 4
Mineral preparation	Male	1	0. 4	1	0. 4	0	0. 0	2	0. 7	0	0.0	4	0. 3
	Female	6	2. 3	2	0.8	1	0. 4	1	0. 4	1	1. 0	11	1. 0
	Total	7	1. 3	3	0. 6	1	0. 2	3	0. 6	1	0. 5	15	0. 7
Saccharide preparation	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Organic acid preparation	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Protein or amino acid	Male	0	0.0	0	0. 0	0	0. 0	1	0. 4	0	0. 0	1	0. 1
preparation	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0. 0	1	0. 2	0	0.0	1	0. 0
Hormone drug made from	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
some internal organ	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Infant preparation	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Other tonic	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Blood substitute	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0.0	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Styptics	Male	1	0. 4	0	0. 0	1	0. 4	2	0. 7	1	1. 0	5	0. 4
	Female	6	2. 3	3	1. 2	1	0. 4	4	1. 6	1	1. 0	15	1. 3
	Total	7	1. 3	3	0. 6	2	0. 4	6	1. 2	2	1. 0	20	0. 9
Anticoagulant	Male	0	0.0	1	0. 4	2	0. 7	11	4. 1	4	4. 2	18	1. 5
	Female	0	0.0	0	0. 0	2	0. 7	1	0. 4	1	1. 0	4	0. 4
	1 Cilia I C					4	0. 7	12	2. 3	5	0.0	22	1. 0
	Total	0	0.0	1	0. 2	4	0. 1	12	2. 0	5	2. 6	22	1.0
Other blood substitutes		3	0. 0 1. 2	1 3	0. 2  1. 1	<del>-</del> 8	2. 9	26	9. 6	 18	2. 6  18. 8	 58	4. 9
Other blood substitutes	Total												
Other blood substitutes	Total Male	3	1. 2	3	1. 1	8	2. 9	26	9. 6	18	18. 8	58 	4. 9

	Female	0	0. 0	0	0. 0		0. 0	0	0. 0	0	0. 0	0	0. 0
Aronto for poritoreal	Total	0	0.0	0 	0.0	0	0.0	0 	0.0	0 	0.0	0 	0.0
Agents for peritoneal dialysis	Male	0	0.0	0	0.0	0	0.0	0 	0.0	0	0.0	0 	0.0
	Female	0	0.0	0	0.0	0	0.0	0 	0.0	0	0.0	0 	0.0
Oth	Total	0	0.0	0	0.0	0	0.0	0 	0.0	0	0.0	0	0.0
Other agents for dialysis		0	0.0	0	0.0	0	0.0	0 	0.0	0	0.0	0 	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
A	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0 	0.0
Agents for liver disease	Male	0	0.0	0	0.0	3	1.1	4 	1.5	1 	1.0	8 	0.7
	Female	1 	0.4	0	0.0	0	0.0	0	0.0	2	2.0	3	0.3
	Total	1	0. 2	0	0.0	3	0. 5	4 	0.8	3	1.5	11 	0.5
Antidote	Male	0	0.0	0	0.0	0	0.0	1 	0.4	0	0.0	1	0.1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	1 	0. 2	0	0.0	1 	0.0
Agents for habitual intoxication	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for gout	Male 	10	3. 9	10	3. 6 	21 	7. 6 	27 	10. 0 	13 	13. 5 	81 	6. 9 
	Female	0	0.0	0	0. 0 	0 	0.0	4 	1. 6 	3 	3. 1 	7 	0. 6 
	Total 	10	1. 9 	10	1. 9 	21 	3. 8 	31	6. 0 	16 	8. 2 		3. 8 
Enzyme preparation	Male	0	0.0	1	0. 4 	3	1. 1 	0	0.0	1	1. 0 	5 	0. 4 
	Female	1	0. 4	1	0. 4	2	0. 7	1	0. 4	0	0.0	5 	0. 4
	Total 	1	0. 2	2	0. 4	5 	0. 9	1	0. 2	1	0. 5 	10	0.4
Insulin	Male	1	0.4	0	0.0	3	1.1	7	2. 6	0	0.0	11	0. 9
	Female	0	0.0	0	0.0	5 	1.8	4	1. 6	1	1.0	10	0. 9
	Total	1	0. 2	0	0.0	8 	1. 5	11	2. 1	1	0.5	21	0. 9
Oral antidiabetics	Male	2	0.8	16	5. 8	20	7. 2	23	8. 5	9	9.4		6. 0
	Female	3	1. 1	5	2. 0	18	6. 6	16	6. 4	4	4. 1	46	4. 1
	Total 	5	1.0	21	4. 0	38	6. 9	39	7. 5	13	6. 7	116	5. 0
Agents acting generally on metabolic system	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
on metaborro bystom	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unclassified agent acting on metabolic system	Male	1	0.4	0	0.0	3	1. 1	3	1. 1	2	2. 1	9	0.8
on metaborro system	Female	4	1.5	3	1. 2	8	3. 0	4	1.6	2	2. 0	21	1.9
	Total	5	1.0	3	0.6	11	2. 0	7	1. 3	4	2. 1	30	1.3
Calcitonin (elcatonin)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	1	1.0	1	0. 1
	Total	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	1	0. 0
Calcitonin (calcitonin salmon)	Male	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0	0	0. 0
Sa HiloH)	Female	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0	0	0. 0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Bisphosphonate	Male	0	0. 0	0	0. 0	1	0. 4	0	0.0	1	1. 0	2	0. 2
(alendronate sodium hydrate)	Female	2	0.8	1	0. 4	12	4. 4	12	4. 8	6	6. 1	33	2. 9
	Total	2	0. 4	1	0. 2	13	2. 4	12	2. 3	7	3. 6	35	1. 5
Bisphosphonate (sodium	Male	0	0. 0	1	0. 4	0	0.0	0	0. 0	0	0.0	1	0. 1
risedronate hydrate)	Female	0	0. 0	0	0. 0	4	1. 5	9	3. 6	4	4. 1	17	1. 5
	Total	0	0. 0	1	0. 2	4	0. 7	9	1. 7	4	2. 1	18	0.8
Bisphosphonate	Male	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0. 0
(etidronate disodium)	Female	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0. 0

	Total 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Ipriflavone	Male 	0	0.0	0 	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female 	0	0.0	0 	0.0	0	0.0	0 	0.0	0	0.0	0	0.0
	Total 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Selective estrogen receptor modulator	Male 	0	0.0	0 	0.0	0	0.0	0	0.0	0	0.0	0	0.0
•	Female 	0	0.0	1 	0. 4	3	1. 1	5 	2. 0	1	1.0	10	0. 9
	Total 	0	0.0	1	0. 2	3	0. 5	5 	1.0	1	0. 5 	10	0. 4
Chlorophyll agent	Male 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female 	0	0.0	0	0.0	0	0. 0	0	0.0	0	0.0	0	0.0
	Total 	0	0.0	0	0.0	0	0. 0	0	0.0	0	0.0	0	0. 0
Pigment agent	Male 	0	0.0	0	0.0	0	0. 0	0	0.0	0	0.0	0	0. 0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other cell activation agents	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
agonto	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0. 0
Alkylating agent	Male	0	0.0	0	0. 0	0	0.0	0	0.0	0	0.0	0	0. 0
	Female	0	0. 0	0	0.0	0	0.0	0	0. 0	0	0.0	0	0. 0
	Total	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0. 0
Antimetabolite	Male	0	0.0	0	0. 0	0	0.0	1	0. 4	0	0.0	1	0. 1
	 Female	0	0.0	1	0. 4	0	0. 0	0	0. 0	0	0.0	1	0. 1
	Total	0	0.0	1	0. 2	0	0. 0	1	0. 2	0	0.0	2	0. 1
Antibiotics for antitumor	 Male	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0	0	0. 0
agent	 Female	0	0.0	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	 Total	0	0.0	0	0.0	0	0. 0	0	0.0	0	0.0	0	0. 0
Plant component for	 Male	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0. 0
antitumor agent	 Female	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0. 0
	 Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Other antitumor agents	 Male	0	0. 0	0	0. 0	0	0. 0	2	0. 7	0	0.0	2	0. 2
	 Female	0	0. 0	 1	0. 4	1	0. 4	4	1. 6	0	0.0	6	0. 5
	 Total	0	0. 0	 1	0. 2	1	0. 2	6	1. 2	0	0.0	8	0. 3
Antihistaminic agent	 Male	10	3. 9	6	2. 2	8	2. 9	4	1. 5	2	2. 1	30	2. 6
	 Female	 15	5. 7	14	5. 6	 8	3. 0	2	0.8	1	1.0	40	3. 5
	 Total	 25	4. 8	20	3. 8	16	2. 9	6	1. 2	3	1. 5	70	3. 0
Agents for stimulus	 Male	0	0.0	0	0. 0	0	0. 0	1	0. 4	0	0.0	1	0. 1
therapy	 Female	0	0. 0	1	0. 4	2	0. 7	1	0. 4	0	0.0	4	0. 4
	 Total	0	0. 0	 1	0. 2	2	0. 4	2	0. 4	0	0.0	5	0. 2
Agents for nonspecific	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
immunogenicity	 Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	 Total	 0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Other antiallergic drugs	 Male	10	3. 9	12	4. 4	14	 5. 1	 21	 7. 8	12	12. 5	 69	5. 9
		23	 8. 8	 20	8. 0	 19	7. 0	 14	 5. 6	 7	7. 1	 83	7. 4
	 Total	33	6. 4	 32	 6. 1	33	6. 0	 35	6. 7	<u>-</u> 19	9.8	 152	6. 6
 Crude drug	 Male		0. 0	 0	0. 0		0. 0	 0	0. 0	 0	0.0	0	0.0
	 Female	<u>°</u>	0.0	0	0.0	 0	0. 0	<del>-</del>	0. 4	 0	0.0	<u>-</u> 1	0. 0 0. 1
	 Total	0 0	0. 0 0. 0	0 0	0.0	0 0	0.0	<u>'</u> 1	0. 4	 0	0. 0 0. 0	<u>'</u> 1	0. 0
 Herb medicine	 Male	 25	 9. 7	 19	6. 9	 29	 10. 5	<del>-</del>	 11. 1	 11	 11. 5		9. 7
HOLD HEALCHIE													
	Female 	26 	9.9	29 	11.6	40 	14. 8	38 	15. 3	18 	18.4		13. 4
	Total	51	9.8	48	9. 2	69	12. 6	68	13. 1	29	14. 9	265	11.5

Other drugs prescribed by a crude drug or a	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
herb medicine	Female	0	0.0	0 	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics (G(+))	Male	0	0.0	0 	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0 	0.0	0	0.0	0	0.0	0	0.0	0 	0.0
	Total 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antibiotics (G(-))	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0 	0.0	0	0.0	0	0.0	0	0.0
Antibiotics $(G(+), G(-))$	Male	3	1. 2	3	1.1	5 	1.8	2	0. 7	0	0.0	13 	1.1
	Female	5 	1.9	3 	1. 2	5 	1.8	4 	1.6	3	3.1	20 	1.8
Antibiotics (C()	Total 	8	1.5	6 1	1. 1 	10 	1.8	6 <u>-</u>	1. 2	3	1.5	33 	1.4
Antibiotics (G(+), Mycoplasma)	Male	1 	0.4	1 	0.4	1 	0.4	4 	1.5	1	1.0	8 	0.7
	Female	4 	1.5	5 	2. 0	6 	2. 2	6 	2. 4	1 	1.0	22 	1.9
Antibiotics (C(1) C(1)	Total	5 	1.0	6 	1.1	7 	1.3	10 	1. 9	2	1.0	30 	1.3
Antibiotics $(G(+), G(-), Rickettsia, Chlamydia)$	Male 	0 0	0.0	0 	0.0	0 	0.0	0 	0.0	0	0.0	0 0	0.0
	Female Total	0 0	0. 0 0. 0	0 0	0.0 	0 	0. 0  0. 0	0 0	0.0	0 0	0. 0  0. 0	0 0	0. 0 0. 0
Autibiotics assist said		0 0			0.0	0 			0.0				
Antibiotics against acid- fastbacterium	- maie  - Female	0 0	0. 0 0. 0	0 0 0	0. 0  0. 0	0 0	0. 0  0. 0	0 0	0. 0 0 0. 0	0 0	0. 0 	0 0	0.0
	 Total	0 0	0. 0  0. 0	0 0		0 0	0. 0 0. 0	0 0	0. 0  0. 0	0 0	0. 0 	0 0	0. 0 0. 0
Antibiotics against	тосат 	0 0	0. 0  0. 0	0 0	0.0	 0	0. 0 0. 0	<del>-</del> 0		 1		 1	0. 0 0. 1
Antibiotics against fungus	 Female	0 0	0. 0  0. 0	0 0	0. 0  0. 0	<del>-</del>	0. 0 0. 0	<del>-</del> 0	0. 0  0. 0	<u>'</u> 0	1. 0  0. 0	<u>-</u>	0. 1
	 Total	0 0	0. 0 0. 0	<del>-</del>	0. 0 	<del>-</del>	0. 0 0. 0	<del>-</del>	0. 0 0. 0	 1	0. 0  0. 5	<u>-</u>	0.0
Other antibiotics		0 0	0.0	<del>-</del>	0. 0 	<del>-</del>	0. 0	<del>-</del>	0.0	<del>'</del>	0. 0	<del>'</del>	0.0
other antibiotics	Female	0 0	0.0	<del>-</del>	0. 0 0. 0	<del>-</del>	0. 0	<del>-</del>	0.0	 0	0.0	0 0	0.0
	Total	0	0.0	<del>-</del> 0	0.0	<del>-</del> 0	0. 0	<del>-</del> 0	0. 0	<del>.</del>	0.0	<del>-</del> 0	0.0
 Sulfa agent		0	0. 0 0. 0	<del>-</del> 0	0. 0 	 1	0. 0 0. 4	<del>-</del>	0. 0 0. 7	 0	0.0	3	0. 0
ourra agont	Female	<u>-</u> 1	0. 4	<del>-</del>	0. 0 0. 0	<del>'</del>	0. 0	<del>-</del>	0. 0	<del>-</del>	0.0	 1	0. 3 0. 1
	Total	<u>'</u> 1	0. 4	<del>-</del>	0. 0 0. 0	 1	0. 0	<u>-</u> 2	0. d 0. 4	<del>-</del>	0.0	<u>'</u> 4	0. 1
Antituberculous agent		<u>'</u> 0	0. 2	<del>-</del> 0	0.0	<del>'</del>	0. 2	<del>-</del>	0. 0	<del>_</del> 0	0.0	<del>-</del>	0. 0
Antituberourous agent	Female	0	0. 0	<del>-</del>	0. 0 0. 0	<del>-</del>	0. 0 0. 0	<del>-</del> 0	0.0	<del>-</del>	0.0	<del>-</del> 0	0.0
	Total	0	0. 0	<del>-</del>	0.0	<del>-</del>	0. 0	<del>-</del>	0. 0	 0	0.0	0 0	0.0
Anti-leprosy agent		0	0. 0	<del>-</del> 0	0.0	<del>-</del>	0.0	<del>-</del>	0. 0	<del>-</del>	0.0	0 0	0.0
Airer roprody agone	Female	0	0. 0	<del>-</del>	0.0	<del>-</del>	0. 0	<del>-</del>	0. 0	 0	0.0	0 0	0.0
	Total	0	0. 0	<del>-</del>	0. 0	<del>-</del>	0. 0	<del>-</del>	0. 0	 0	0.0	0 0	0.0
Synthetic antibiotics		2	0.8	<del>-</del>	0. 0	<del>-</del>	0. 4	<del>-</del>	0. 0	 0	0.0	3	0. 3
difference of an end of the	Female	3	1. 1	 1	0. 4	<u>-</u> 1	0. 4	<del>-</del>	1. 2	 0	0.0	 8	0. 7
	Total	5 5	1. 0	<u>'</u> 1	0. 4	<u>-</u> 2	0. 4	<del>-</del>	0.6	<del>0</del>	0.0	 11	0. 5
Antiviral agent		0	0. 0	<u>-</u> 2	0. 7	<del>-</del> 1	0. 4	<del>-</del>	0. 0	 0	0.0	3	0. 3
	Female	<u>-</u> 1	0. 4	<del>-</del> 1	0. 4	<del>-</del>	0. 0	<del>-</del>	0. 0	 0	0.0	2	0. 2
	Total	<u>'</u> 1	0. 2	<del>-</del>	0. 6	<del>-</del>	0. 2	<del>-</del>	0. 0	 0	0.0	<del>-</del> 5	0. 2
Other agents for		<u>·</u> 0	0. 0	<del>-</del>	1. 1	<u>-</u> 1	0. 4	<del>-</del>	0. 4	<del>-</del>	2. 1	 7	0.6
chemotherapy	Female	0	0. 0	<del>-</del>	0. 0	<del>-</del> 1	0. 4	<u>·</u> 1	0. 4	 0	0.0	<del>-</del> 2	0. 2
	Total	0	0. 0	<del>-</del>	0.6	<u>-</u> 2	0. 4	<del>'</del> 2	0. 4	<del>-</del>	1.0	<del>-</del> 9	0. 4
Vaccine		0	0. 0	<del>-</del>	0. 0	<del>-</del>	0. 0	<del>-</del> 1	0. 4	<del>-</del>	0.0	 1	0. 1
	Female	0	0. 0	<del>-</del>	0. 0	<del>-</del>	0. 0	<del>-</del>	0. 0	 0	0.0	<del>-</del>	0.0
	Total	0	0. 0	<del>-</del>	0. 0	<del>-</del>	0. 0	1	0. 2	 0	0.0	 1	0.0
Poison or toxoid	Male	0	0. 0	<del>-</del>	0. 0	<del>-</del>	0. 0	<del>-</del>	0. 0	 0	0.0	<del>-</del> 0	0.0
		v	J. U	~	J. U	•	0.0	•	J. 0	-	٥. ٥	•	5. 5

	Female	1	0. 4	0	0.0	0	0.0	0	0.0	0	0.0	1	0. 1
	Total 	1	0. 2	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0
Antitoxic serum or leptospira serum	Male	1	0. 4	0	0.0	0	0.0	0	0.0	0	0.0	1	0. 1
Topeoopii a ooraiii	Female	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	1	0. 1
	Total	2	0. 4	0	0.0	0	0.0	0	0.0	0	0.0	2	0. 1
Blood supplements	Male	0	0. 0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0. 0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Reagents for biological	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
tests	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0. 0
Mixed biological agent	Male	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0. 0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Other biological agents	 Male	0	0. 0	0	0. 0	1	0. 4	0	0.0	0	0.0	1	0. 1
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	1	0. 2	0	0. 0	0	0. 0	1	0. 0
Protozoicide	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
 Parasiticide	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Other drugs against	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
parasitic disease		0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	<del>-</del>	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Diluents	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0. 0	<del>-</del>	0. 0	0	0. 0	0	0. 0	0	0. 0	<del>-</del>	0. 0
	Total	0	0. 0	<del>-</del>	0. 0	<del>_</del>	0. 0	0	0. 0	<del>.</del>	0. 0	<del>-</del>	0. 0
Ointment base	 Male	<u>0</u>	0. 0	<del>-</del>	0. 0	<del>.</del>	0. 0	<del>_</del>	0. 0	<del>.</del>	0.0	<del>-</del>	0. 0
officiality bass	Female	<del>-</del> 0	0. 0	<del>-</del>	0. 0	<del>.</del>	0. 0	<del>.</del>	0.0	<del>_</del> _0	0.0	<del>-</del>	0.0
	Total	<u>°</u>	0.0	<del>-</del>	0.0	<del>.</del>	0.0	<del>_</del>	0.0	<del>_</del> _0	0.0	<del>-</del>	0. 0 0. 0
 Solution	 Male	<u>0</u>	0.0	<del>-</del> 0	0.0	<del>_</del> _0	0.0	0	0.0	<del>0</del>	0.0	<del>-</del> 0	0.0
SOTULION	Female	0 0	0. 0 0. 0	<del>-</del>	0. 0 0. 0	<del>0</del> 0	0. 0 0. 0	<del>0</del>	0.0	 0	0. 0 0. 0	<del>-</del>	0. 0 0. 0
	Total	0 0	0. 0 0. 0	<del>-</del>		<del>0</del> 0		<del>0</del>		<del>0</del>		<del>-</del> 0	0.0
		0 0			0.0		0.0		0.0		0.0		
Corrective, tinction	Male		0.0	0 	0.0	<u>0</u>	0.0	0	0.0	0	0.0	0 	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Emulsifier	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other dispensing drugs	Male 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
X-ray contrast medium	Male 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total 	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for functional tests	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
10010	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0

	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other drugs for diagnosis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antiseptic	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pesticide for prevention of epidemics	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Insect repellent	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Insecticide	Male	0	0.0	0	0.0	0	0. 0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0. 0	0	0.0	0	0.0	0	0.0
Rodenticide	Male	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Other drugs for public	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
health	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Reagents for general tests	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
Reagents for blood tests	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Reagents for biochemical tests	Male	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for immunologic or serologic tests	Male	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0	0	0. 0
	Female	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0	0	0.0
Reagents for microbiological tests	Male	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Reagents for histopathological tests	Male	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Total	0	0. 0	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Radiopharmaceutical for extracorporeal diagnosis	Male	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Other reagents for extracorporeal diagnosis	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Adhesive bandage	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	<del>-</del>	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
		-		-		-		-		-		-	3

Other drugs not for treatment	Male	0	0. 0	0	0. 0	0	0. 0	1	0. 4	0	0.0	1	0. 1
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Total	0	0.0	0	0.0	0	0. 0	1	0. 2	0	0.0	1	0. 0
Opiate alkaloid agent	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Female	0	0.0	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Total	0	0.0	0	0.0	0	0. 0	0	0. 0	0	0.0	0	0. 0
Coca alkaloid agent	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Total	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0.0	0	0. 0
Other alkaloid agents	Male	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0.0	0	0. 0
	Female	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0.0	0	0. 0
	Total	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0.0	0	0. 0
Synthetic narcotic	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	1	1.0	1	0. 1
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0	0	0. 0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	1	0. 5	1	0. 0
Unclassifiable drug	Male	0	0.0	0	0. 0	0	0. 0	1	0. 4	0	0.0	1	0. 1
	Female	0	0. 0	0	0.0	0	0. 0	0	0.0	0	0.0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	1	0. 2	0	0.0	1	0. 0
No use of drug	Male	120	46. 7	96	35. 0	73	26. 4	46	17. 0	9	9. 4	344	29. 3
	Female	96	36. 6	82	32. 9	59	21.8	33	13. 3	7	7. 1	277	24. 5
	Total	216	41.6	178	34. 0	132	24. 1	79	15. 2	16	8. 2	621	27. 0
Total	Male	257	100.0	274	100.0	276	100. 0	270	100.0	96	100.0	1173	100. 0
	Female	262	100.0	249	100.0	271	100. 0	249	100.0	98	100.0	1129	100. 0
	Total	519	100. 0	523	100. 0	547	100. 0	519	100.0	194	100.0	2302	100. 0