III. Medication

All the prescription and nonprescription drugs used in previous 2 weeks were checked.

* The drugs were coded by 3-digit therapeutic category numbers according to the Standard Commodity Classification No. of Japan. Note that the fourth and subsequent digits of a code number were NILS-LSA original codes.

Drugs on nervous system and sensory organ

Agents acting on central nervous system

- 111. General anesthetic
- 112. Hypnotic sedative agent, antianxiety agent
- 113. Antiepileptic agent
- 114. Antipyretic analgesic agent
- 115. Stimulant drug, antihypnotic drug
- 116. Antiparkinson drug
- 117. Antipsychotic drug
- 118. Drugs for common cold
- 119. Other agents acting on central nervous system

Agents acting on peripheral nervous system

- 121. Local anesthetic
- 122. Muscle relaxant
- 123. Agents acting on autonomic nervous system
- 124. Antispasmodic agent
- 125. Antiperspirants
- 126. Other agents acting on peripheral nervous system

Agents acting on sensory organ

- 13100. Ophthalmic solution (others)
- 13111. Ophthalmic solution (for cataract)
- 13121. Ophthalmic solution (pilocarpine)
- 13122. Ophthalmic solution (β blocker)
- 13123. Ophthalmic solution (epinephrine)
- 13124. Ophthalmic solution (other solutions for glaucoma)
- 13131. Ophthalmic solution (steroid)
- 13199. Ophthalmic solution (unknown)
- 132. Agents acting on ear, nose and throat use
- 133. Anti-vertigenous drug
- 134. Other agents acting on sensory organ

Drugs on individual organs

Agents acting on cardiovascular system

- 21101. Digitalis agent
- 21102. Xanthine agent
- 21103. Other inotropic agents
- 21201. β blocker
- 21202. Agents for membrane-stabilizing activity
- 21203. Other antiarrhythmic agents
- 21301. Thiazide diuretics
- 21302. Loop diuretics
- 21303. Potassium sparing diuretics
- 21304. Carbonate dehydratase inhibitor
- 21305. Other diuretics
- 214. Unknown antihypertensive agent
- 21401. ACE inhibitor
- 21402. Ca antagonist
- 21403. Other antihypertensive agents
- 215. Vascular reinforcing agent
- 216. Vasoconstrictor
- 217. Vasodilator
- 218. Antihyperlipidemic agent
- 219. Other agents acting on cardiovascular system

Agents acting on respiratory system

- 221. Respiratory stimulator
- 222. Antitussive agent
- 223. Expectorant
- 224. Antitussive agent and expectorant
- 225. Bronchodilator
- 226. Gargle
- 229. Other agents acting on respiratory system

Agents acting on alimentary system

- 231. Antidiarrheal agent
- 232. Antiulcerative agent
- 233. Stomachic
- 234. Antacid
- 235. Laxative
- 236. Cholagogue
- 237. Combined digestive agent
- 239. Other agents acting on alimentary system

Hormone drug

- 241. Pituitary hormone drug
- 242. Hormone drug of salivary gland
- 243. Thyroid hormone or parathyroid hormone drug
- 244. Anabolic steroid drug
- 245. Adrenocortical hormone drug
- 246. Androgen drug
- 247. Estrogen or progesterone drug
- 248. Mixed hormone drug
- 249. Other hormone drugs

Agents acting on urogenital system or anus

- 251. Agents acting on urinary system
- 252. Agents acting on genital system
- 253. Uterine constrictor
- 254. Contraceptive
- 255. Agents for hemorrhoids
- 259. Other agents acting on urogenital system or anus

Surface-acting agent

- 261. Integumentary microbicide
- 262. Protective agent for wound
- 263. Pyostatics
- 264. Analgesic, antipruritic, astringent, antiphlogistic (medicine for external application)
- 265. Integumentary parasiticide
- 266. Emollient
- 267. Hair tonic
- 268. Bath liquid
- 269. Other surface-acting agents

Agents for dental use

- 271. Dental local anesthetic
- 272. Agents for devitalization of the pulp
- 273. Analgesic or sedative for dental use
- 274. Agents for mummification of the pulp
- 275. Agents for pulp capping
- 276. Antibiotics for dental use
- 279. Other agents for dental use
- 290. Other agents for organ system

Drugs on metabolism

Vitamins

- 311. Vitamin A or D preparation
- 312. Vitamin B1 preparation
- 313. Vitamin B complex preparation (exclude B1)
- 314. Vitamin C preparation

- 315. Vitamin E preparation
- 316. Vitamin K preparation
- 317. Mixed vitamin preparation
- 319. Other vitamin preparations

Restoratives

- 321. Calcium preparation
- 322. Mineral preparation
- 323. Saccharide preparation
- 324. Organic acid preparation
- 325. Protein or amino acid preparation
- 326. Hormone drug made from some internal organ
- 327. Infant preparation
- 329. Other tonic

Blood substitute

- 331. Blood substitute
- 332. Styptics
- 333. Anticoagulant
- 339. Other blood substitutes

Agents for dialysis

- 341. Agents for hemodialysis
- 342. Agents for peritoneal dialysis
- 349. Other agents for dialysis

Other agents acting on metabolic system

- 391. Agents for liver disease
- 392. Antidote
- 393. Agents for habitual intoxication
- 394. Agents for gout
- 395. Enzyme preparation
- 396. Antidiabetics
- 397. Agents acting generally on metabolic system
- 399. Unclassified agent acting on metabolic system

Cell activation agent

Cell activation agent

- 411. Chlorophyll agent
- 412. Pigment agent
- 419. Other cell activation agents

Antitumor agent

- 421. Alkylating agent
- 422. Antimetabolite
- 423. Antibiotics for antitumor agent
- 424. Plant component for antitumor agent
- 429. Other antitumor agents

Antiallergic drug

- 441. Antihistaminic agent
- 442. Agents for stimulus therapy
- 443. Agents for nonspecific immunogenicity
- 449. Other antiallergic drugs

Drugs prescribed by a crude drug or a herb medicine

- 510. Crude drug
- 520. Herb medicine
- 590. Other drugs prescribed by a crude drug or herb medicine

Drugs for pathogenic organism

Antibiotics

- 611. Antibiotics against gram-positive bacteria
- 612. Antibiotics against gram-negative bacteria
- 613. Antibiotics against gram-positive and negative bacteria
- 614. Antibiotics against gram-positive bacteria and Mycoplasma

- 615. Antibiotics against gram-positive and negative bacteria, Rickettsia, and Chlamydia
- 616. Antibiotics against acid-fastbacterium
- 617. Antibiotics against fungus
- 619. Other antibiotics

Agents for chemotherapy

- 621. Sulfa agent
- 622. Antituberculous agent
- 623. Anti-leprosy agent
- 624. Synthetic antibiotics
- 625. Antiviral agent
- 626. Other agents for chemotherapy

Biological agent

- 631. Vaccine
- 632. Poison or toxoid
- 633. Antitoxic serum or leptospira serum
- 634. Blood supplements
- 635. Reagents for biological tests
- 636. Mixed biological agent
- 639. Other biological agents

Drugs against parasitic disease

- 641. Protozoicide
- 642. Parasiticide
- 649. Other drugs against parasitic disease

Drugs not for treatment

Dispensing drug

- 711. Diluents
- 712. Ointment base
- 713. Solution
- 714. Corrective, tinction
- 715. Emulsifier
- 719. Other dispensing drugs

Drugs for diagnosis

- 721. X-ray contrast medium
- 722. Reagents for functional tests
- 729. Other drugs for diagnosis

Drugs for public health

- 731. Antiseptic
- 732. Pesticide for prevention of epidemics
- 733. Insect repellent
- 734. Insecticide
- 735. Rodenticide
- 736. Other drugs for public health

Reagents for extracorporeal diagnosis

- 741. Reagents for general tests
- 742. Reagents for blood tests
- 743. Reagents for biochemical tests
- 744. Reagents for immunologic or serologic tests
- 745. Reagents for microbiological tests
- 746. Reagents for histopathological tests
- 747. Radiopharmaceutical for extracorporeal diagnosis
- 749. Other reagents for extracorporeal diagnosis

Drugs not for other treatments

- 791. Adhesive bandage
- 799. Other drugs not for treatment

Narcotics

Alkaloid agent

811. Opiate alkaloid agent

812. Coca alkaloid agent 819. Other alkaloid agents

Non-alkaloid narcotics 821. Synthetic narcotic

Unclassifiable drug 999. Unclassifiable drug

Prevalence of taking medicine in previous 2 weeks

		40-	49yr	50-	59yr	60-	69yr	70-	79yr	To	tal
		N	%	N	%	N	%	N	%	N	%
General anesthetic	Male	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0
Hyptonic sedative agent,	Male	2	0. 7	11	3. 9	10	3. 5	34	12. 0	57	5. C
antianxiety agent	Female	7	2. 5	16	5. 8	31	10. 9	52	18. 4	106	9. 4
	Total	9	1. 6	27	4. 8	41	7. 2	86	15. 2	163	7. 2
Antiepileptic agent	Male	0	0. 0	0	0. 0	5	1. 8	2	0. 7	7	0.6
	Female	2	0. 7	1	0. 4	1	0. 4	2	0. 7	6	0. 5
	Total	2	0. 3	1	0. 2	6	1. 1	4	0. 7	13	0.6
Antipyretic analgesic	Male	24	8. 3	15	5. 3	27	9. 5	43	15. 2	109	9. 6
agent	Female	37	13. 1	41	14. 8	38	13. 3	55	19. 5	171	15. 2
	Total	61	10. 7	56	10. 0	65	11. 4	98	17. 3	280	12. 4
Stimulant drug,	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. (
antihypnotic drug	Female	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0. (
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. (
Antiparkinson drug	Male	0	0. 0	1	0. 4	1	0. 4	3	1. 1	5	0.4
	Female	0	0. 0	0	0. 0	0	0. 0	1	0. 4	1	0.
	Total	0	0. 0	1	0. 2	1	0. 2	4	0. 7	6	0. 3
Antipsychotic drug	Male	6	2. 1	8	2. 8	9	3. 2	13	4. 6	36	3. 2
	Female	0	0.0	5	1. 8	6	2. 1	16	5. 7	27	2. 4
	Total	6	1.0	13	2. 3	15	2. 6	29	5. 1	63	2. 8
Drugs for common cold	Male	23	7. 9	17	6. 0	14	4. 9	7	2. 5	61	5. 4
	Female	16	5. 7	20	7. 2	18	6. 3	14	5. 0	68	6. (
	Total	39	6.8	37	6. 6	32	5. 6	21	3. 7	129	5.
Other agents acting on	Male	0	0.0	0	0.0	4	1. 4	5	1. 8	9	0.8
central nervous system	Female	1	0. 4	0	0. 0	3	1. 1	3	1. 1	7	0. (
	Total	1	0. 2	0	0. 0	7	1. 2	8	1. 4	16	0.
Local anesthetic	Male	0	0.0	0	0. 0	1	0. 4	1	0. 4	2	0. 2
	Female	0	0.0	0	0. 0	0	0.0	1	0. 4	1	0.
	Total	0	0.0	0	0.0	1	0. 2	2	0. 4	3	0.
Muscle relaxant	Male	0	0.0	0	0. 0	0	0.0	3	1. 1	3	0. 3
	Female	0	0.0	0	0. 0	1	0. 4	1	0. 4	2	0. 2

	Total	0	0.0	0	0. 0	1	0. 2	4	0. 7	5	0. 2
Agents acting on	Male	1	0. 3	1	0. 4	0	0. 0	2	0. 7	4	0.4
autonomic nervous system	Female	1	0. 4	3	1. 1	4	1. 4	4	1. 4	12	1. 1
	Total	2	0. 3	4	0. 7	4	0. 7	6	1. 1	16	0. 7
Antispasmodic agent	Male	2	0. 7	5	1. 8	3	1. 1	10	3. 5	20	1.8
	Female	2	0. 7	2	0. 7	8	2. 8	5	1. 8	17	1. 5
	Total	4	0. 7	7	1. 3	11	1. 9	15	2. 7	37	1. 6
Antiperspirants	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0.0	0	0.0	0	0.0
Other agents acting on peripheral nervous	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
system	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0.0	0	0.0	0	0.0
Ophthalmic solution (others)	Male	19	6.6	31	11. 0	22	7. 8	45	15. 9	117	10.3
(Others)	Female	26	9. 2	30	10. 8	42	14. 7	64	22. 7	162	14. 4
	Total	45	7.9	61	10. 9	64	11. 3	109	19. 3	279	12. 3
Ophthalmic solution (for cataract)	Male	0	0.0	4	1.4	8	2. 8	26	9. 2	38	3.3
(TOT GALATAGE)	Female	1	0. 4	2	0. 7	15	5. 3	54	19. 1	72	6.4
	Total	1	0. 2	6	1. 1	23	4. 0	80	14. 2	110	4. 9
Ophthalmic solution (pilocarpine)	Male	0	0.0	0	0.0	0	0.0	1	0. 4	1	0. 1
(priodal priio)	Female	0	0.0	0	0.0	0	0.0	3	1. 1	3	0.3
	Total	0	0.0	0	0.0	0	0.0	4	0. 7	4	0. 2
Ophthalmic solution (β blocker)	Male	1	0. 3	1	0. 4	3	1. 1	6	2. 1	11	1.0
(B BIOOKOI)	Female	1	0. 4	2	0. 7	2	0. 7	5	1.8	10	0.9
	Total	2	0. 3	3	0. 5	5 	0. 9	11	1. 9	21	0.9
Ophthalmic solution (epinephrine)	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
(opinopin into)	Female	0	0.0	0	0.0	0	0.0	1	0. 4	1	0.1
	Total	0	0.0	0	0.0	0	0.0	1	0. 2	1	0.0
Ophthalmic solution (other solutions for	Male	0	0.0	1	0. 4	0	0.0	2	0. 7	3	0.3
glaucoma)	Female	0	0.0	1	0. 4	0	0.0	1	0. 4	2	0. 2
	Total	0	0.0	2	0. 4	0	0.0	3	0. 5	5	0. 2
Ophthalmic solution (steroid)	Male	1	0.3	1	0. 4	1	0.4	10	3. 5	13	1.1
(6201614)	Female	2	0. 7	3	1. 1	10	3. 5	18	6. 4	33	2. 9
	Total 	3	0.5	4	0. 7	11	1. 9	28	5. 0 	46	2.0
Ophthalmic solution (unknown)	Male 	5	1. 7	2	0. 7	2	0. 7	8	2. 8	17	1. 5
(Female	5	1. 8	2	0. 7	1	0.4	6	2. 1	14	1. 2
	Total 	10	1. 7	4	0. 7	3	0. 5	14	2. 5	31	1.4
Agents acting on ear, nose and throat use	Male 	4	1.4	5	1.8	2	0. 7	1	0. 4	12	1.1
c cac 400	Female	3	1. 1	1	0. 4	1	0. 4	1	0. 4	6	0.5
	Total 	7	1. 2	6	1.1	3	0. 5	2	0. 4	18	0.8
Anti-vertigenous drug	Male	1	0. 3	0	0.0	0	0.0	2	0. 7	3	0.3
	Female	2	0. 7	1	0. 4	2	0. 7	5	1.8	10	0.9
	Total	3	0. 5	1	0. 2	2	0. 4	7	1. 2	13	0.6
Other agents acting on	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0

sensory organ	Female		0	0.0	0	0. 0	0	0. 0	1	0. 4	1	0. 1
	Total	(0	0.0	0	0.0	0	0.0	1	0. 2	1	0.0
Digitalis agent	Male		0	0.0	0	0. 0	1	0. 4	8	2. 8	9	0.8
	Female		1	0. 4	1	0. 4	1	0. 4	4	1. 4	7	0. 6
	Total		1	0. 2	1	0. 2	2	0. 4	12	2. 1	16	0. 7
Xanthine agent	Male		0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female		0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total		0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0
Other inotropic agents	Male		0	0. 0	0	0. 0	2	0. 7	4	1. 4	6	0. 5
	Female		0	0.0	1	0. 4	1	0. 4	4	1. 4	6	0. 5
	Total		0	0.0	1	0. 2	3	0. 5	8	1. 4	12	0. 5
β blocker	Male		2	0. 7	8	2. 8	8	2. 8	8	2. 8	26	2. 3
	Female		3	1. 1	5	1. 8	8	2. 8	7	2. 5	23	2. 0
	Total	!	 5	0. 9	13	2. 3	16	2. 8	15	2. 7	49	2. 2
Agents for membrane-	Male		1	0. 3	2	0. 7	7	2. 5	5	1. 8	15	1. 3
stabilizing activity	Female		0	0.0	0	0. 0	2	0. 7	4	1. 4	6	0. 5
	Total		1	0. 2	2	0. 4	9	1. 6	9	1. 6	21	0. 9
Other antiarrhythmic	Male		0	0.0	3	1. 1	0	0.0	3	1. 1	6	0. 5
agents	Female		0	0.0	1	0. 4	1	0. 4	6	2. 1	8	0. 7
	Total	(0	0.0	4	0. 7	1	0. 2	9	1. 6	14	0. 6
Thiazide diuretics	Male	(0	0.0	1	0. 4	0	0.0	3	1. 1	4	0.4
	Female	:	2	0. 7	1	0. 4	1	0. 4	3	1. 1	7	0. 6
	Total		 2	0. 3	2	0. 4	1	0. 2	6	1. 1	11	0. 5
Loop diuretics	Male	(0	0.0	0	0. 0	3	1. 1	5	1. 8	8	0. 7
	Female		1	0. 4	3	1. 1	5	1. 8	4	1. 4	13	1. 2
	Total		1	0. 2	3	0. 5	8	1. 4	9	1. 6	21	0. 9
Potassium sparing	Male	(0	0.0	0	0. 0	2	0. 7	2	0. 7	4	0. 4
diuretics	Female		0	0.0	1	0. 4	4	1. 4	2	0. 7	7	0.6
	Total	(0	0.0	1	0. 2	6	1. 1	4	0. 7	11	0. 5
Carbonate dehydratase	 Male		0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
inhibitor	Female		0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total		0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Other diuretics	Male		0	0. 0	0	0. 0	0	0. 0	2	0. 7	2	0. 2
	Female		0	0. 0	0	0. 0	0	0. 0	3	1. 1	3	0. 3
	Total		0	0. 0	0	0. 0	0	0. 0	5	0. 9	5	0. 2
Unknown antihypertensive	 Male		0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
agent	Female		0	0. 0	0	0. 0	1	0. 4	0	0. 0	 1	0. 1
	Total		0	0.0	0	0. 0	1	0. 2	0	0. 0	1	0. 0
ACE inhibitor	 Male		 8	2. 8	8	2. 8	23	8. 1	22	 7. 8	61	5. 4
	 Female		 3	1. 1	6	2. 2	 18	6. 3	 18	6. 4	 45	4. 0
	Total	1		1. 9	 14	2. 5	41	7. 2	40	 7. 1	106	4. 7
 Ca antagonist	 Male	 1		3. 8	23	8. 2	54	19. 1	83	29. 3	171	15. 0
Č	Female		- 9	3. 2	 17	6. 1	 52	18. 2	 86	30. 5		14. 6

	Total	20	3. 5	40	7. 2	106	18. 7	169	29. 9	335	14. 8
Other antihypertensive agents	Male	2	0. 7	7	2. 5	11	3. 9	19	6. 7	39	3.4
agonto	Female	0	0.0	8	2. 9	5	1.8	14	5. 0	27	2. 4
	Total	2	0.3	15	2. 7	16	2. 8	33	5. 8	66	2. 9
Vascular reinforcing agent	Male	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0
agont	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0
Vasoconstrictor	Male	0	0.0	1	0. 4	0	0.0	0	0. 0	1	0. 1
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	1	0. 2	0	0.0	0	0.0	1	0.0
Vasodilator	Male	2	0. 7	5	1.8	16	5. 7	33	11. 7	56	4. 9
	Female	1	0. 4	2	0. 7	8	2. 8	32	11. 3	43	3. 8
	Total	3	0. 5	7	1. 3	24	4. 2	65	11. 5	99	4. 4
Antihyperlipidemic agent	Male	12	4. 1	11	3. 9	20	7. 1	27	9. 5	70	6. 2
	Female	2	0. 7	15	5. 4	30	10. 5	57	20. 2	104	9. 2
	Total	14	2. 4	26	4. 7	50	8.8	84	14. 9	174	7.7
Other agents acting on cardiovascular system	Male	0	0.0	6	2. 1	8	2. 8	18	6. 4	32	2. 8
Carurovascurar system	Female	2	0. 7	3	1. 1	10	3. 5	18	6. 4	33	2. 9
	Total	2	0.3	9	1.6	18	3. 2	36	6. 4	65	2. 9
Respiratory stimulator	Male	0	0.0	0	0.0	0	0. 0	0	0.0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0.0	0	0.0	0	0. 0	0	0.0	0	0.0
Antitussive agent	Male	4	1.4	1	0. 4	2	0. 7	2	0. 7	9	0.8
	Female	4	1.4	4	1.4	3	1. 1	2	0. 7	13	1.2
	Total	8	1.4	5	0. 9	5	0. 9	4	0. 7	22	1.0
Expectorant	Male	4	1.4	3	1. 1	6	2. 1	4	1. 4	17	1.5
	Female	1	0.4	4	1.4	2	0. 7	6	2. 1	13	1.2
	Total	5	0.9	7	1.3	8	1.4	10	1. 8	30	1.3
Antitussive agent and expectorant	Male	1	0.3	1	0. 4	0	0.0	2	0. 7	4	0.4
expector and	Female	3	1. 1	0	0.0	0	0. 0	2	0. 7	5	0. 4
	Total	4	0. 7	1	0. 2	0	0.0	4	0. 7	9	0. 4
Bronchodilator	Male	8	2. 8	3	1. 1	5	1. 8	7	2. 5	23	2. 0
	Female	3	1. 1	3	1. 1	2	0. 7	2	0. 7	10	0. 9
	Total	11	1. 9	6	1. 1	7	1. 2	9	1. 6	33	1.5
Gargle	Male	2	0. 7	0	0. 0	1	0. 4	1	0. 4	4	0. 4
	Female	0	0. 0	1	0. 4	1	0. 4	1	0. 4	3	0. 3
	Total	2	0. 3	1	0. 2	2	0. 4	2	0. 4	7	0. 3
Other agents acting on respiratory system	Male	1	0. 3	0	0. 0	2	0. 7	0	0. 0	3	0. 3
i copii alui y system	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	1	0. 2	0	0. 0	2	0. 4	0	0. 0	3	0. 1
Antidiarrheal agent	Male	1	0. 3	3	1. 1	4	1. 4	12	4. 2	20	1.8
	Female	2	0. 7	6	2. 2	5	1. 8	17	6. 0	30	2. 7
	Total	3	0. 5	9	1. 6	9	1. 6	29	5. 1	50	2. 2
Antiulcerative agent	Male	14	4. 8	25	8. 9	48	17. 0	62	21. 9	149	13. 1

	Female	18	6. 4	29	10. 5	30	10. 5	57	20. 2	134	11.9
	Total	32	5. 6	54	9. 7	78	13. 7	119	21. 1	283	12. 5
Stomachic	Male	15	5. 2	16	5. 7	25	8. 8	20	7. 1	76	6. 7
	Female	7	2. 5	17	6. 1	7	2. 5	22	7. 8	53	4. 7
	Total	22	3.8	33	5. 9	32	5. 6	42	7. 4	129	5. 7
Antacid	Male	0	0.0	1	0. 4	7	2. 5	5	1.8	13	1.1
	Female	1	0.4	1	0. 4	1	0. 4	7	2. 5	10	0. 9
	Total	1	0. 2	2	0. 4	8	1.4	12	2. 1	23	1.0
Laxative	Male	0	0.0	3	1. 1	3	1. 1	20	7. 1	26	2. 3
	Female	10	3.5	10	3. 6	25	8.8	27	9. 6	72	6. 4
	Total	10	1.7	13	2. 3	28	4. 9	47	8. 3	98	4. 3
Cholagogue	Male	0	0.0	2	0. 7	2	0. 7	2	0. 7	6	0. 5
	Female	0	0.0	1	0. 4	0	0.0	4	1. 4	5	0. 4
	Total	0	0.0	3	0. 5	2	0. 4	6	1. 1	11	0. 5
Combined digestive agent	Male	6	2. 1	2	0. 7	2	0. 7	4	1. 4	14	1. 2
	Female	0	0. 0	2	0. 7	3	1. 1	2	0. 7	7	0. 6
	Total	6	1. 0	4	0. 7	5	0. 9	6	1. 1	21	0. 9
Other agents acting on	Male	10	3. 4	9	3. 2	16	5. 7	18	6. 4	53	4. 7
alimentary system	Female	8	2. 8	13	4. 7	18	6. 3	29	10. 3	68	6. 0
	Total	18	3. 1	22	3. 9	34	6. 0	47	8. 3	121	5. 3
Pituitary hormone drug	Male	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
Hormone drug of salivary	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
gland	Female	0	0.0	0	0. 0	1	0. 4	0	0. 0	1	0. 1
	Total	0	0.0	0	0. 0	1	0. 2	0	0.0	1	0.0
Thyroid hormone or	Male	1	0. 3	1	0. 4	0	0.0	2	0. 7	4	0. 4
parathyroid hormone drug	Female	1	0. 4	2	0. 7	3	1. 1	2	0. 7	8	0. 7
	Total	2	0. 3	3	0. 5	3	0. 5	4	0. 7	12	0. 5
Anabolic steroid drug	Male	0	0. 0	0	0. 0	0	0. 0	1	0. 4	1	0. 1
	Female	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0.0	1	0. 2	1	0.0
Adrenocortical hormone	Male	4	1. 4	2	0. 7	4	1. 4	5	1. 8	15	1. 3
drug	Female	5	1.8	9	3. 2	1	0. 4	3	1. 1	18	1. 6
	Total	9	1.6	11	2. 0	5	0. 9	8	1. 4	33	1. 5
Androgen drug	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Estrogen or progesterone	Male	0	0.0	1	0. 4	3	1. 1	5	1. 8	9	0.8
drug	Female	2	0. 7	6	2. 2	3	1. 1	1	0. 4	12	1. 1
	Total	2	0. 3	7	1. 3	6	1. 1	6	1. 1	21	0. 9
Mixed hormone drug	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
J	Female	6	2. 1	0	0. 0	0	0. 0	 1	0. 4	 7	0.6

	Total	6	1.0	0	0.0	0	0.0	1	0. 2	7	0. 3
Other hormone drug	Male	1	0. 3	3	1. 1	6	2. 1	9	3. 2	19	1. 7
	Female	1	0. 4	1	0. 4	7	2. 5	14	5. 0	23	2. 0
	Total	2	0. 3	4	0. 7	13	2. 3	23	4. 1	42	1. 9
Agents acting on urinary	Male	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
system	Female	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
Agents acting on genital	Male	0	0.0	0	0. 0	0	0.0	1	0. 4	1	0. 1
system	Female	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0.0	1	0. 2	1	0. 0
Uterine constrictor	Male	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0. 0
	Female	0	0.0	0	0.0	0	0.0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0. 0
Contraceptive	Male	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0. 0
	Female	1	0. 4	0	0. 0	0	0.0	0	0. 0	1	0. 1
	Total	1	0. 2	0	0. 0	0	0. 0	0	0. 0	1	0. 0
Agents for hemorrhoids	Male	5	1. 7	2	0. 7	1	0. 4	4	1. 4	12	1. 1
	Female	0	0.0	1	0. 4	0	0. 0	2	0. 7	3	0. 3
	Total	5	0. 9	3	0. 5	1	0. 2	6	1. 1	15	0. 7
Other agents acting on	Male	1	0. 3	0	0. 0	5	1. 8	18	6. 4	24	2. 1
urogenital system or anus	Female	0	0.0	1	0. 4	0	0. 0	5	1. 8	6	0. 5
	Total	1	0. 2	1	0. 2	5	0. 9	23	4. 1	30	1. 3
Integumentary microbicide	Male	1	0. 3	0	0. 0	0	0. 0	0	0. 0	1	0. 1
miler objective	Female	0	0. 0	2	0. 7	1	0. 4	0	0. 0	3	0. 3
	Total	1	0. 2	2	0. 4	1	0. 2	0	0. 0	4	0. 2
Protective agent for wound	Male	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0
would	Female	0	0.0	1	0. 4	1	0. 4	0	0. 0	2	0. 2
	Total	0	0.0	1	0. 2	1	0. 2	0	0. 0	2	0. 1
Pyostatics	Male	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0. 0
	Female	0	0.0	1	0. 4	0	0.0	0	0. 0	1	0. 1
	Total	0	0.0	1	0. 2	0	0.0	0	0. 0	1	0.0
Analgesic, antipruritic, astringent,	Male	13	4. 5	14	5. 0	22	7. 8	31	11. 0	80	7. 0
antiphlogistic (medicine for external application)	Female	12	4. 3	22	7. 9	38	13. 3	37	13. 1	109	9. 7
	Total	25	4. 4	36	6. 4	60	10. 6	68	12. 0	189	8.3
Integumentary parasiticide	Male	4	1.4	5	1. 8	7	2. 5	4	1.4	20	1.8
parastrotuc	Female	2	0. 7	4	1.4	2	0. 7	0	0.0	8	0. 7
	Total	6	1.0	9	1. 6	9	1. 6	4	0. 7	28	1. 2
Emollient	Male	0	0.0	1	0. 4	1	0. 4	2	0. 7	4	0.4
	Female	1	0. 4	1	0. 4	1	0. 4	0	0. 0	3	0.3
				_	0.4	0	0.4	2	0. 4	7	0.3
	Total	1	0. 2	2 	0. 4	2					
Hair tonic	Total Male	1 0	0. 2 0. 0	2 0	0. 4	0	0. 0	0	0. 0	0	0.0
Hair tonic											
Hair tonic	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0

	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Other surface-acting agents	Male	0	0.0	2	0. 7	1	0. 4	2	0. 7	5	0. 4
agents	Female	3	1. 1	2	0. 7	1	0. 4	1	0. 4	7	0. 6
	Total	3	0. 5	4	0. 7	2	0. 4	3	0. 5	12	0. 5
Dental local anesthetic	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
•	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Agents for devitalization	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
of the pulp	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
•	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Analgesic or sedative for	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
dental use	 Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0
	 Male	0	0. 0	0	0.0	0	0. 0	0	0. 0	0	0.0
of the pulp	Female	0	0. 0	0	0.0	0	0.0	0	0. 0	0	0.0
	Total	0	0.0	0	0.0	0	0. 0	0	0. 0	0	0. 0
Agents for pulp capping	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0
•	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
ntibiotics for dental	Male	1	0. 3	1	0. 4	0	0. 0	0	0. 0	2	0. 2
use	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
•	Total	1	0. 2	1	0. 2	0	0. 0	0	0. 0	2	0. 1
Other agent for dental	Male	0	0.0	1	0. 4	0	0. 0	0	0. 0	1	0. 1
use	 Female	0	0. 0	0	0. 0	1	0. 4	0	0. 0	1	0. 1
	 Total	0	0. 0	1	0. 2	1	0. 2	0	0. 0	2	0. 1
Other agent for organ	 Male	1	0. 3	0	0. 0	0	0. 0	0	0. 0	1	0. 1
system	 Female	0	0. 0	0	0. 0	1	0. 4	0	0. 0	1	0. 1
•	 Total	1	0. 2	0	0. 0	1	0. 2	0	0. 0	2	0. 1
 Vitamin A or D	 Male	3	1. 0	0	0. 0	4	1. 4	4	1. 4	11	1. 0
preparation	 Female	2	0. 7	 8	2. 9	 15	5. 3	28	9. 9	 53	4. 7
	 Total	5	0. 9	 8	1. 4	 19	3. 3	32	5. 7	64	2. 8
Vitamin B1 preparation	 Male	2	0. 7	5	1. 8	3	1. 1	6	2. 1	16	1. 4
	 Female	4	1. 4	4	1. 4	5	1. 8	9	3. 2	22	2. 0
	 Total	6	1.0	9	 1. 6	 8	1. 4	 15	2. 7	 38	1. 7
Vitamin B complex	 Male	3	1.0	6	 2. 1	 18	6. 4	31	11. 0	 58	 5. 1
preparation (exclude B1)	 Female	8	2. 8	7	2. 5	 26	9. 1	36	12. 8	 77	6.8
	Total		1. 9	13	2. 3	44	7. 7	67	11. 9	135	6. 0
Vitamin C preparation	 Male	4	1.4	 5	1. 8	 5	1. 8	3	1. 1	17	1. 5
. ,	Female	12	4. 3	 16	5. 8	 11	3. 9	 15	5. 3	 54	4. 8
	 Total	 16	2. 8	 21	3. 8	 16	2. 8	 18	3. 2	 71	3. 1
Vitamin E preparation	Male	1 1	0. 3	 6	 2. 1	- 6	2. 0 2. 1	 10	3. 5	 23	2. 0
	Female	<u>'</u> 11	3.9	 13	 4. 7	 17	6. 0	 17	6. 0	 58	5. 2
					т. <i>1</i>						Z

	Total	12	2. 1	19	3. 4	23	4. 0	27	4. 8	81	3. 6
Vitamin K preparation	Male	0	0.0	0	0. 0	1	0. 4	1	0. 4	2	0. 2
	Female	0	0.0	1	0. 4	0	0. 0	4	1. 4	5	0. 4
	Total	0	0. 0	1	0. 2	1	0. 2	5	0. 9	7	0. 3
Mixed vitamin	Male	8	2. 8	10	3. 5	11	3. 9	11	3. 9	40	3. 5
preparation	Female	11	3. 9	9	3. 2	20	7. 0	22	7. 8	62	5. 5
	Total	19	3. 3	19	3. 4	31	5. 5	33	5. 8	102	4. 5
Other vitamin	Male	7	2. 4	17	6. 0	17	6. 0	15	5. 3	56	4. 9
preparations	Female	12	4. 3	10	3. 6	18	6. 3	13	4. 6	53	4. 7
	Total	19	3. 3	27	4. 8	35	6. 2	28	5. 0	109	4. 8
Calcium preparation	Male	0	0.0	2	0. 7	7	2. 5	2	0. 7	11	1.0
	Female	10	3. 5	16	5. 8	19	6. 7	13	4. 6	58	5. 2
	Total	10	1. 7	18	3. 2	26	4. 6	15	2. 7	69	3. 0
Mineral preparation	Male	0	0.0	0	0. 0	0	0. 0	2	0. 7	2	0. 2
	Female	9	3. 2	5	1.8	4	1. 4	5	1. 8	23	2. 0
	Total	9	1. 6	5	0. 9	4	0. 7	7	1. 2	25	1. 1
Saccaride preparation	Male	0	0.0	1	0. 4	0	0. 0	0	0. 0	1	0. 1
	Female	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0
	Total	0	0.0	1	0. 2	0	0. 0	0	0. 0	1	0.0
Organic acid preparation	Male	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0
	Female	0	0.0	0	0. 0	1	0. 4	0	0. 0	1	0. 1
	Total	0	0.0	0	0.0	1	0. 2	0	0. 0	1	0.0
Protein or amino acid	Male	0	0.0	2	0. 7	0	0. 0	0	0. 0	2	0. 2
preparation	Female	2	0. 7	2	0. 7	3	1. 1	1	0. 4	8	0. 7
	Total	2	0. 3	4	0. 7	3	0. 5	1	0. 2	10	0. 4
Hormone drug made from	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
some internal organ	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Infant preparation	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
Other tonic	Male	12	4. 1	25	8. 9	15	5. 3	12	4. 2	64	5. 6
	Female	23	8. 2	33	11. 9	44	15. 4	27	9. 6	127	11. 3
	Total	35	6. 1	58	10. 4	59	10. 4	39	6. 9	191	8. 4
Blood substitute	Male	0	0.0	0	0. 0	0	0. 0	1	0. 4	1	0. 1
	Female	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	1	0. 2	1	0.0
Styptics	Male	0	0.0	2	0. 7	3	1. 1	3	1. 1	8	0. 7
	Female	3	1. 1	0	0. 0	1	0. 4	4	1. 4	8	0. 7
	Total	3	0. 5	2	0. 4	4	0. 7	7	1. 2	16	0. 7
Anticoagulant	 Male	0	0.0	0	0. 0	1	0. 4	4	1. 4	5	0.4
	Female	0	0. 0	2	0. 7	1	0. 4	2	0. 7	5	0. 4
	Total	0	0. 0	2	0. 4	2	0. 4	6	1. 1	10	0. 4
Other blood substitutes	Male	0	0. 0	2	0. 7	8	2. 8	10	3. 5	20	1.8

	Female	0	0. 0	1	0. 4	8	2. 8	7	2. 5	16	1. 4
	Total	0	0.0	3	0. 5	16	2. 8	17	3. 0	36	1.6
Agents for hemodialysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for peritoneal dialysis	Male	0	0.0	0	0.0	0	0.0	0	0. 0	0	0. 0
uraryoro	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other agents for dialysis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Agents for liver disease	Male	3	1.0	3	1. 1	4	1. 4	6	2. 1	16	1.4
	Female	0	0.0	0	0.0	3	1. 1	3	1. 1	6	0. 5
	Total	3	0. 5	3	0. 5	7	1. 2	9	1. 6	22	1. 0
Antidote	Male	1	0. 3	0	0. 0	1	0. 4	3	1. 1	5	0. 4
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	1	0. 2	0	0. 0	1	0. 2	3	0. 5	5	0. 2
Agents for habitual intoxication	Male	0	0. 0	1	0. 4	0	0. 0	0	0. 0	1	0. 1
IIILOXIGALIOII	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	1	0. 2	0	0. 0	0	0. 0	1	0. 0
Agents for gout	Male	8	2. 8	12	4. 3	17	6. 0	16	5. 7	53	4. 7
	Female	0	0. 0	0	0. 0	4	1. 4	3	1. 1	7	0. 6
	Total	8	1.4	12	2. 1	21	3. 7	19	3. 4	60	2. 7
Enzyme preparation	Male	3	1. 0	3	1. 1	0	0. 0	2	0. 7	8	0. 7
	Female	4	1. 4	3	1. 1	4	1. 4	1	0. 4	12	1. 1
	Total	7	1. 2	6	1. 1	4	0. 7	3	0. 5	20	0. 9
Antidiabetics	Male	3	1. 0	6	2. 1	18	6. 4	20	7. 1	47	4. 1
	Female	0	0.0	4	1. 4	10	3. 5	16	5. 7	30	2. 7
	Total	3	0. 5	10	1. 8	28	4. 9	36	6. 4	77	3. 4
Agent acting generally	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
on metabolic system	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Unclassified agent acting	Male	1	0. 3	3	1. 1	3	1. 1	10	3. 5	17	1. 5
on metabolic system	Female	0	0. 0	4	1. 4	4	1. 4	9	3. 2	17	1. 5
	Total	1	0. 2	7	1. 3	7	1. 2	19	3. 4	34	1. 5
Chlorophyll agent	Male	0	0. 0	1	0. 4	0	0.0	0	0. 0	1	0. 1
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	1	0. 2	0	0. 0	0	0. 0	1	0.0
Pigment agent	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Other cell activation	Male	0	0. 0	0	0. 0	0	0. 0	1	0. 4	1	0. 1
agents	Female	1	0. 4	0	0. 0	0	0. 0	0	0. 0	1	0. 1

	Total	1	0. 2	0	0. 0	0	0. 0	1	0. 2	2	0. 1
 Alkylating agent	 Male	 0	0. 2 0. 0	0 0	0. 0 0. 0	 1	0. 0 0. 4	<u>'</u> 0	0. 2 0. 0	 1	0. 1
And rucing agone	 Female		0.0	-	0. 0 0. 0	-	0. 0	-	0. 0	<u>-</u> 0	0.0
	 Total		0.0	-	0. 0 0. 0	- 1	0. 2	-	0. 0	- 1	0.0
 Antimetabolite	 Male	0 0	0. 0 0. 0	 1	0. 0 0. 4	<u>'</u> 1	0. 2	-	 0. 7	<u>'</u> 4	0. 0
Artering caporites	 Female	 0	0. 0 0. 0	'	0. 4	'	0. 4	-	0. <i>7</i> 0. 0	-	0.0
	 Total	0 0	0. 0 0. 0	-	0. 0 0. 2	<u>-</u> 1	0. 0 0. 2	<u>-</u> 2	 0. 4	- 4	0. 0
Antibiotics for antitumor		0 0	0. 0 0. 0	'	0. 2 0. 0	<u>'</u> 1	0. 2	0	0. 4	- 1	0. 2
agent	 Female	0 0	0. 0 0. 0	0 0	0. 0 	'	0. 4	-	0. 0 0. 0	'	0. 1
	Tellare Total	0 0	0. 0 0. 0	0 0	0. 0 	-	0. 0 0. 2	- 0	0. 0 0. 0	-	0.0
Diant component for		0 0	0. 0 0. 0							<u>'</u> 1	
Plant component for antitumor agent	Male Female		0. 0 0. 0	0	0.0	1 0	0. 4 0. 0	0 	0. 0 0. 0	<u>-</u>	0. 1 0. 0
		<u>0</u>		0	0.0			0			
Oth	Total 	0	0.0	0	0.0	1 	0. 2	0	0.0	1 	0.0
Other antitumor agents	Male 	0	0.0	0 	0.0	0	0.0	1 	0.4	1 	0.1
	Female 	<u>0</u>	0.0	0	0.0	2	0.7	1 	0.4	3	0.3
Audibiotorio I	Total 	<u>0</u>	0.0	0	0.0	2 	0. 4	2 	0. 4	4 	0.2
Antihistaminic agent	Male 	<u>9</u>	3. 1	2	0. 7	2	0. 7	6	2. 1	19	1.7
	Female 	6	2. 1	6 	2. 2	4 	1.4	8 	2. 8	24	2. 1
	Total 	15 	2. 6	<u>8</u>	1.4	6 	1.1	14	2. 5	43	1.9
Agents for stimulus therapy	Male 	0	0.0	0	0.0	1 	0. 4	0	0.0	1 <u>-</u>	0.1
	Female 	<u>0</u>	0.0	2	0. 7	0 	0.0	0 	0.0	2	0. 2
	Total 	0 	0.0	2 	0. 4	1 	0. 2	0	0. 0	3	0. 1
Agents for nonspecific immunogenicity	Male 	0 	0.0	0	0.0	0	0.0	0 	0. 0	0	0.0
	Female 	0	0.0	1 	0. 4	0 	0.0	0 	0. 0	1 	0. 1
	Total 	0	0.0	1 	0. 2	0	0. 0	0	0. 0	1 	0.0
Other antiallergic drugs	Male 	11	3.8	8 	2. 8	10 	3. 5	12 	4. 2	41 	3.6
	Female 	7	2. 5 	9	3. 2	10 	3. 5	6 	2. 1	32	2. 8
	Total 	18	3. 1	17 	3. 0	20	3. 5	18	3. 2		3. 2
Crude drug	Male 	5 	1.7	11 	3. 9	6	2. 1	7	2. 5		2. 5
	Female 	6	2. 1	9	3. 2	12	4. 2	10	3. 5	37	3.3
	Total 	11	1.9	20	3. 6	18	3. 2	17	3. 0	66	2. 9
Herb medicine	Male 	7	2. 4	5	1. 8	10	3. 5	10	3. 5	32	2. 8
	Female	7	2. 5	14	5. 1	9	3. 2	13	4. 6	43	3.8
	Total	14	2. 4	19	3. 4	19	3. 3	23	4. 1	75	3.3
Other drugs prescribed by a crude drug or a	Male	3	1.0	8	2. 8	8	2. 8	6	2. 1	25	2. 2
herb medicine	Female	7	2. 5	8	2. 9	10	3. 5	9	3. 2	34	3.0
	Total	10	1. 7	16	2. 9	18	3. 2	15	2. 7	59	2. 6
Antibiotics (G(+))	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Antibiotics (G(-))	Male	0	0.0	0	0. 0	1	0. 4	0	0. 0	1	0. 1
	Female	0	0.0	0	0. 0	0	0. 0	1	0. 4	1	0. 1
	Total	0	0. 0	0	0. 0	1	0. 2	1	0. 2	2	0. 1
Antibiotics (G(+), G(-))	Male	7	2. 4	2	0. 7	7	2. 5	6	2. 1	22	1. 9

	Female	8	2. 8	7	2. 5	1	0. 4	2	0. 7	18	1.6
•	Total	15	2. 6	9	1. 6	8	1. 4	8	1. 4	40	1.8
Antibiotics (G(+),	Male	1	0.3	3	1. 1	1	0. 4	2	0. 7	7	0. 6
Mycoplasma)	Female	2	0. 7	2	0. 7	1	0. 4	3	1. 1	8	0. 7
•	Total	3	0. 5	5	0. 9	2	0. 4	5	0. 9	15	0. 7
Antibiotics (G(+), G(-),	Male	1	0. 3	0	0.0	0	0.0	0	0. 0	1	0. 1
Rickettsia, Chlamydia) -	Female	0	0.0	0	0. 0	0	0. 0	1	0. 4	1	0. 1
	Total	1	0. 2	0	0. 0	0	0. 0	1	0. 2	2	0. 1
Antibiotics against acid-	Male	0	0.0	0	0.0	1	0. 4	0	0. 0	1	0. 1
fastbacterium	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0.0	1	0. 2	0	0. 0	1	0.0
Antibiotics against	Male	0	0.0	1	0. 4	0	0. 0	1	0. 4	2	0. 2
fungus	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	1	0. 2	0	0.0	1	0. 2	2	0. 1
Other antibiotics	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	1	0. 4	0	0. 0	0	0.0	0	0. 0	1	0. 1
•	Total	1	0. 2	0	0. 0	0	0. 0	0	0. 0	1	0. (
 Sulfa agent	Male	0	0. 0	0	0. 0	1	0. 4	0	0. 0	1	0. 1
•	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. (
•	Total	0	0. 0	0	0. 0	1	0. 2	0	0. 0	1	0. (
ntituberculous agent - -	Male	0	0. 0	0	0. 0	1	0. 4	0	0. 0	1	0. 1
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. (
	Total	0	0. 0	0	0. 0	1	0. 2	0	0. 0	1	0.0
Anti-leprosy agent	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. (
•	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
•	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
 Synthetic antibiotics	 Male	3	1. 0	0	0. 0	1	0. 4	4	1. 4	8	0. 7
•	 Female	2	0. 7	2	0. 7	3	1. 1	2	0. 7	9	0.8
•	Total	5	0. 9	2	0. 4	4	0. 7	6	1. 1	17	0.8
Antiviral agent	 Male	0	0. 0	0	0. 0	0	0. 0	1	0. 4	1	0. 1
•	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
•	Total	0	0. 0	0	0. 0	0	0. 0	1	0. 2	1	0.0
Other agents for	Male	0	0. 0	1	0. 4	2	0. 7	0	0. 0	3	0. 3
chemotherapy	Female	0	0. 0	1	0. 4	0	0. 0	1	0. 4	2	0. 2
•	Total	0	0. 0	2	0. 4	2	0. 4	1	0. 2	5	0. 2
Vaccine	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. (
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Poison or toxoid	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. (
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Antitoxic serum or	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
leptospira serum	 Female										

	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Blood supplements	Male	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Reagents for biological	Male	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0
tests	Female	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0
	Total	0	0.0	0	0.0	0	0. 0	0	0. 0	0	0.0
Mixed biological agent	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0
Other biological agents	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Protozoicide	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Parasiticide	Male	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Other drugs against	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
parasitic disease	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Diluents	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Ointment base	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Solution	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Corrective, tinction	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	2	0. 7	0	0. 0	0	0. 0	0	0. 0	2	0. 2
	Total	2	0. 3	0	0. 0	0	0. 0	0	0. 0	2	0. 1
 Emulsifier	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Other dispensing drugs	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
		0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
X-ray contrast medium	Male										
X-ray contrast medium	Male Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
X-ray contrast medium			0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0

tests											
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0
Other drugs for diagnosis	Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Antiseptic	Male	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Female	0	0.0	0	0. 0	0	0.0	0	0.0	0	0.0
	Total	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
Pesticide for prevention of epidemics	Male	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Female	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
Insect repellent	Male	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Female	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Insecticide	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Rodenticide	Male	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0
Other drugs for public health	Male	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Reagents for general tests	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Reagents for blood tests	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0.0	0	0. 0	0	0.0
Reagents for biochemical tests	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Reagents for immunologic or serologic tests	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Reagents for microbiological tests	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
		0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	 Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Reagents for histopathological tests	 Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Radiopharmaceutical for extracorporeal diagnosis	 Male	0	0.0	-	0. 0	.	0. 0	_	0. 0	 0	0. C
											0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	

	Total	0	0.0	0	0.0	0	0.0	0	0. 0	0	0.0
Other reagents for extracorporeal diagnosis	Male	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0.0	0	0. 0	0	0.0	0	0. 0	0	0.0
Adhesive bandage	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Other drugs not for treatment	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Opiate alkaloid agent	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
Coca alkaloid agent	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Other alkaloid agents	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Total	0	0. 0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Synthetic narcotic	Male	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
	Female	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0.0
	Total	0	0.0	0	0. 0	0	0. 0	0	0. 0	0	0. 0
Unclassifiable drug	Male	4	1.4	10	3. 5	11	3. 9	20	7. 1	45	4. 0
	Female	10	3. 5	4	1. 4	13	4. 6	18	6. 4	45	4. 0
	Total	14	2. 4	14	2. 5	24	4. 2	38	6. 7	90	4. 0
No use of drug	Male	132	45. 5	108	38. 3	81	28. 6	50	17. 7	371	32. 6
	Female	121	42. 9	86	31.0	61	21. 4	39	13. 8	307	27. 3
	Total	253	44. 2	194	34. 7	142	25. 0	89	15. 8	678	29. 9
Total	Male	290	100.0	282	100. 0	283	100. 0	283	100. 0	1138	100. 0
	Female	282	100.0	277	100. 0	285	100. 0	282	100. 0	1126	100. 0
	Total	572	100. 0	559	100. 0	568	100. 0	565	100. 0	2264	100. 0